## Issues

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|---|---|---|---|---|---|---|
| 6648 | Ruby master | Feature | Assigned | Provide a standard API for retrieving all command-line flags passed to Ruby | matz (Yukihiro Matsumoto) | 04/19/2024 02:09 PM |
| 7121 | Ruby master | Feature | Assigned | Extending the use of `require' | matz (Yukihiro Matsumoto) | 04/03/2024 04:29 AM |
| 19304 | Ruby master | Misc | Assigned | Kernel vs Object documentation | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 19059 | Ruby master | Feature | Assigned | Introduce top level `module TimeoutError` for aggregating various timeout error classes. | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 17849 | Ruby master | Feature | Assigned | Fix Timeout.timeout so that it can be used in threaded Web servers | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 17830 | Ruby master | Feature | Assigned | Add Integer#previous and Integer#prev | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 17785 | Ruby master | Feature | Assigned | Allow named parameters to be keywords | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 17288 | Ruby master | Feature | Assigned | Optimize __send__ call with a literal method name | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 17279 | Ruby master | Feature | Assigned | Allow a negative step in Range#step with a block | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 17184 | Ruby master | Feature | Assigned | No stdlib function to perform simple string replacement | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 16992 | Ruby master | Feature | Assigned | Sets: officially ordered | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 16986 | Ruby master | Feature | Assigned | Anonymous Struct literal | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 16894 | Ruby master | Feature | Assigned | Integer division for Ruby 3 | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 15991 | Ruby master | Feature | Assigned | Allow questionmarks in variable names | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 15837 | Ruby master | Feature | Assigned | Module#name_components | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 15764 | Ruby master | Bug | Assigned | Whitespace and control characters should not be permitted in tokens | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 15445 | Ruby master | Feature | Assigned | Reject '.123' in Float() method | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 15330 | Ruby master | Feature | Assigned | autoload_relative | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 15277 | Ruby master | Feature | Assigned | at_exec | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 15192 | Ruby master | Feature | Assigned | Introduce a new "shortcut assigning" syntax to convenient setup instance variables | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 15112 | Ruby master | Feature | Assigned | Introducing the short form of `STDERR.puts expr.inspect`. | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 14982 | Ruby master | Feature | Assigned | Improve namespace system in ruby to avoiding top-level  names chaos | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 14927 | Ruby master | Feature | Assigned | Loading multiple files at once | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 14760 | Ruby master | Misc | Assigned | cross-thread IO#close semantics | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 14724 | Ruby master | Feature | Assigned | chains of inequalities | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 14609 | Ruby master | Feature | Assigned | Let `Kernel#p` without an argument print the receiver | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 14548 | Ruby master | Feature | Assigned | Allow some_array&.[1] to be a valid syntax | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 14546 | Ruby master | Feature | Assigned | Hash#delete! | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 14128 | Ruby master | Feature | Assigned | Introduce Hash#delete default value | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 12306 | Ruby master | Feature | Assigned | Implement String #blank? #present? and improve #strip and family to handle unicode | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|---|---|---|---|---|---|---|
| 12244 | Ruby master | Feature | Assigned | Add a way to `integer - integer % num` | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 12019 | Ruby master | Feature | Assigned | Better low-level support for writing concurrent libraries | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 11882 | Ruby master | Feature | Assigned | Map or NamedMap | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 11735 | Ruby master | Feature | Assigned | Porting String#squish and String#squish! from Ruby on Rails' Active Support | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 11627 | Ruby master | Feature | Assigned | make `nonzero` an alias of `nonzero?` | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 11518 | Ruby master | Feature | Assigned | Queue enhancement - promote! and promote_all! | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 11517 | Ruby master | Feature | Assigned | Queue enhancement - conditional pop | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 11390 | Ruby master | Feature | Assigned | Allow symbols starting with numbers | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 11307 | Ruby master | Feature | Assigned | exception-free non-blocking Queue#pop | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 11181 | Ruby master | Feature | Assigned | Add a line directive to Ruby | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 11122 | Ruby master | Feature | Assigned | exception-free non-blocking Queue/SizedQueue operations | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 10574 | Ruby master | Feature | Assigned | Add String#lchomp and String.lchomp! | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 10549 | Ruby master | Feature | Assigned | Deprecate each_with_index and each_with_object in favor of with_index and with_object | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 10541 | Ruby master | Misc | Assigned | Remove shorthand string interpolation syntax | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 10498 | Ruby master | Feature | Assigned | Make `loop` yield a counter | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 10489 | Ruby master | Feature | Assigned | Add inherit method for clearer and multiple inheritance | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 10404 | Ruby master | Feature | Assigned | Allow individual finalizers to be removed with ObjectSpace.undefine_finalizer | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 10287 | Ruby master | Feature | Assigned | rename COLON3 to COLON2_HEAD. | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 9704 | Ruby master | Feature | Assigned | Refinements as files instead of modules | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 9614 | Ruby master | Feature | Assigned | ordering of non-Hash items which use st_ internally | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 9123 | Ruby master | Feature | Assigned | Make Numeric#nonzero? behavior consistent with Numeric#zero? | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 9070 | Ruby master | Feature | Assigned | Introduce `---` as synonym of `end` keyword | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 9043 | Ruby master | Feature | Assigned | Add String#f method as shortcut for #freeze | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 8804 | Ruby master | Feature | Assigned | ONCE syntax | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 8663 | Ruby master | Feature | Assigned | Officialy alias ArgumentError to ArgError | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 8478 | Ruby master | Feature | Assigned | The hash returned by Enumerable#group_by should have an empty array for its default value | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 8232 | Ruby master | Feature | Assigned | Rudiments of abstract algebra in Ruby | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 8229 | Ruby master | Feature | Assigned | extend Hash.include? | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 8061 | Ruby master | Feature | Assigned | □□□□□□□□□□□□□□□□□ | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 7914 | Ruby master | Feature | Assigned | Case for local class methods | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 7883 | Ruby master | Feature | Assigned | Add Regex#to_proc | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 7876 | Ruby master | Feature | Assigned | Add method for accessing Class from within Singleton Class | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|---|---|---|---|---|---|---|
| 7848 | Ruby master | Feature | Assigned | Restore default state for core ruby objects | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 7795 | Ruby master | Feature | Assigned | Symbol.defined? and/or to_existing_symbol | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 7748 | Ruby master | Feature | Assigned | Contextual send | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 7704 | Ruby master | Feature | Assigned | Add a list of enabled (experimental) language features. | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 7702 | Ruby master | Feature | Assigned | Remove Proc#binding | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 7657 | Ruby master | Feature | Assigned | Array#& doesn't accept Enumerables | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 7654 | Ruby master | Feature | Assigned | Add optional code block to IO::readlines | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 7614 | Ruby master | Feature | Assigned | alias_accessor | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 7611 | Ruby master | Feature | Assigned | Focal method for all loads/requires | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 7604 | Ruby master | Feature | Assigned | Make === comparison operator ability to delegate comparison to an argument | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 7548 | Ruby master | Feature | Assigned | Load and Require Callbacks | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 7546 | Ruby master | Feature | Assigned | Change behavior of `Array#slice` for an argument of `Range` class | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 7444 | Ruby master | Feature | Assigned | Array#product_set | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 7377 | Ruby master | Feature | Assigned | #indetical? as an alias for #equal? | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 7149 | Ruby master | Feature | Assigned | Constant magic for everyone. | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 6869 | Ruby master | Feature | Assigned | Do not treat `_` parameter exceptionally | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 6817 | Ruby master | Feature | Assigned | Partial application | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 6641 | Ruby master | Feature | Assigned | Hash.auto constructor | matz (Yukihiro Matsumoto) | 04/03/2024 03:50 AM |
| 6317 | Ruby master | Feature | Assigned | Range#cover?□□□□□□Range□□□□□□□□□□□□□□□□□□□□□□ | matz (Yukihiro Matsumoto) | 03/20/2024 12:46 AM |
| 6337 | Ruby master | Feature | Assigned | FileUtils#sync | matz (Yukihiro Matsumoto) | 03/20/2024 12:38 AM |
| 6594 | Ruby master | Feature | Assigned | Integrated Functor | matz (Yukihiro Matsumoto) | 03/20/2024 12:21 AM |
| 5825 | Ruby master | Feature | Assigned | Sweet instance var assignment in the object initializer | matz (Yukihiro Matsumoto) | 10/12/2023 02:41 AM |
| 9023 | Ruby master | Feature | Assigned | Array#tail | matz (Yukihiro Matsumoto) | 12/23/2021 11:40 PM |
| 8271 | Ruby master | Feature | Assigned | Proposal for moving to a more visible, formal process for feature requests | matz (Yukihiro Matsumoto) | 12/23/2021 11:40 PM |
| 6308 | Ruby master | Feature | Assigned | Eliminate delegation from WeakRef | matz (Yukihiro Matsumoto) | 12/23/2021 11:40 PM |
| 13129 | Ruby master | Feature | Assigned | Refinements cannot refine method_missing and respond_to_missing? | matz (Yukihiro Matsumoto) | 07/03/2021 10:45 PM |
| 12543 | Ruby master | Feature | Assigned | explicit tail call syntax: foo() then return | matz (Yukihiro Matsumoto) | 04/18/2021 03:02 PM |
| 17291 | Ruby master | Feature | Assigned | Optimize __send__ call | matz (Yukihiro Matsumoto) | 01/12/2021 05:47 AM |
| 6810 | Ruby master | Feature | Assigned | `module A::B; end` is not equivalent to `module A; module B; end; end` with respect to constant lookup (scope) | matz (Yukihiro Matsumoto) | 12/10/2020 09:22 AM |
| 16461 | Ruby master | Feature | Assigned | Proc#using | matz (Yukihiro Matsumoto) | 12/10/2020 09:10 AM |
| 6841 | Ruby master | Feature | Assigned | Shorthand for Assigning Return Value of Method to Self | matz (Yukihiro Matsumoto) | 12/10/2020 08:53 AM |
| 6452 | Ruby master | Feature | Assigned | Allow extend to override class methods | matz (Yukihiro Matsumoto) | 12/10/2020 08:53 AM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|---|---|---|---|---|---|---|
| 8164 | Ruby master | Feature | Assigned | Public/Private | matz (Yukihiro Matsumoto) | 12/10/2020 08:50 AM |
| 7644 | Ruby master | Feature | Assigned | In refinements, change "using" keyword to a less generic word. | matz (Yukihiro Matsumoto) | 12/10/2020 08:49 AM |
| 5456 | Ruby master | Feature | Assigned | kernel#syscall() should be removed. | matz (Yukihiro Matsumoto) | 12/10/2020 08:46 AM |
| 6309 | Ruby master | Feature | Assigned | Add a reference queue for weak references | matz (Yukihiro Matsumoto) | 08/23/2020 09:07 PM |
| 6596 | Ruby master | Feature | Assigned | New method `Array#indexes` | matz (Yukihiro Matsumoto) | 07/29/2020 01:41 AM |
| 11816 | Ruby master | Feature | Assigned | Partial safe navigation operator | matz (Yukihiro Matsumoto) | 04/14/2020 08:02 AM |
| 16630 | Ruby master | Misc | Assigned | Deprecate pub/ruby/*snapshot* and use pub/ruby/snapshot/* instead | matz (Yukihiro Matsumoto) | 02/27/2020 09:52 AM |
| 5781 | Ruby master | Feature | Assigned | Query attributes (attribute methods ending in `?` mark) | matz (Yukihiro Matsumoto) | 01/10/2020 06:34 AM |
| 4539 | Ruby master | Feature | Assigned | Array#zip_with | matz (Yukihiro Matsumoto) | 11/28/2019 08:23 AM |
| 14397 | Ruby master | Feature | Assigned | public, protected and private should return their arguments instead of self | matz (Yukihiro Matsumoto) | 12/10/2018 07:08 AM |
| 5945 | Ruby master | Feature | Assigned | Add the ability to mark a at_exit as process-local. | matz (Yukihiro Matsumoto) | 10/10/2018 08:29 AM |
| 7580 | Ruby master | Feature | Assigned | Range translation | matz (Yukihiro Matsumoto) | 06/11/2018 09:51 AM |
| 5007 | Ruby master | Feature | Assigned | Proc#call_under: Unifying instance_eval and instance_exec | matz (Yukihiro Matsumoto) | 04/19/2018 07:57 AM |
| 4824 | Ruby master | Feature | Assigned | Provide method Kernel#executed? | matz (Yukihiro Matsumoto) | 03/05/2018 04:57 AM |
| 5129 | Ruby master | Feature | Assigned | Create a core class "FileArray" and make "ARGF" its instance | matz (Yukihiro Matsumoto) | 01/23/2018 02:02 PM |
| 8678 | Ruby master | Feature | Assigned | Allow invalid string to work with regexp | matz (Yukihiro Matsumoto) | 01/05/2018 09:00 PM |
| 8850 | Ruby master | Feature | Assigned | Convert Rational to decimal string | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 8536 | Ruby master | Feature | Assigned | Implement is_numeric? family of methods | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 8042 | Ruby master | Feature | Assigned | Add Addrinfo#socket to create a socket that is not connected or bound | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 8016 | Ruby master | Feature | Assigned | Alias __FILE__ and __LINE__ as methods | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7739 | Ruby master | Feature | Assigned | Define Hash#\| as Hash#reverse_merge in Rails | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7503 | Ruby master | Feature | Assigned | make timeout.rb async-interrupt safe by default | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7436 | Ruby master | Feature | Assigned | Allow for a "granularity" flag for backtrace_locations | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7349 | Ruby master | Feature | Assigned | Struct#inspect needs more meaningful output | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7132 | Ruby master | Feature | Assigned | Alternation between named / ordered method arguments and aliases for method arguments. | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7087 | Ruby master | Feature | Assigned | ::ConditionVariable#wait does not work with Monitor because Monitor#sleep does not exist | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6811 | Ruby master | Feature | Assigned | File, Dir and FileUtils should have bang-versions of singleton methods that fails silently | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6802 | Ruby master | Feature | Assigned | String#scan should have equivalent yielding MatchData | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6671 | Ruby master | Feature | Assigned | File.split_all and File.split_root | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6611 | Ruby master | Feature | Assigned | Comments requested on implementation of set_parse_func | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6445 | Ruby master | Feature | Assigned | request for default length/position on string index | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|---|---|---|---|---|---|---|
| 6376 | Ruby master | Feature | Assigned | Feature lookup and checking if feature is loaded | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6354 | Ruby master | Feature | Assigned | Remove escape (break/return/redo/next support) from class/module scope | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6293 | Ruby master | Feature | Assigned | new queue / blocking queues | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6277 | Ruby master | Feature | Assigned | Hash#convert_key | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5970 | Ruby master | Feature | Assigned | Add Enumerable#join with same semantics as Array#join | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5749 | Ruby master | Feature | Assigned | new method String#match_all needed | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5741 | Ruby master | Feature | Assigned | Secure Erasure of Passwords | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5643 | Ruby master | Feature | Assigned | require/load options and binding option | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5582 | Ruby master | Feature | Assigned | Allow clone of singleton methods on a BasicObject | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5558 | Ruby master | Feature | Assigned | String#% strange arity errors | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5445 | Ruby master | Feature | Assigned | Need RUBYOPT -r before ARGV -r | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5389 | Ruby master | Feature | Assigned | New method Enumerator#iterate | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5064 | Ruby master | Feature | Assigned | HTTP user-agent class | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 4818 | Ruby master | Feature | Assigned | Add method marshalable? | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 4592 | Ruby master | Feature | Assigned | Tempfile□□□□□□□□ | matz (Yukihiro Matsumoto) | 12/25/2017 06:14 PM |
| 4521 | Ruby master | Feature | Assigned | NoMethodError#message may take very long to execute | matz (Yukihiro Matsumoto) | 12/25/2017 06:14 PM |
| 4514 | Ruby master | Feature | Assigned | #deep_clone and #deep_dup for Objects | matz (Yukihiro Matsumoto) | 12/25/2017 06:14 PM |
| 6842 | Ruby master | Feature | Assigned | Add Optional Arguments to String#strip | matz (Yukihiro Matsumoto) | 08/24/2016 05:50 AM |
| 7314 | Ruby master | Feature | Assigned | Convert Proc to Lambda doesn't work in MRI | matz (Yukihiro Matsumoto) | 05/21/2016 09:15 AM |
| 8839 | Ruby master | Feature | Assigned | Class and module should return the class or module that was opened | matz (Yukihiro Matsumoto) | 12/28/2015 08:36 AM |
| 11028 | Ruby master | Feature | Assigned | standalone running single file ( zipped archives of ruby code) running **without installation** using "gem install ..." | matz (Yukihiro Matsumoto) | 04/04/2015 01:44 AM |
| 10481 | Ruby master | Feature | Assigned | Add "if" and "unless" clauses to rescue statements | matz (Yukihiro Matsumoto) | 01/18/2015 02:46 PM |
| 9816 | Ruby master | Feature | Assigned | □□□□□□□□□□□□□□□□□□□□□□□□ | matz (Yukihiro Matsumoto) | 10/28/2014 08:29 AM |
| 9768 | Ruby master | Feature | Assigned | Method that is visible only within a certain module/class | matz (Yukihiro Matsumoto) | 04/25/2014 06:43 AM |