

Issues

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|----------|--|---------------------------|---------------------|
| 16182 | Ruby master | Feature | Open | Should `expr` in a, b, c` be allowed or not? | matz (Yukihiro Matsumoto) | 10/02/2019 08:05 AM |
| 16047 | Ruby master | Misc | Open | Reconsider impact of frozen_string_literal on dynamic strings | matz (Yukihiro Matsumoto) | 08/06/2019 05:43 PM |
| 15991 | Ruby master | Feature | Open | Allow questionmarks in variable names | matz (Yukihiro Matsumoto) | 07/30/2019 03:57 AM |
| 15973 | Ruby master | Feature | Assigned | Let Kernel#lambda always return a lambda | matz (Yukihiro Matsumoto) | 09/28/2019 03:46 AM |
| 15921 | Ruby master | Feature | Open | R-assign (rightward-assignment) operator | matz (Yukihiro Matsumoto) | 07/29/2019 08:31 AM |
| 15897 | Ruby master | Feature | Open | `it` as a default block parameter | matz (Yukihiro Matsumoto) | 07/30/2019 04:08 AM |
| 15837 | Ruby master | Feature | Open | Module#name_components | matz (Yukihiro Matsumoto) | 05/08/2019 10:29 AM |
| 15764 | Ruby master | Bug | Open | Whitespace and control characters should not be permitted in tokens | matz (Yukihiro Matsumoto) | 04/22/2019 07:48 AM |
| 15723 | Ruby master | Misc | Feedback | Reconsider numbered parameters | matz (Yukihiro Matsumoto) | 10/03/2019 07:16 PM |
| 15574 | Ruby master | Feature | Open | Prohibit to pass a block on super() implicitly | matz (Yukihiro Matsumoto) | 02/15/2019 11:46 AM |
| 15554 | Ruby master | Feature | Open | warn/error passing a block to a method which never use a block | matz (Yukihiro Matsumoto) | 05/28/2019 08:39 PM |
| 15504 | Ruby master | Feature | Open | Freeze all Range object | matz (Yukihiro Matsumoto) | 06/23/2019 04:47 AM |
| 15445 | Ruby master | Feature | Open | Reject '.123' in Float() method | matz (Yukihiro Matsumoto) | 01/10/2019 07:59 AM |
| 15330 | Ruby master | Feature | Open | autoload_relative | matz (Yukihiro Matsumoto) | 02/07/2019 06:01 PM |
| 15277 | Ruby master | Feature | Open | at_exec | matz (Yukihiro Matsumoto) | 11/04/2018 03:25 PM |
| 15192 | Ruby master | Feature | Open | Introduce a new "shortcut assigning" syntax to convenient setup instance variables | matz (Yukihiro Matsumoto) | 08/11/2019 02:26 AM |
| 15123 | Ruby master | Feature | Feedback | Enumerable#compact proposal | matz (Yukihiro Matsumoto) | 10/16/2019 08:55 AM |
| 15112 | Ruby master | Feature | Open | Introducing the short form of `STDERR.puts expr.inspect`. | matz (Yukihiro Matsumoto) | 10/12/2018 02:02 AM |
| 14982 | Ruby master | Feature | Open | Improve namespace system in ruby to avoiding top-level names chaos | matz (Yukihiro Matsumoto) | 06/28/2019 02:03 PM |
| 14927 | Ruby master | Feature | Open | Loading multiple files at once | matz (Yukihiro Matsumoto) | 09/18/2018 12:38 AM |
| 14760 | Ruby master | Misc | Open | cross-thread IO#close semantics | matz (Yukihiro Matsumoto) | 05/17/2018 08:21 AM |
| 14744 | Ruby master | Bug | Open | Refinements modules have a superclass | matz (Yukihiro Matsumoto) | 05/09/2018 09:09 AM |
| 14724 | Ruby master | Feature | Open | chains of inequalities | matz (Yukihiro Matsumoto) | 05/19/2018 01:06 AM |
| 14609 | Ruby master | Feature | Open | `Kernel#p` without args shows the receiver | matz (Yukihiro Matsumoto) | 03/11/2019 04:59 AM |
| 14546 | Ruby master | Feature | Open | Hash#delete! | matz (Yukihiro Matsumoto) | 05/30/2018 08:24 PM |
| 14397 | Ruby master | Feature | Assigned | public, protected and private should return their arguments instead of self | matz (Yukihiro Matsumoto) | 12/10/2018 07:08 AM |
| 14353 | Ruby master | Bug | Open | \$\$SAFE should stay at least thread-local for compatibility | matz (Yukihiro Matsumoto) | 02/07/2019 05:23 AM |
| 14128 | Ruby master | Feature | Open | Introduce Hash#delete default value | matz (Yukihiro Matsumoto) | 11/25/2017 04:41 PM |
| 14091 | Ruby master | Feature | Assigned | Remove Time#succ | matz (Yukihiro Matsumoto) | 07/14/2019 11:51 AM |
| 14015 | Ruby master | Bug | Open | Enumerable & Hash yielding arity | matz (Yukihiro Matsumoto) | 06/01/2018 03:10 AM |
| 13303 | Ruby master | Feature | Feedback | String#any? as !String#empty? | matz (Yukihiro Matsumoto) | 03/22/2019 06:52 AM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|----------|--|---------------------------|---------------------|
| 13129 | Ruby master | Feature | Assigned | Refinements cannot refine method_missing and respond_to_missing? | matz (Yukihiro Matsumoto) | 12/20/2017 12:01 AM |
| 12961 | Ruby master | Bug | Assigned | Bad value for range using infinity for Date or Time | matz (Yukihiro Matsumoto) | 08/25/2019 05:11 PM |
| 12929 | Ruby master | Feature | Assigned | ternary should look ahead w/in a block (and not care about newlines) | matz (Yukihiro Matsumoto) | 01/19/2017 08:17 AM |
| 12861 | Ruby master | Feature | Feedback | super in a block can be either lexically or dynamically scoped depending on how the block is invoked | matz (Yukihiro Matsumoto) | 12/21/2016 05:20 PM |
| 12813 | Ruby master | Feature | Assigned | Calling chunk_while, slice_after, slice_before, slice_when with no block | matz (Yukihiro Matsumoto) | 12/06/2016 12:58 PM |
| 12780 | Ruby master | Bug | Assigned | BigDecimal#round returns different types depending on argument | matz (Yukihiro Matsumoto) | 11/25/2016 01:59 PM |
| 12745 | Ruby master | Feature | Feedback | String#(g)sub(!) should pass a MatchData to the block, not a String | matz (Yukihiro Matsumoto) | 02/21/2019 08:02 PM |
| 12543 | Ruby master | Feature | Assigned | explicit tail call syntax: foo() then return | matz (Yukihiro Matsumoto) | 09/07/2019 09:57 AM |
| 12533 | Ruby master | Feature | Assigned | Refinements: allow modules inclusion, in which the module can call internal methods which it defines. | matz (Yukihiro Matsumoto) | 10/06/2017 11:59 AM |
| 12306 | Ruby master | Feature | Open | Implement String #blank? #present? and improve #strip and family to handle unicode | matz (Yukihiro Matsumoto) | 07/22/2018 10:55 PM |
| 12244 | Ruby master | Feature | Open | Add a way to `integer - integer % num` | matz (Yukihiro Matsumoto) | 05/17/2016 06:05 AM |
| 12075 | Ruby master | Feature | Feedback | some container#nonempty? | matz (Yukihiro Matsumoto) | 09/26/2016 06:27 PM |
| 12019 | CommonRuby | Feature | Open | Better low-level support for writing concurrent libraries | matz (Yukihiro Matsumoto) | 01/27/2016 06:27 AM |
| 12010 | Ruby master | Feature | Assigned | Exclude dot and dotdot from Dir#each | matz (Yukihiro Matsumoto) | 03/01/2018 01:13 AM |
| 11882 | Ruby master | Feature | Open | Map or NamedMap | matz (Yukihiro Matsumoto) | 01/30/2016 04:08 AM |
| 11878 | Ruby master | Bug | Assigned | Comparison of prepended modules | matz (Yukihiro Matsumoto) | 04/13/2016 07:02 AM |
| 11816 | Ruby master | Feature | Assigned | Partial safe navigation operator | matz (Yukihiro Matsumoto) | 12/06/2017 04:06 AM |
| 11782 | Ruby master | Feature | Assigned | String#+@ and String#-@ | matz (Yukihiro Matsumoto) | 12/28/2015 04:36 PM |
| 11779 | Ruby master | Bug | Feedback | Module#using does not make sense as a method | matz (Yukihiro Matsumoto) | 04/26/2018 11:05 AM |
| 11758 | Ruby master | Feature | Open | Add keyword assignment syntax | matz (Yukihiro Matsumoto) | 02/15/2016 03:31 AM |
| 11735 | Ruby master | Feature | Open | Porting String#squish and String#squish! from Ruby on Rails' Active Support | matz (Yukihiro Matsumoto) | 06/24/2016 08:02 AM |
| 11704 | Ruby master | Bug | Assigned | Refinements only get "used" once in loop | matz (Yukihiro Matsumoto) | 04/14/2016 02:45 AM |
| 11669 | Ruby master | Bug | Assigned | inconsitent behavior of refining frozen class | matz (Yukihiro Matsumoto) | 11/09/2015 05:38 AM |
| 11627 | CommonRuby | Feature | Open | make `nonzero` an alias of `nonzero?` | matz (Yukihiro Matsumoto) | 10/29/2015 01:25 PM |
| 11518 | Ruby master | Feature | Open | Queue enhancement - promote! and promote_all! | matz (Yukihiro Matsumoto) | 09/17/2015 08:40 PM |
| 11517 | Ruby master | Feature | Open | Queue enhancement - conditional pop | matz (Yukihiro Matsumoto) | 09/17/2015 09:02 PM |
| 11484 | Ruby master | Feature | Feedback | add output offset for readpartial/read_nonblock/etc | matz (Yukihiro Matsumoto) | 09/25/2017 07:28 AM |
| 11390 | Ruby master | Feature | Open | Allow symbols starting with numbers | matz (Yukihiro Matsumoto) | 08/14/2015 05:23 AM |
| 11346 | Ruby master | Feature | Open | New #intern_str or similarly-named method of Symbol to return a cached, frozen string (like "string".freeze) | matz (Yukihiro Matsumoto) | 08/21/2015 03:31 PM |
| 11307 | Ruby master | Feature | Open | exception-free non-blocking Queue#pop | matz (Yukihiro Matsumoto) | 06/25/2015 11:06 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|----------|---|---------------------------|---------------------|
| 11304 | Ruby master | Bug | Open | [PATCH] Kernel.global_variables should observe \$~. | matz (Yukihiro Matsumoto) | 07/30/2019 03:50 AM |
| 11274 | Ruby master | Bug | Open | Equality inconsistency between Method and UnboundMethod | matz (Yukihiro Matsumoto) | 06/17/2015 03:12 PM |
| 11256 | Ruby master | Feature | Assigned | anonymous block forwarding | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 11213 | Ruby master | Bug | Open | defined?(super) ignores respond_to_missing? | matz (Yukihiro Matsumoto) | 06/02/2015 08:11 PM |
| 11202 | Ruby master | Bug | Open | No warning when a link to an original method body was removed | matz (Yukihiro Matsumoto) | 06/01/2015 10:20 AM |
| 11189 | Ruby master | Bug | Open | alias prepended module | matz (Yukihiro Matsumoto) | 08/12/2019 10:59 PM |
| 11188 | Ruby master | Bug | Open | Method#inspect for chaining alias methods | matz (Yukihiro Matsumoto) | 08/12/2019 10:23 PM |
| 11181 | Ruby master | Feature | Open | Add a line directive to Ruby | matz (Yukihiro Matsumoto) | 01/26/2016 02:04 AM |
| 11122 | Ruby master | Feature | Open | exception-free non-blocking Queue/SizedQueue operations | matz (Yukihiro Matsumoto) | 05/06/2015 08:53 PM |
| 11087 | Ruby master | Feature | Feedback | Method to retrieve {local,global,instance} variables as a Hash | matz (Yukihiro Matsumoto) | 06/12/2015 09:13 AM |
| 11055 | Ruby master | Bug | Assigned | autoload resets private_constant | matz (Yukihiro Matsumoto) | 10/17/2019 05:21 AM |
| 11028 | Ruby master | Feature | Assigned | standalone running single file (zipped archives of ruby code) running **without installation** using "gem install ..." | matz (Yukihiro Matsumoto) | 04/04/2015 01:44 AM |
| 11022 | Ruby master | Bug | Assigned | opening an eigenclass does not change the class variable definition context | matz (Yukihiro Matsumoto) | 09/05/2019 10:52 PM |
| 11014 | Ruby master | Bug | Assigned | String#partition doesn't return correct result on zero-width match | matz (Yukihiro Matsumoto) | 04/18/2015 05:09 PM |
| 10929 | Ruby master | Bug | Open | NilClass#to_proc and & don't mix? | matz (Yukihiro Matsumoto) | 03/08/2015 10:43 PM |
| 10845 | Ruby master | Bug | Open | Subclassing String | matz (Yukihiro Matsumoto) | 06/02/2015 07:38 PM |
| 10574 | Ruby master | Feature | Open | Add String#lchomp and String.lchomp! | matz (Yukihiro Matsumoto) | 12/15/2014 04:34 PM |
| 10549 | Ruby master | Misc | Open | Deprecate each_with_index and each_with_object in favor of with_index and with_object | matz (Yukihiro Matsumoto) | 01/05/2018 09:02 PM |
| 10541 | Ruby master | Misc | Open | Remove shorthand string interpolation syntax | matz (Yukihiro Matsumoto) | 10/08/2015 05:44 PM |
| 10499 | Ruby master | Feature | Open | Eliminate implicit magic in Proc.new and Kernel#proc | matz (Yukihiro Matsumoto) | 12/08/2014 08:44 PM |
| 10498 | Ruby master | Feature | Open | Make `loop` yield a counter | matz (Yukihiro Matsumoto) | 01/05/2018 09:01 PM |
| 10489 | Ruby master | Feature | Open | Add inherit method for clearer and multiple inheritance | matz (Yukihiro Matsumoto) | 11/24/2014 10:21 AM |
| 10481 | Ruby master | Feature | Assigned | Add "if" and "unless" clauses to rescue statements | matz (Yukihiro Matsumoto) | 01/18/2015 02:46 PM |
| 10475 | Ruby master | Bug | Open | Array#flatten should not accept a nil argument | matz (Yukihiro Matsumoto) | 11/25/2014 01:03 AM |
| 10463 | Ruby master | Feature | Open | :~@ and :!@ are not parsed correctly | matz (Yukihiro Matsumoto) | 09/02/2019 06:30 AM |
| 10453 | Ruby master | Bug | Assigned | NUM2CHR() does not perform additional bounds checks | matz (Yukihiro Matsumoto) | 08/12/2019 04:48 AM |
| 10404 | Ruby master | Feature | Open | Allow individual finalizers to be removed with ObjectSpace.undefine_finalizer | matz (Yukihiro Matsumoto) | 10/20/2014 08:14 AM |
| 10388 | Ruby master | Bug | Open | Operator precedence problem in multiple assignment (massign) | matz (Yukihiro Matsumoto) | 08/20/2019 08:33 PM |
| 10355 | Ruby master | Feature | Feedback | Feature request: Module#prepend?(mod) | matz (Yukihiro Matsumoto) | 01/05/2018 09:01 PM |
| 10287 | Ruby master | Misc | Open | rename COLON3 to COLON2_HEAD. | matz (Yukihiro Matsumoto) | 01/05/2018 09:02 PM |
| 10064 | Ruby master | Feature | Feedback | &:symbol in when clause | matz (Yukihiro Matsumoto) | 01/05/2018 09:01 PM |
| 10042 | Ruby master | Feature | Open | Deprecate postfix rescue syntax for removal in 3.0 | matz (Yukihiro Matsumoto) | 02/06/2018 08:53 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|------|-------------|---------|----------|---|---------------------------|---------------------|
| 7444 | Ruby master | Feature | Open | Array#product_set | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7436 | Ruby master | Feature | Assigned | Allow for a "granularity" flag for backtrace_locations | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7377 | Ruby master | Feature | Open | #indetical? as an alias for #equal? | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7349 | Ruby master | Feature | Assigned | Struct#inspect needs more meaningful output | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7314 | Ruby master | Feature | Assigned | Convert Proc to Lambda doesn't work in MRI | matz (Yukihiro Matsumoto) | 05/21/2016 09:15 AM |
| 7149 | Ruby master | Feature | Open | Constant magic for everyone. | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7132 | Ruby master | Feature | Assigned | Alternation between named / ordered method arguments and aliases for method arguments. | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7121 | Ruby master | Feature | Assigned | Extending the use of `require` | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7087 | Ruby master | Feature | Assigned | ::ConditionVariable#wait does not work with Monitor because Monitor#sleep does not exist | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6869 | Ruby master | Feature | Open | Do not treat `_` parameter exceptionally | matz (Yukihiro Matsumoto) | 04/13/2014 08:50 AM |
| 6842 | Ruby master | Feature | Assigned | Add Optional Arguments to String#strip | matz (Yukihiro Matsumoto) | 08/24/2016 05:50 AM |
| 6841 | Ruby master | Feature | Assigned | Shorthand for Assigning Return Value of Method to Self | matz (Yukihiro Matsumoto) | 04/03/2013 03:55 PM |
| 6817 | Ruby master | Feature | Open | Partial application | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6811 | Ruby master | Feature | Assigned | File, Dir and FileUtils should have bang-versions of singleton methods that fails silently | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6810 | Ruby master | Feature | Assigned | `module A::B; end` is not equivalent to `module A; module B; end; end` with respect to constant lookup (scope) | matz (Yukihiro Matsumoto) | 01/27/2017 12:21 PM |
| 6806 | Ruby master | Feature | Feedback | Support functional programming: forbid instance/class variables for ModuleName::method_name, allow for ModuleName.method_name | matz (Yukihiro Matsumoto) | 06/30/2014 02:02 PM |
| 6802 | Ruby master | Feature | Assigned | String#scan should have equivalent yielding MatchData | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6739 | Ruby master | Feature | Feedback | One-line rescue statement should support specifying an exception class | matz (Yukihiro Matsumoto) | 05/18/2016 12:42 AM |
| 6727 | Ruby master | Feature | Feedback | Add Array#rest (with implementation) | matz (Yukihiro Matsumoto) | 08/14/2019 08:51 AM |
| 6697 | Ruby master | Feature | Feedback | [PATCH] Add Kernel#Symbol conversion method like String(), Array() etc. | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6671 | Ruby master | Feature | Assigned | File.split_all and File.split_root | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6669 | Ruby master | Feature | Feedback | A method like Hash#map but returns hash | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6648 | Ruby master | Feature | Assigned | Provide a standard API for retrieving all command-line flags passed to Ruby | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6641 | Ruby master | Feature | Open | Hash.auto constructor | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6611 | Ruby master | Feature | Assigned | Comments requested on implementation of set_parse_func | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6596 | Ruby master | Feature | Assigned | New method for Arrays : Array#indexes | matz (Yukihiro Matsumoto) | 10/31/2018 07:11 PM |
| 6594 | Ruby master | Feature | Assigned | Integrated Functor | matz (Yukihiro Matsumoto) | 11/27/2014 05:27 PM |
| 6515 | Ruby master | Feature | Feedback | array.c: added method that verifies if an Array is part of another | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6478 | Ruby master | Feature | Feedback | BasicObject#__class__ | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6470 | Ruby master | Feature | Open | Make attr_accessor return the list of generated method | matz (Yukihiro Matsumoto) | 02/07/2019 04:44 AM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|------|-------------|---------|----------|---|---------------------------|---------------------|
| 6452 | Ruby master | Feature | Assigned | Allow extend to override class methods | matz (Yukihiro Matsumoto) | 10/22/2014 11:00 PM |
| 6445 | Ruby master | Feature | Assigned | request for default length/position on string index | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6413 | Ruby master | Feature | Assigned | Make Dir.entries default to Dir.entries(Dir.pwd) | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6376 | Ruby master | Feature | Assigned | Feature lookup and checking if feature is loaded | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6367 | Ruby master | Feature | Feedback | #same? for Enumerable | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6362 | Ruby master | Feature | Assigned | Modular exponentiation/inverse | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6354 | Ruby master | Feature | Assigned | Remove escape (break/return/redo/next support) from class/module scope | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6337 | Ruby master | Feature | Assigned | FileUtils#sync | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6317 | Ruby master | Feature | Assigned | Range#cover? Range#cover? | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6309 | Ruby master | Feature | Assigned | Add a reference queue for weak references | matz (Yukihiro Matsumoto) | 01/05/2018 09:00 PM |
| 6308 | CommonRuby | Feature | Assigned | Eliminate delegation from WeakRef | matz (Yukihiro Matsumoto) | 11/01/2013 04:28 AM |
| 6293 | Ruby master | Feature | Assigned | new queue / blocking queues | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6277 | Ruby master | Feature | Assigned | Hash#convert_key | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6251 | Ruby master | Feature | Feedback | Magic comments for compile options | matz (Yukihiro Matsumoto) | 08/21/2015 11:47 PM |
| 6219 | Ruby master | Feature | Feedback | Return value of Hash#store | matz (Yukihiro Matsumoto) | 04/26/2012 09:20 AM |
| 6210 | Ruby master | Feature | Assigned | load should provide a way to specify the top-level module | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6118 | Ruby master | Feature | Feedback | Hash#keys_of(values), returns related keys of given values | matz (Yukihiro Matsumoto) | 01/10/2019 08:16 AM |
| 6087 | Ruby master | Bug | Assigned | How should inherited methods deal with return values of their own subclass? | matz (Yukihiro Matsumoto) | 07/14/2012 04:44 PM |
| 5970 | Ruby master | Feature | Assigned | Add Enumerable#join with same semantics as Array#join | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5945 | Ruby master | Feature | Assigned | Add the ability to mark a at_exit as process-local. | matz (Yukihiro Matsumoto) | 10/10/2018 08:29 AM |
| 5825 | Ruby master | Feature | Assigned | Sweet instance var assignment in the object initializer | matz (Yukihiro Matsumoto) | 03/14/2014 02:08 AM |
| 5781 | Ruby master | Feature | Assigned | Query attributes (attribute methods ending in `?` mark) | matz (Yukihiro Matsumoto) | 07/15/2019 09:42 AM |
| 5749 | Ruby master | Feature | Assigned | new method String#match_all needed | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5741 | Ruby master | Feature | Assigned | Secure Erasure of Passwords | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5673 | Ruby master | Feature | Feedback | undef_method probably doesn't need to raise an error | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5663 | Ruby master | Feature | Assigned | Combined map/select method | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5644 | Ruby master | Feature | Feedback | add Enumerable#exclude? antonym | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5643 | Ruby master | Feature | Assigned | require/load options and binding option | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5628 | Ruby master | Feature | Feedback | Module#basename | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5582 | Ruby master | Feature | Assigned | Allow clone of singleton methods on a BasicObject | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5558 | Ruby master | Feature | Assigned | String#% strange arity errors | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5521 | Ruby master | Feature | Open | Numeric#rational? Numeric#complex? Numeric#float? | matz (Yukihiro Matsumoto) | 02/26/2013 09:44 AM |
| 5514 | Ruby master | Feature | Open | Numeric quotient quotrem | matz (Yukihiro Matsumoto) | 02/26/2013 09:44 AM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|------|-------------|---------|----------|---|---------------------------|---------------------|
| 5456 | Ruby master | Feature | Assigned | kernel#syscall() should be removed. | matz (Yukihiro Matsumoto) | 03/29/2012 08:23 AM |
| 5445 | Ruby master | Feature | Assigned | Need RUBYOPT -r before ARGV -r | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5389 | Ruby master | Feature | Assigned | New method Enumerator#iterate | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5321 | Ruby master | Feature | Assigned | Introducing Numeric#exact? and Numeric#inexact? | matz (Yukihiro Matsumoto) | 08/01/2019 01:02 AM |
| 5129 | Ruby master | Feature | Assigned | Create a core class "FileArray" and make "ARGF" its instance | matz (Yukihiro Matsumoto) | 01/23/2018 02:02 PM |
| 5064 | Ruby master | Feature | Assigned | HTTP user-agent class | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5007 | Ruby master | Feature | Assigned | Proc#call_under: Unifying instance_eval and instance_exec | matz (Yukihiro Matsumoto) | 04/19/2018 07:57 AM |
| 4824 | Ruby master | Feature | Assigned | Provide method Kernel#executed? | matz (Yukihiro Matsumoto) | 03/05/2018 04:57 AM |
| 4818 | Ruby master | Feature | Assigned | Add method marshalable? | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 4592 | Ruby master | Feature | Assigned | Tempfile | matz (Yukihiro Matsumoto) | 12/25/2017 06:14 PM |
| 4539 | Ruby master | Feature | Assigned | Array#zip_with | matz (Yukihiro Matsumoto) | 02/20/2018 08:54 AM |
| 4521 | Ruby master | Feature | Assigned | NoMethodError#message may take very long to execute | matz (Yukihiro Matsumoto) | 12/25/2017 06:14 PM |
| 4514 | Ruby master | Feature | Assigned | #deep_clone and #deep_dup for Objects | matz (Yukihiro Matsumoto) | 12/25/2017 06:14 PM |
| 4352 | Ruby master | Bug | Open | [patch] Fix eval(s, b) backtrace; make eval(s, b) consistent with eval(s) | matz (Yukihiro Matsumoto) | 08/12/2019 11:06 PM |
| 4264 | Ruby master | Feature | Feedback | General type coercion protocol for Ruby | matz (Yukihiro Matsumoto) | 12/25/2017 06:14 PM |
| 3447 | Ruby master | Feature | Assigned | argument delegation | matz (Yukihiro Matsumoto) | 12/25/2017 06:14 PM |
| 2323 | Ruby master | Feature | Assigned | "Z".."Z".succ | matz (Yukihiro Matsumoto) | 12/25/2017 05:57 PM |