

## Issues

| #     | Project     | Tracker | Status | Subject  | Assignee                  | Updated             |
|-------|-------------|---------|--------|--|---------------------------|---------------------|
| 10463 | Ruby master | Feature | Open   | :~@ and :!@ are not parsed correctly   | matz (Yukihiro Matsumoto) | 09/02/2019 06:30 AM |
| 15123 | Ruby master | Feature | Open   | Enumerable#compact proposal  | matz (Yukihiro Matsumoto) | 09/02/2019 05:28 AM |
| 10388 | Ruby master | Bug     | Open   | Operator precedence problem in multiple assignment (massign)                       | matz (Yukihiro Matsumoto) | 08/20/2019 08:33 PM |
| 4352  | Ruby master | Bug     | Open   | [patch] Fix eval(s, b) backtrace; make eval(s, b) consistent with eval(s)          | matz (Yukihiro Matsumoto) | 08/12/2019 11:06 PM |
| 11189 | Ruby master | Bug     | Open   | alias prepended module   | matz (Yukihiro Matsumoto) | 08/12/2019 10:59 PM |
| 11188 | Ruby master | Bug     | Open   | Method#inspect for chaining alias methods  | matz (Yukihiro Matsumoto) | 08/12/2019 10:23 PM |
| 15192 | Ruby master | Feature | Open   | Introduce a new "shortcut assigning" syntax to convenient setup instance variables | matz (Yukihiro Matsumoto) | 08/11/2019 02:26 AM |
| 16047 | Ruby master | Misc    | Open   | Reconsider impact of frozen_string_literal on dynamic strings                      | matz (Yukihiro Matsumoto) | 08/06/2019 05:43 PM |
| 15865 | Ruby master | Feature | Open   | `<expr> in <pattern>` expression   | matz (Yukihiro Matsumoto) | 07/30/2019 04:23 AM |
| 15897 | Ruby master | Feature | Open   | `it` as a default block parameter  | matz (Yukihiro Matsumoto) | 07/30/2019 04:08 AM |
| 15991 | Ruby master | Feature | Open   | Allow questionmarks in variable names  | matz (Yukihiro Matsumoto) | 07/30/2019 03:57 AM |
| 11304 | Ruby master | Bug     | Open   | [PATCH] Kernel.global_variables should observe \$~.                                | matz (Yukihiro Matsumoto) | 07/30/2019 03:50 AM |
| 15921 | Ruby master | Feature | Open   | R-assign (rightward-assignment) operator   | matz (Yukihiro Matsumoto) | 07/29/2019 08:31 AM |
| 7702  | Ruby master | Feature | Open   | Remove Proc#binding  | matz (Yukihiro Matsumoto) | 07/15/2019 07:39 PM |
| 14982 | Ruby master | Feature | Open   | Improve namespace system in ruby to avoiding top-level names chaos                 | matz (Yukihiro Matsumoto) | 06/28/2019 02:03 PM |
| 15504 | Ruby master | Feature | Open   | Freeze all Range object  | matz (Yukihiro Matsumoto) | 06/23/2019 04:47 AM |
| 9123  | Ruby master | Feature | Open   | Make Numeric#nonzero? behavior consistent with Numeric#zero?                       | matz (Yukihiro Matsumoto) | 06/11/2019 12:55 PM |
| 15554 | Ruby master | Feature | Open   | warn/error passing a block to a method which never use a block                     | matz (Yukihiro Matsumoto) | 05/28/2019 08:39 PM |
| 15837 | Ruby master | Feature | Open   | Module#name_components   | matz (Yukihiro Matsumoto) | 05/08/2019 10:29 AM |
| 15764 | Ruby master | Bug     | Open   | Whitespace and control characters should not be permitted in tokens                | matz (Yukihiro Matsumoto) | 04/22/2019 07:48 AM |
| 14609 | Ruby master | Feature | Open   | `Kernel#p` without args shows the receiver   | matz (Yukihiro Matsumoto) | 03/11/2019 04:59 AM |
| 15574 | Ruby master | Feature | Open   | Prohibit to pass a block on super() implicitly                                     | matz (Yukihiro Matsumoto) | 02/15/2019 11:46 AM |
| 15330 | Ruby master | Feature | Open   | autoload_relative  | matz (Yukihiro Matsumoto) | 02/07/2019 06:01 PM |
| 14353 | Ruby master | Bug     | Open   | \$\$SAFE should stay at least thread-local for compatibility                       | matz (Yukihiro Matsumoto) | 02/07/2019 05:23 AM |
| 6470  | Ruby master | Feature | Open   | Make attr_accessor return the list of generated method                             | matz (Yukihiro Matsumoto) | 02/07/2019 04:44 AM |
| 15445 | Ruby master | Feature | Open   | Reject '.123' in Float() method  | matz (Yukihiro Matsumoto) | 01/10/2019 07:59 AM |
| 15277 | Ruby master | Feature | Open   | at_exec  | matz (Yukihiro Matsumoto) | 11/04/2018 03:25 PM |
| 15112 | Ruby master | Feature | Open   | Introducing the short form of `STDERR.puts expr.inspect`.                          | matz (Yukihiro Matsumoto) | 10/12/2018 02:02 AM |
| 14927 | Ruby master | Feature | Open   | Loading multiple files at once   | matz (Yukihiro Matsumoto) | 09/18/2018 12:38 AM |
| 12306 | Ruby master | Feature | Open   | Implement String #blank? #present? and improve #strip and family to handle unicode | matz (Yukihiro Matsumoto) | 07/22/2018 10:55 PM |
| 14015 | Ruby master | Bug     | Open   | Enumerable & Hash yielding arity   | matz (Yukihiro Matsumoto) | 06/01/2018 03:10 AM |

| #     | Project     | Tracker | Status | Subject   | Assignee                  | Updated             |
|-------|-------------|---------|--------|---|---------------------------|---------------------|
| 14546 | Ruby master | Feature | Open   | Hash#delete!  | matz (Yukihiro Matsumoto) | 05/30/2018 08:24 PM |
| 14724 | Ruby master | Feature | Open   | chains of inequalities  | matz (Yukihiro Matsumoto) | 05/19/2018 01:06 AM |
| 14760 | Ruby master | Misc    | Open   | cross-thread IO#close semantics   | matz (Yukihiro Matsumoto) | 05/17/2018 08:21 AM |
| 14744 | Ruby master | Bug     | Open   | Refinements modules have a superclass   | matz (Yukihiro Matsumoto) | 05/09/2018 09:09 AM |
| 10042 | Ruby master | Feature | Open   | Deprecate postfix rescue syntax for removal in 3.0                                    | matz (Yukihiro Matsumoto) | 02/06/2018 08:53 PM |
| 10549 | Ruby master | Misc    | Open   | Deprecate each_with_index and each_with_object in favor of with_index and with_object | matz (Yukihiro Matsumoto) | 01/05/2018 09:02 PM |
| 10287 | Ruby master | Misc    | Open   | rename COLON3 to COLON2_HEAD.   | matz (Yukihiro Matsumoto) | 01/05/2018 09:02 PM |
| 10498 | Ruby master | Feature | Open   | Make `loop` yield a counter   | matz (Yukihiro Matsumoto) | 01/05/2018 09:01 PM |
| 9614  | Ruby master | Feature | Open   | ordering of non-Hash items which use st_ internally                                   | matz (Yukihiro Matsumoto) | 01/05/2018 09:00 PM |
| 9043  | Ruby master | Feature | Open   | Add String#f method as shortcut for #freeze   | matz (Yukihiro Matsumoto) | 01/05/2018 09:00 PM |
| 8841  | Ruby master | Bug     | Open   | Module#included_modules and prepended modules   | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 8804  | Ruby master | Feature | Open   | ONCE syntax   | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 8061  | Ruby master | Feature | Open   | □□□□□□□□□□□□□□□□  | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7914  | Ruby master | Feature | Open   | Case for local class methods  | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7883  | Ruby master | Feature | Open   | Add Regex#to_proc   | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7876  | Ruby master | Feature | Open   | Add method for accessing Class from within Singleton Class                            | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7848  | Ruby master | Feature | Open   | Restore default state for core ruby objects   | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7795  | Ruby master | Feature | Open   | Symbol.defined? and/or to_existing_symbol   | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7704  | Ruby master | Feature | Open   | Add a list of enabled (experimental) language features.                               | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7657  | Ruby master | Feature | Open   | Array#& doesn't accept Enumerables  | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7654  | Ruby master | Feature | Open   | Add optional code block to IO::readlines  | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7614  | Ruby master | Feature | Open   | alias_accessor  | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7611  | Ruby master | Feature | Open   | Focal method for all loads/requires   | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7604  | Ruby master | Feature | Open   | Make === comparison operator ability to delegate comparison to an argument            | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7548  | Ruby master | Feature | Open   | Load and Require Callbacks  | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7444  | Ruby master | Feature | Open   | Array#product_set   | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7377  | Ruby master | Feature | Open   | #indetical? as an alias for #equal?   | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7149  | Ruby master | Feature | Open   | Constant magic for everyone.  | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6817  | Ruby master | Feature | Open   | Partial application   | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6641  | Ruby master | Feature | Open   | Hash.auto constructor   | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 14128 | Ruby master | Feature | Open   | Introduce Hash#delete default value   | matz (Yukihiro Matsumoto) | 11/25/2017 04:41 PM |
| 9704  | Ruby master | Feature | Open   | Refinements as files instead of modules   | matz (Yukihiro Matsumoto) | 10/11/2016 06:36 PM |

| #     | Project     | Tracker | Status | Subject  | Assignee                  | Updated             |
|-------|-------------|---------|--------|--|---------------------------|---------------------|
| 11735 | Ruby master | Feature | Open   | Porting String#squish and String#squish! from Ruby on Rails' Active Support                                  | matz (Yukihiro Matsumoto) | 06/24/2016 08:02 AM |
| 12244 | Ruby master | Feature | Open   | Add a way to `integer - integer % num`   | matz (Yukihiro Matsumoto) | 05/17/2016 06:05 AM |
| 11758 | Ruby master | Feature | Open   | Add keyword assignment syntax  | matz (Yukihiro Matsumoto) | 02/15/2016 03:31 AM |
| 11882 | Ruby master | Feature | Open   | Map or NamedMap  | matz (Yukihiro Matsumoto) | 01/30/2016 04:08 AM |
| 12019 | CommonRuby  | Feature | Open   | Better low-level support for writing concurrent libraries  | matz (Yukihiro Matsumoto) | 01/27/2016 06:27 AM |
| 11181 | Ruby master | Feature | Open   | Add a line directive to Ruby   | matz (Yukihiro Matsumoto) | 01/26/2016 02:04 AM |
| 7676  | Ruby master | Bug     | Open   | Comparison of Float::NAN in array behaves unexpectedly   | matz (Yukihiro Matsumoto) | 01/16/2016 11:28 AM |
| 11627 | CommonRuby  | Feature | Open   | make `nonzero` an alias of `nonzero?`  | matz (Yukihiro Matsumoto) | 10/29/2015 01:25 PM |
| 10541 | Ruby master | Misc    | Open   | Remove shorthand string interpolation syntax   | matz (Yukihiro Matsumoto) | 10/08/2015 05:44 PM |
| 11517 | Ruby master | Feature | Open   | Queue enhancement - conditional pop  | matz (Yukihiro Matsumoto) | 09/17/2015 09:02 PM |
| 11518 | Ruby master | Feature | Open   | Queue enhancement - promote! and promote_all!  | matz (Yukihiro Matsumoto) | 09/17/2015 08:40 PM |
| 11346 | Ruby master | Feature | Open   | New #intern_str or similarly-named method of Symbol to return a cached, frozen string (like "string".freeze) | matz (Yukihiro Matsumoto) | 08/21/2015 03:31 PM |
| 11390 | Ruby master | Feature | Open   | Allow symbols starting with numbers  | matz (Yukihiro Matsumoto) | 08/14/2015 05:23 AM |
| 11307 | Ruby master | Feature | Open   | exception-free non-blocking Queue#pop  | matz (Yukihiro Matsumoto) | 06/25/2015 11:06 PM |
| 11274 | Ruby master | Bug     | Open   | Equality inconsistency between Method and UnboundMethod  | matz (Yukihiro Matsumoto) | 06/17/2015 03:12 PM |
| 11213 | Ruby master | Bug     | Open   | defined?(super) ignores respond_to_missing?  | matz (Yukihiro Matsumoto) | 06/02/2015 08:11 PM |
| 10845 | Ruby master | Bug     | Open   | Subclassing String   | matz (Yukihiro Matsumoto) | 06/02/2015 07:38 PM |
| 11202 | Ruby master | Bug     | Open   | No warning when a link to an original method body was removed  | matz (Yukihiro Matsumoto) | 06/01/2015 10:20 AM |
| 11122 | Ruby master | Feature | Open   | exception-free non-blocking Queue/SizedQueue operations  | matz (Yukihiro Matsumoto) | 05/06/2015 08:53 PM |
| 10929 | Ruby master | Bug     | Open   | NilClass#to_proc and & don't mix?  | matz (Yukihiro Matsumoto) | 03/08/2015 10:43 PM |
| 10574 | Ruby master | Feature | Open   | Add String#lchomp and String.lchomp!   | matz (Yukihiro Matsumoto) | 12/15/2014 04:34 PM |
| 10499 | Ruby master | Feature | Open   | Eliminate implicit magic in Proc.new and Kernel#proc   | matz (Yukihiro Matsumoto) | 12/08/2014 08:44 PM |
| 10475 | Ruby master | Bug     | Open   | Array#flatten should not accept a nil argument   | matz (Yukihiro Matsumoto) | 11/25/2014 01:03 AM |
| 10489 | Ruby master | Feature | Open   | Add inherit method for clearer and multiple inheritance  | matz (Yukihiro Matsumoto) | 11/24/2014 10:21 AM |
| 10404 | Ruby master | Feature | Open   | Allow individual finalizers to be removed with ObjectSpace.undefine_finalizer                                | matz (Yukihiro Matsumoto) | 10/20/2014 08:14 AM |
| 9291  | Ruby master | Bug     | Open   | array splatting a nil works, but hash splatting a nil does not   | matz (Yukihiro Matsumoto) | 08/11/2014 09:42 AM |
| 6869  | Ruby master | Feature | Open   | Do not treat `__` parameter exceptionally  | matz (Yukihiro Matsumoto) | 04/13/2014 08:50 AM |
| 7748  | Ruby master | Feature | Open   | Contextual send  | matz (Yukihiro Matsumoto) | 12/10/2013 04:31 AM |
| 9070  | Ruby master | Feature | Open   | Introduce `---` as synonym of `end` keyword  | matz (Yukihiro Matsumoto) | 11/02/2013 03:23 AM |
| 8663  | Ruby master | Feature | Open   | Officialy alias ArgumentError to ArgError  | matz (Yukihiro Matsumoto) | 08/09/2013 07:42 PM |
| 8229  | Ruby master | Feature | Open   | extend Hash.include?   | matz (Yukihiro Matsumoto) | 07/04/2013 01:10 AM |
| 8478  | Ruby master | Feature | Open   | The hash returned by Enumerable#group_by should have an empty array for its default value                    | matz (Yukihiro Matsumoto) | 06/04/2013 03:56 PM |

| #     | Project     | Tracker | Status   | Subject  | Assignee                  | Updated             |
|-------|-------------|---------|----------|--|---------------------------|---------------------|
| 8232  | Ruby master | Feature | Open     | Rudiments of abstract algebra in Ruby  | matz (Yukihiro Matsumoto) | 04/09/2013 01:47 AM |
| 5521  | Ruby master | Feature | Open     | Numeric#rational? Numeric#complex? Numeric#float? [] []  | matz (Yukihiro Matsumoto) | 02/26/2013 09:44 AM |
| 5514  | Ruby master | Feature | Open     | Numeric [] quotient [] quotrem [] []   | matz (Yukihiro Matsumoto) | 02/26/2013 09:44 AM |
| 7546  | Ruby master | Feature | Open     | Change behavior of `Array#slice` for an argument of `Range` class                                  | matz (Yukihiro Matsumoto) | 12/13/2012 06:36 AM |
| 12984 | Ruby master | Bug     | Assigned | `rescue *[]` should be equivalent to `rescue` as `method_call(*[])` is equivalent to `method_call` | matz (Yukihiro Matsumoto) | 09/09/2019 05:16 PM |
| 12543 | Ruby master | Feature | Assigned | explicit tail call syntax: foo() then return   | matz (Yukihiro Matsumoto) | 09/07/2019 09:57 AM |
| 11022 | Ruby master | Bug     | Assigned | opening an eigenclass does not change the class variable definition context                        | matz (Yukihiro Matsumoto) | 09/05/2019 10:52 PM |
| 12961 | Ruby master | Bug     | Assigned | Bad value for range using infinity for Date or Time  | matz (Yukihiro Matsumoto) | 08/25/2019 05:11 PM |
| 10453 | Ruby master | Bug     | Assigned | NUM2CHR() does not perform additional bounds checks  | matz (Yukihiro Matsumoto) | 08/12/2019 04:48 AM |
| 11055 | Ruby master | Bug     | Assigned | autoload resets private_constant   | matz (Yukihiro Matsumoto) | 08/12/2019 04:02 AM |
| 7844  | Ruby master | Bug     | Assigned | include/prepend satisfiable module dependencies are not satisfied                                  | matz (Yukihiro Matsumoto) | 08/08/2019 05:09 PM |
| 7522  | Ruby master | Bug     | Assigned | Non-core "Type()" Kernel methods return new objects  | matz (Yukihiro Matsumoto) | 08/07/2019 04:14 PM |
| 15973 | Ruby master | Feature | Assigned | Let Kernel#lambda always return a lambda   | matz (Yukihiro Matsumoto) | 08/05/2019 05:08 PM |
| 5321  | Ruby master | Feature | Assigned | Introducing Numeric#exact? and Numeric#inexact?  | matz (Yukihiro Matsumoto) | 08/01/2019 01:02 AM |
| 5781  | Ruby master | Feature | Assigned | Query attributes (attribute methods ending in `?` mark)  | matz (Yukihiro Matsumoto) | 07/15/2019 09:42 AM |
| 14091 | Ruby master | Feature | Assigned | Remove Time#succ   | matz (Yukihiro Matsumoto) | 07/14/2019 11:51 AM |
| 15958 | Ruby master | Feature | Assigned | Time#inspect with frac   | matz (Yukihiro Matsumoto) | 07/11/2019 05:43 AM |
| 8271  | CommonRuby  | Feature | Assigned | Proposal for moving to a more visible, formal process for feature requests                         | matz (Yukihiro Matsumoto) | 04/03/2019 05:22 AM |
| 14397 | Ruby master | Feature | Assigned | public, protected and private should return their arguments instead of self                        | matz (Yukihiro Matsumoto) | 12/10/2018 07:08 AM |
| 6596  | Ruby master | Feature | Assigned | New method for Arrays : Array#indexes  | matz (Yukihiro Matsumoto) | 10/31/2018 07:11 PM |
| 5945  | Ruby master | Feature | Assigned | Add the ability to mark a at_exit as process-local.  | matz (Yukihiro Matsumoto) | 10/10/2018 08:29 AM |
| 7580  | Ruby master | Feature | Assigned | Range translation  | matz (Yukihiro Matsumoto) | 06/11/2018 09:51 AM |
| 5007  | Ruby master | Feature | Assigned | Proc#call_under: Unifying instance_eval and instance_exec  | matz (Yukihiro Matsumoto) | 04/19/2018 07:57 AM |
| 7511  | Ruby master | Feature | Assigned | short-circuiting logical implication operator  | matz (Yukihiro Matsumoto) | 03/28/2018 02:31 AM |
| 4824  | Ruby master | Feature | Assigned | Provide method Kernel#executed?  | matz (Yukihiro Matsumoto) | 03/05/2018 04:57 AM |
| 12010 | Ruby master | Feature | Assigned | Exclude dot and dotdot from Dir#each   | matz (Yukihiro Matsumoto) | 03/01/2018 01:13 AM |
| 4539  | Ruby master | Feature | Assigned | Array#zip_with   | matz (Yukihiro Matsumoto) | 02/20/2018 08:54 AM |
| 8977  | Ruby master | Feature | Assigned | String#frozen that takes advantage of the deduping   | matz (Yukihiro Matsumoto) | 01/27/2018 06:29 AM |
| 5129  | Ruby master | Feature | Assigned | Create a core class "FileArray" and make "ARGF" its instance                                       | matz (Yukihiro Matsumoto) | 01/23/2018 02:02 PM |
| 8780  | Ruby master | Feature | Assigned | DBM#to_h alias for #to_hash  | matz (Yukihiro Matsumoto) | 01/05/2018 09:00 PM |
| 8678  | Ruby master | Feature | Assigned | Allow invalid string to work with regexp   | matz (Yukihiro Matsumoto) | 01/05/2018 09:00 PM |
| 6309  | Ruby master | Feature | Assigned | Add a reference queue for weak references  | matz (Yukihiro Matsumoto) | 01/05/2018 09:00 PM |

| #     | Project     | Tracker | Status   | Subject  | Assignee                  | Updated             |
|-------|-------------|---------|----------|--|---------------------------|---------------------|
| 8953  | Ruby master | Feature | Assigned | `str =~ /pattern/` does not call =~ method if (1) str is a String, (2) /pattern/ is a Regexp literal | matz (Yukihiro Matsumoto) | 01/05/2018 09:00 PM |
| 11256 | Ruby master | Feature | Assigned | anonymous block forwarding   | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 8850  | Ruby master | Feature | Assigned | Convert Rational to decimal string   | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 8536  | Ruby master | Feature | Assigned | Implement is_numeric? family of methods  | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 8042  | Ruby master | Feature | Assigned | Add Addrinfo#socket to create a socket that is not connected or bound                                | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 8016  | Ruby master | Feature | Assigned | Alias __FILE__ and __LINE__ as methods   | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7739  | Ruby master | Feature | Assigned | Define Hash#  as Hash#reverse_merge in Rails   | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7503  | Ruby master | Feature | Assigned | make timeout.rb async-interrupt safe by default  | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7436  | Ruby master | Feature | Assigned | Allow for a "granularity" flag for backtrace_locations   | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7349  | Ruby master | Feature | Assigned | Struct#inspect needs more meaningful output  | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7132  | Ruby master | Feature | Assigned | Alternation between named / ordered method arguments and aliases for method arguments.               | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7121  | Ruby master | Feature | Assigned | Extending the use of `require`   | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7087  | Ruby master | Feature | Assigned | ::ConditionVariable#wait does not work with Monitor because Monitor#sleep does not exist             | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6811  | Ruby master | Feature | Assigned | File, Dir and FileUtils should have bang-versions of singleton methods that fails silently           | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6802  | Ruby master | Feature | Assigned | String#scan should have equivalent yielding MatchData  | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6671  | Ruby master | Feature | Assigned | File.split_all and File.split_root   | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6648  | Ruby master | Feature | Assigned | Provide a standard API for retrieving all command-line flags passed to Ruby                          | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6611  | Ruby master | Feature | Assigned | Comments requested on implementation of set_parse_func   | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6445  | Ruby master | Feature | Assigned | request for default length/position on string index  | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6413  | Ruby master | Feature | Assigned | Make Dir.entries default to Dir.entries(Dir.pwd)   | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6376  | Ruby master | Feature | Assigned | Feature lookup and checking if feature is loaded   | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6362  | Ruby master | Feature | Assigned | Modular exponentiation/inverse   | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6354  | Ruby master | Feature | Assigned | Remove escape (break/return/redo/next support) from class/module scope                               | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6337  | Ruby master | Feature | Assigned | FileUtils#sync   | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6317  | Ruby master | Feature | Assigned | Range#cover? Range#  | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6293  | Ruby master | Feature | Assigned | new queue / blocking queues  | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6277  | Ruby master | Feature | Assigned | Hash#convert_key   | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6210  | Ruby master | Feature | Assigned | load should provide a way to specify the top-level module  | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5970  | Ruby master | Feature | Assigned | Add Enumerable#join with same semantics as Array#join  | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5749  | Ruby master | Feature | Assigned | new method String#match_all needed   | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |

| #     | Project     | Tracker | Status   | Subject  | Assignee                  | Updated             |
|-------|-------------|---------|----------|--|---------------------------|---------------------|
| 5741  | Ruby master | Feature | Assigned | Secure Erasure of Passwords  | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5663  | Ruby master | Feature | Assigned | Combined map/select method   | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5643  | Ruby master | Feature | Assigned | require/load options and binding option  | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5582  | Ruby master | Feature | Assigned | Allow clone of singleton methods on a BasicObject  | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5558  | Ruby master | Feature | Assigned | String#% strange arity errors  | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5445  | Ruby master | Feature | Assigned | Need RUBYOPT -r before ARGV -r   | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5389  | Ruby master | Feature | Assigned | New method Enumerator#iterate  | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5064  | Ruby master | Feature | Assigned | HTTP user-agent class  | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 4818  | Ruby master | Feature | Assigned | Add method marshalable?  | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 4592  | Ruby master | Feature | Assigned | Tempfile□□□□□□□□   | matz (Yukihiro Matsumoto) | 12/25/2017 06:14 PM |
| 4521  | Ruby master | Feature | Assigned | NoMethodError#message may take very long to execute  | matz (Yukihiro Matsumoto) | 12/25/2017 06:14 PM |
| 4514  | Ruby master | Feature | Assigned | #deep_clone and #deep_dup for Objects  | matz (Yukihiro Matsumoto) | 12/25/2017 06:14 PM |
| 3447  | Ruby master | Feature | Assigned | argument delegation  | matz (Yukihiro Matsumoto) | 12/25/2017 06:14 PM |
| 2323  | Ruby master | Feature | Assigned | "Z".."Z".succ□□  | matz (Yukihiro Matsumoto) | 12/25/2017 05:57 PM |
| 13129 | Ruby master | Feature | Assigned | Refinements cannot refine method_missing and respond_to_missing?   | matz (Yukihiro Matsumoto) | 12/20/2017 12:01 AM |
| 11816 | Ruby master | Feature | Assigned | Partial safe navigation operator   | matz (Yukihiro Matsumoto) | 12/06/2017 04:06 AM |
| 8948  | Ruby master | Feature | Assigned | Frozen regex   | matz (Yukihiro Matsumoto) | 10/20/2017 11:02 PM |
| 12533 | Ruby master | Feature | Assigned | Refinements: allow modules inclusion, in which the module can call internal methods which it defines.          | matz (Yukihiro Matsumoto) | 10/06/2017 11:59 AM |
| 6810  | Ruby master | Feature | Assigned | `module A::B; end` is not equivalent to `module A; module B; end; end` with respect to constant lookup (scope) | matz (Yukihiro Matsumoto) | 01/27/2017 12:21 PM |
| 12929 | Ruby master | Feature | Assigned | ternary should look ahead w/in a block (and not care about newlines)   | matz (Yukihiro Matsumoto) | 01/19/2017 08:17 AM |
| 12813 | Ruby master | Feature | Assigned | Calling chunk_while, slice_after, slice_before, slice_when with no block                                       | matz (Yukihiro Matsumoto) | 12/06/2016 12:58 PM |
| 12780 | Ruby master | Bug     | Assigned | BigDecimal#round returns different types depending on argument   | matz (Yukihiro Matsumoto) | 11/25/2016 01:59 PM |
| 6842  | Ruby master | Feature | Assigned | Add Optional Arguments to String#strip   | matz (Yukihiro Matsumoto) | 08/24/2016 05:50 AM |
| 9023  | CommonRuby  | Feature | Assigned | Array#tail   | matz (Yukihiro Matsumoto) | 07/26/2016 02:06 PM |
| 7314  | Ruby master | Feature | Assigned | Convert Proc to Lambda doesn't work in MRI   | matz (Yukihiro Matsumoto) | 05/21/2016 09:15 AM |
| 11704 | Ruby master | Bug     | Assigned | Refinements only get "used" once in loop   | matz (Yukihiro Matsumoto) | 04/14/2016 02:45 AM |
| 11878 | Ruby master | Bug     | Assigned | Comparison of prepended modules  | matz (Yukihiro Matsumoto) | 04/13/2016 07:02 AM |
| 11782 | Ruby master | Feature | Assigned | String#+@ and String#-@  | matz (Yukihiro Matsumoto) | 12/28/2015 04:36 PM |
| 8839  | Ruby master | Feature | Assigned | Class and module should return the class or module that was opened   | matz (Yukihiro Matsumoto) | 12/28/2015 08:36 AM |
| 11669 | Ruby master | Bug     | Assigned | inconsistent behavior of refining frozen class   | matz (Yukihiro Matsumoto) | 11/09/2015 05:38 AM |
| 7793  | Ruby master | Feature | Assigned | New methods on Hash  | matz (Yukihiro Matsumoto) | 05/13/2015 06:12 PM |
| 11014 | Ruby master | Bug     | Assigned | String#partition doesn't return correct result on zero-width match   | matz (Yukihiro Matsumoto) | 04/18/2015 05:09 PM |

| #     | Project     | Tracker | Status   | Subject  | Assignee                  | Updated             |
|-------|-------------|---------|----------|--|---------------------------|---------------------|
| 11028 | Ruby master | Feature | Assigned | standalone running single file ( zipped archives of ruby code) running <b>**without installation**</b> using "gem install ..." | matz (Yukihiro Matsumoto) | 04/04/2015 01:44 AM |
| 10481 | Ruby master | Feature | Assigned | Add "if" and "unless" clauses to rescue statements   | matz (Yukihiro Matsumoto) | 01/18/2015 02:46 PM |
| 6594  | Ruby master | Feature | Assigned | Integrated Functor   | matz (Yukihiro Matsumoto) | 11/27/2014 05:27 PM |
| 9816  | Ruby master | Feature | Assigned | □□□□□□□□□□□□□□□□□□□□   | matz (Yukihiro Matsumoto) | 10/28/2014 08:29 AM |
| 6452  | Ruby master | Feature | Assigned | Allow extend to override class methods   | matz (Yukihiro Matsumoto) | 10/22/2014 11:00 PM |
| 9112  | Ruby master | Feature | Assigned | Make module lookup more dynamic (Including modules into a module after it has already been included)                           | matz (Yukihiro Matsumoto) | 10/08/2014 04:10 PM |
| 9768  | Ruby master | Feature | Assigned | Method that is visible only within a certain module/class  | matz (Yukihiro Matsumoto) | 04/25/2014 06:43 AM |
| 5825  | Ruby master | Feature | Assigned | Sweet instance var assignment in the object initializer  | matz (Yukihiro Matsumoto) | 03/14/2014 02:08 AM |
| 6308  | CommonRuby  | Feature | Assigned | Eliminate delegation from WeakRef  | matz (Yukihiro Matsumoto) | 11/01/2013 04:28 AM |
| 6841  | Ruby master | Feature | Assigned | Shorthand for Assigning Return Value of Method to Self   | matz (Yukihiro Matsumoto) | 04/03/2013 03:55 PM |
| 8164  | Ruby master | Feature | Assigned | Public/Private   | matz (Yukihiro Matsumoto) | 03/27/2013 06:10 AM |
| 7644  | Ruby master | Feature | Assigned | In refinements, change "using" keyword to a less generic word.   | matz (Yukihiro Matsumoto) | 02/17/2013 03:22 PM |
| 6087  | Ruby master | Bug     | Assigned | How should inherited methods deal with return values of their own subclass?  | matz (Yukihiro Matsumoto) | 07/14/2012 04:44 PM |
| 5456  | Ruby master | Feature | Assigned | kernel#syscall() should be removed.  | matz (Yukihiro Matsumoto) | 03/29/2012 08:23 AM |
| 7639  | Ruby master | Feature | Feedback | More freedom for location of comments  | matz (Yukihiro Matsumoto) | 09/16/2019 12:20 PM |
| 15723 | Ruby master | Misc    | Feedback | Reconsider numbered parameters   | matz (Yukihiro Matsumoto) | 09/07/2019 12:18 PM |
| 6727  | Ruby master | Feature | Feedback | Add Array#rest (with implementation)   | matz (Yukihiro Matsumoto) | 08/14/2019 08:51 AM |
| 13303 | Ruby master | Feature | Feedback | String#any? as !String#empty?  | matz (Yukihiro Matsumoto) | 03/22/2019 06:52 AM |
| 12745 | Ruby master | Feature | Feedback | String#(g)sub(!) should pass a MatchData to the block, not a String  | matz (Yukihiro Matsumoto) | 02/21/2019 08:02 PM |
| 6118  | Ruby master | Feature | Feedback | Hash#keys_of(values), returns related keys of given values   | matz (Yukihiro Matsumoto) | 01/10/2019 08:16 AM |
| 11779 | Ruby master | Bug     | Feedback | Module#using does not make sense as a method   | matz (Yukihiro Matsumoto) | 04/26/2018 11:05 AM |
| 10355 | Ruby master | Feature | Feedback | Feature request: Module#prepended?(mod)  | matz (Yukihiro Matsumoto) | 01/05/2018 09:01 PM |
| 10064 | Ruby master | Feature | Feedback | &:symbol in when clause  | matz (Yukihiro Matsumoto) | 01/05/2018 09:01 PM |
| 8707  | Ruby master | Feature | Feedback | Hash#reverse_each  | matz (Yukihiro Matsumoto) | 01/05/2018 09:00 PM |
| 8507  | Ruby master | Bug     | Feedback | Keyword splat does not convert arg to Hash   | matz (Yukihiro Matsumoto) | 01/05/2018 09:00 PM |
| 8026  | Ruby master | Feature | Feedback | Need Module#prepended_modules  | matz (Yukihiro Matsumoto) | 01/05/2018 09:00 PM |
| 9815  | Ruby master | Bug     | Feedback | attr_reader doesn't warn on a uninitialized instance variable  | matz (Yukihiro Matsumoto) | 01/05/2018 09:00 PM |
| 7939  | Ruby master | Feature | Feedback | Alternative curry function creation  | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6697  | Ruby master | Feature | Feedback | [PATCH] Add Kernel#Symbol conversion method like String(), Array() etc.  | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6669  | Ruby master | Feature | Feedback | A method like Hash#map but returns hash  | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6515  | Ruby master | Feature | Feedback | array.c: added method that verifies if an Array is part of another   | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6478  | Ruby master | Feature | Feedback | BasicObject#__class__  | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |

| #     | Project     | Tracker | Status   | Subject   | Assignee                  | Updated             |
|-------|-------------|---------|----------|---|---------------------------|---------------------|
| 6367  | Ruby master | Feature | Feedback | #same? for Enumerable   | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5673  | Ruby master | Feature | Feedback | undef_method probably doesn't need to raise an error  | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5644  | Ruby master | Feature | Feedback | add Enumerable#exclude? antonym   | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5628  | Ruby master | Feature | Feedback | Module#basename   | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 4264  | Ruby master | Feature | Feedback | General type coercion protocol for Ruby   | matz (Yukihiro Matsumoto) | 12/25/2017 06:14 PM |
| 11484 | Ruby master | Feature | Feedback | add output offset for readpartial/read_nonblock/etc   | matz (Yukihiro Matsumoto) | 09/25/2017 07:28 AM |
| 12861 | Ruby master | Feature | Feedback | super in a block can be either lexically or dynamically scoped depending on how the block is invoked                          | matz (Yukihiro Matsumoto) | 12/21/2016 05:20 PM |
| 12075 | Ruby master | Feature | Feedback | some container#nonempty?  | matz (Yukihiro Matsumoto) | 09/26/2016 06:27 PM |
| 8365  | Ruby master | Feature | Feedback | Make variables objects  | matz (Yukihiro Matsumoto) | 08/19/2016 07:21 PM |
| 6739  | Ruby master | Feature | Feedback | One-line rescue statement should support specifying an exception class  | matz (Yukihiro Matsumoto) | 05/18/2016 12:42 AM |
| 6251  | Ruby master | Feature | Feedback | Magic comments for compile options  | matz (Yukihiro Matsumoto) | 08/21/2015 11:47 PM |
| 11087 | Ruby master | Feature | Feedback | Method to retrieve {local,global,instance} variables as a Hash  | matz (Yukihiro Matsumoto) | 06/12/2015 09:13 AM |
| 9064  | Ruby master | Feature | Feedback | Add support for packages, like in Java  | matz (Yukihiro Matsumoto) | 07/29/2014 02:07 AM |
| 6806  | Ruby master | Feature | Feedback | Support functional programming: forbid instance/class variables for ModuleName::method_name, allow for ModuleName.method_name | matz (Yukihiro Matsumoto) | 06/30/2014 02:02 PM |
| 9602  | Ruby master | Feature | Feedback | Logic with `Enumerable#grep`  | matz (Yukihiro Matsumoto) | 04/02/2014 03:50 AM |
| 8168  | Ruby master | Feature | Feedback | Feature request: support for (single) statement lambda syntax/definition  | matz (Yukihiro Matsumoto) | 01/11/2014 11:36 AM |
| 8096  | CommonRuby  | Feature | Feedback | introduce Time.current_timestamp  | matz (Yukihiro Matsumoto) | 10/02/2013 02:37 PM |
| 8520  | Ruby master | Feature | Feedback | Distinct to_s methods for Array, Hash...  | matz (Yukihiro Matsumoto) | 06/14/2013 12:37 AM |
| 8371  | Ruby master | Feature | Feedback | Make some enumerators mimic arrays  | matz (Yukihiro Matsumoto) | 06/02/2013 04:11 PM |
| 6219  | Ruby master | Feature | Feedback | Return value of Hash#store  | matz (Yukihiro Matsumoto) | 04/26/2012 09:20 AM |