

Issues

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|----------|---------------------|--|--------------------------------|---------------------|
| 4151 | Ruby master | Feature | Rejected | Enumerable#categorize | akr (Akira Tanaka) | 10/22/2017 01:57 AM |
| 5041 | Ruby master | Feature | Closed | Set FD_CLOEXEC for all fds (except 0, 1, 2) | akr (Akira Tanaka) | 10/24/2011 10:40 PM |
| 5707 | Ruby master | Feature | Closed | temporary file creation without finalizer and delegate. | akr (Akira Tanaka) | 04/20/2013 10:50 PM |
| 6046 | Ruby master | Bug | Third Party's Issue | Berkeley DB dbm_open in libc is called even if --with-dbm-type=gdbm_compat is specified on FreeBSD | akr (Akira Tanaka) | 03/11/2012 05:35 PM |
| 6643 | Ruby master | Feature | Closed | io.seek(off, :end) | akr (Akira Tanaka) | 04/03/2013 09:53 PM |
| 8509 | Ruby master | Feature | Closed | Use 128 bit integer type in Bignum | akr (Akira Tanaka) | 11/24/2013 01:55 PM |
| 8796 | Ruby master | Feature | Closed | Use GMP to accelerate Bignum operations | akr (Akira Tanaka) | 09/26/2013 10:38 AM |
| 8887 | Ruby master | Feature | Closed | min(n), max(n), min_by(n), max_by(n) | akr (Akira Tanaka) | 10/13/2014 02:49 PM |
| 9826 | Ruby master | Feature | Closed | Enumerable#slice_between | akr (Akira Tanaka) | 09/20/2014 06:52 AM |
| 9834 | Ruby master | Feature | Closed | Float#{next_float,prev_float} | akr (Akira Tanaka) | 05/18/2014 12:37 AM |
| 9880 | Ruby master | Feature | Closed | Dir#fileno | akr (Akira Tanaka) | 09/04/2014 03:54 PM |
| 10714 | Ruby master | Feature | Closed | Array#reject! nonlinear performance problem | akr (Akira Tanaka) | 01/15/2015 01:45 AM |
| 12337 | Ruby master | Bug | Closed | inconsistency between Fixnum#coerce and Bignum#coerce | akr (Akira Tanaka) | 06/08/2016 05:16 AM |
| 3377 | Ruby master | Bug | Closed | 100000.times { Time.allocate }: [FATAL] failed to allocate memory | authorNari (Narihiro Nakamura) | 04/30/2011 10:04 PM |
| 4041 | Ruby master | Bug | Closed | Array#to_csv generates invalid US-ASCII string | JEG2 (James Gray) | 04/30/2011 10:04 PM |
| 9090 | Ruby master | Bug | Closed | [BUG] object allocation during garbage collection phase | ko1 (Koichi Sasada) | 11/08/2013 12:13 PM |
| 11672 | Ruby master | Bug | Closed | refinement | ko1 (Koichi Sasada) | 11/18/2015 02:00 PM |
| 11750 | Ruby master | Bug | Closed | SEGV with Enumerator, yield and proc. | ko1 (Koichi Sasada) | 12/16/2015 06:39 AM |
| 8644 | Ruby master | Bug | Closed | valgrind error in a readline test | kouji (Kouji Takao) | 08/06/2013 09:24 PM |
| 8976 | Ruby master | Feature | Closed | file-scope freeze_string directive | matz (Yukihiro Matsumoto) | 11/09/2015 09:20 AM |
| 9513 | Ruby master | Feature | Closed | Hide Rational internal | matz (Yukihiro Matsumoto) | 05/17/2014 04:37 PM |
| 8401 | Ruby master | Bug | Closed | BigDecimal.new("2").power(1e20) is zero. | mrkn (Kenta Murata) | 11/29/2013 03:19 PM |
| 8209 | Backport200 | Backport | Closed | mkmf.log contains misplaced messages | nagachika (Tomoyuki Chikanaga) | 08/03/2013 11:08 PM |
| 5039 | Ruby master | Bug | Closed | Re: socket related errors on chkbuild | nahi (Hiroshi Nakamura) | 07/25/2011 03:59 PM |
| 5808 | Ruby master | Bug | Assigned | "a = []; a << a; puts JSON.dump(a)" aborted | naruse (Yui NARUSE) | 08/19/2013 11:45 AM |
| 8338 | Ruby master | Feature | Closed | compilation failure in nkf with Bionic (Android's libc) | naruse (Yui NARUSE) | 04/29/2013 05:05 PM |
| 8256 | Ruby master | Bug | Closed | dependency to include/ruby/version.h | nobu (Nobuyoshi Nakada) | 04/12/2013 06:42 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|----------|---------------------|--|-----------------------------------|---------------------|
| 8331 | Ruby master | Feature | Closed | Update config.guess and config.sub for AArch64 (ARM64) | nobu (Nobuyoshi Nakada) | 10/01/2013 08:22 PM |
| 8443 | Ruby master | Bug | Closed | -Lprefix/lib | nobu (Nobuyoshi Nakada) | 02/17/2014 08:54 AM |
| 10389 | Ruby master | Bug | Closed | SEGV after SEGV | nobu (Nobuyoshi Nakada) | 10/16/2014 01:46 PM |
| 5577 | Ruby master | Bug | Assigned | test/testunit/test_parallel.rb causes NoMethodError when file descriptor is limited to 30. | sorah (Sorah Fukumori) | 03/11/2012 06:53 PM |
| 3538 | Ruby master | Bug | Closed | psych tests sometimes fail | tenderlovmaking (Aaron Patterson) | 04/30/2011 10:04 PM |
| 7775 | Backport193 | Backport | Closed | backport r38993 (ignore truncated part of socket address) to 1.9.3 | usa (Usaku NAKAMURA) | 02/06/2013 02:21 PM |
| 6751 | Ruby master | Bug | Closed | remove tempfiles early. | xibbar (Takeyuki FUJIOKA) | 02/17/2013 10:48 PM |
| 3394 | Ruby master | Bug | Closed | spec/rubyspec/core/array/product_spec.rb SEGV | | 04/30/2011 10:04 PM |
| 3417 | Ruby master | Bug | Closed | undef load and backtrace | | 04/30/2011 10:04 PM |
| 3530 | Ruby master | Bug | Closed | psych failures at Adelaide | | 04/30/2011 10:04 PM |
| 3542 | Ruby master | Bug | Closed | Psych dumps the timezone offset incorrectly at Newfoundland | | 04/30/2011 10:04 PM |
| 3543 | Ruby master | Bug | Third Party's Issue | GNU/Linux select hang on a socket which TCP state is CLOSED | | 12/12/2015 12:54 AM |
| 3547 | Ruby master | Feature | Closed | %:z and %::z for strftime | | 04/30/2011 10:04 PM |
| 3582 | Ruby master | Bug | Closed | test file don't run test. | | 04/30/2011 10:04 PM |
| 3605 | Ruby master | Bug | Closed | undefined symbol: strlcpy | | 04/30/2011 10:04 PM |
| 3662 | Backport192 | Backport | Closed | call File.lchmod via rb_funcall [BUG] vm_call0: unsupported method type (7) | | 04/30/2011 10:04 PM |
| 4063 | Ruby master | Bug | Closed | Array#to_csv(ascii-subset-of-iso-8859-1, utf-8) | | 04/30/2011 10:04 PM |
| 4258 | Ruby master | Bug | Closed | valgrind ./ruby -ve " | | 04/30/2011 10:04 PM |
| 4351 | Ruby master | Feature | Closed | Server Name Indication (SNI) for net/http | | 04/30/2011 10:04 PM |
| 5084 | Ruby master | Bug | Closed | Re: [ruby-changes:20573] nobu:r32621 (trunk): * object.c (rb_mod_{const,cvar}_defined, rb_obj_ivar_defined): | | 07/23/2011 12:12 PM |
| 5708 | Ruby master | Bug | Closed | Tempfile.new(pre) with block in test_autoclose | | 03/11/2012 04:36 PM |
| 5726 | Ruby master | Feature | Closed | Process::EXIT_SUCCESS and Process::EXIT_FAILURE | | 11/20/2012 09:08 PM |
| 5728 | Ruby master | Bug | Closed | SystemExit.new(bool, message) | | 12/11/2011 10:48 AM |
| 6733 | Ruby master | Feature | Open | New inspect framework | | 11/18/2012 12:16 PM |
| 6741 | Ruby master | Bug | Closed | (1 << 103).to_f.to_s is "10141204801825835000000000000000.0" | | 07/16/2012 10:52 PM |
| 8368 | Ruby master | Feature | Closed | Socket.getifaddrs | | 05/11/2013 05:33 PM |
| 8378 | Ruby master | Bug | Closed | json/generator/generator.c: warning: array subscript has type 'char' | | 05/08/2013 02:00 PM |
| 8379 | Ruby master | Bug | Closed | json dependency problem | | 05/08/2013 02:00 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|----------|--|----------|---------------------|
| 8397 | Ruby master | Bug | Closed | TestBignum#test_interrupt_during_bigdivrem failure | | 07/15/2019 10:53 PM |
| 8553 | Ruby master | Feature | Closed | Bignum#size (and Fixnum#size) | | 07/28/2013 12:39 AM |
| 8624 | Ruby master | Bug | Closed | illegal hardware instruction in csv test | | 07/12/2013 06:53 PM |
| 8658 | Ruby master | Feature | Closed | Process.clock_gettime | | 10/02/2013 01:29 PM |
| 8700 | Ruby master | Feature | Closed | Integer#bitsize (actually Fixnum#bitsize and Bignum#bitsize) | | 09/24/2013 05:23 AM |
| 8738 | Ruby master | Feature | Rejected | Integer#single_bit? (Actually Fixnum#single_bit? and Bignum#single_bit?) | | 08/31/2013 03:52 PM |
| 8744 | Ruby master | Bug | Open | SIZEOF_UNSIGNED___INT128 | | 08/06/2013 11:59 PM |
| 8748 | Ruby master | Feature | Rejected | Integer#popcount (Fixnum#popcount and Bignum#popcount) | | 08/31/2013 08:57 PM |
| 8809 | Ruby master | Feature | Closed | Process.clock_getres | | 08/31/2013 10:21 PM |
| 8893 | Ruby master | Bug | Closed | make install fails with cross compilation after r42850-r42864 | | 09/11/2013 05:30 PM |
| 9069 | Ruby master | Bug | Closed | test_weakref.rb with GC.stress causes [BUG] rb_gc_mark(): 0x8024ee94 is T_ZOMBIE | | 11/01/2013 11:24 PM |
| 9072 | Ruby master | Bug | Closed | test_weakref.rb failure | | 11/05/2013 08:15 PM |
| 9088 | Ruby master | Bug | Closed | SEGV with set_trace_func and break | | 11/07/2013 09:39 AM |
| 9102 | Ruby master | Bug | Closed | ObjectSpace.dump_all creates a FD without close-on-exec flag | | 11/15/2013 01:06 AM |
| 9426 | Ruby master | Bug | Closed | Segmentation fault with signal in test_tracks_objspace_count | | 02/21/2014 04:33 AM |
| 9502 | Ruby master | Feature | Closed | Remove deprecated definitions | | 02/17/2014 05:15 AM |
| 9523 | Ruby master | Bug | Closed | marshal_dump and callcc causes SEGV | | 02/17/2014 08:50 AM |
| 9717 | Ruby master | Bug | Closed | [BUG] setup_arg: unknown node: NODE_DVAR | | 08/20/2014 04:54 PM |
| 9770 | Ruby master | Feature | Closed | Etc.uname | | 05/18/2014 12:58 AM |
| 9820 | Ruby master | Bug | Closed | miniruby -e 'Process.kill(:INT, \$\$)' hang under cron | | 10/15/2014 03:19 PM |
| 9842 | Ruby master | Feature | Closed | system configuration variables (sysconf(), confstr(), pathconf() and fpathconf()) | | 05/19/2014 02:18 AM |
| 9859 | Ruby master | Bug | Closed | An object with 6 instance variables causes SEGV | | 06/10/2014 04:55 PM |
| 9865 | Ruby master | Bug | Closed | frozen IO object causes RuntimeError with inspect and fileno | | 09/03/2014 04:40 AM |
| 10136 | Ruby master | Bug | Closed | printf("%.60f\n", 0.1r) shows 0.1000000000000000005551115123125782702118158340454101562500000 | | 08/18/2014 08:07 AM |
| 10267 | Ruby master | Feature | Closed | Number of processors | | 10/15/2014 09:44 AM |
| 10382 | Ruby master | Bug | Closed | s = "\x80"; /#{s}/ raises an exception in US-ASCII script | | 10/17/2014 08:21 AM |
| 10392 | Ruby master | Bug | Closed | Ripper.sexp("<<'E'\n E'\n\n") | | 10/18/2014 06:22 PM |
| 10405 | Ruby master | Bug | Closed | syntax error inconsistency between ruby -c and ripper | | 10/26/2014 03:24 AM |
| 10411 | Ruby master | Bug | Closed | Ripper.sexp("foo\n .bar") extract a wrong method name " .bar" | | 10/24/2014 01:49 PM |
| 10435 | Ruby master | Bug | Closed | ruby -c file can run. | | 10/28/2014 07:22 AM |
| 10436 | Ruby master | Bug | Open | ruby -c and ripper inconsistency: m(&nil) {} | | 08/27/2019 12:08 AM |
| 10437 | Ruby master | Bug | Closed | ruby -c and ripper inconsistency: /*/ | | 11/19/2014 06:11 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|--------|---|----------|---------------------|
| 10542 | Ruby master | Bug | Open | out-of-place build from repository builds enc/trans/*.c in the source directory and the build directory | | 11/25/2014 10:15 PM |
| 10543 | Ruby master | Bug | Closed | ruby -c and ripper inconsistency: /(?<n>a(b g<n>))/ | | 11/30/2014 01:17 PM |
| 10545 | Ruby master | Bug | Closed | SEGV: def m(A: a) end | | 11/26/2014 08:25 AM |
| 10556 | Ruby master | Bug | Closed | shebang handling | | 11/30/2014 02:06 AM |
| 10699 | Ruby master | Bug | Closed | m(*a, **b) doesn't recognize integer options. | | 09/01/2019 03:49 PM |
| 10718 | Ruby master | Feature | Closed | IO#close should not raise IOError on closed IO objects. | | 06/14/2015 10:24 AM |
| 10728 | Ruby master | Feature | Open | Warning for Fixnum#size to use RbConfig::SIZEOF['long'] | | 01/11/2015 04:23 PM |
| 10958 | Ruby master | Feature | Closed | remove "initial_state" argument of Enumerable#{slice_before, chunk} | | 04/06/2015 01:55 PM |
| 11060 | Ruby master | Bug | Closed | load(fifo) blocks whole process | | 10/17/2015 09:38 PM |
| 11272 | Ruby master | Bug | Closed | cross compilation problem | | 06/30/2015 03:27 AM |
| 11536 | Ruby master | Feature | Closed | File.mkfifo | | 09/18/2015 11:11 AM |
| 11701 | Ruby master | Bug | Closed | recvmsg for UDP without argument | | 11/17/2015 10:00 PM |
| 14239 | Ruby master | Bug | Closed | warn open(" ...") | | 03/25/2018 09:51 AM |
| 14240 | Ruby master | Bug | Open | warn four special variables: \$, \$, \$/ \$\ | | 08/26/2019 04:33 AM |
| 15138 | Ruby master | Bug | Closed | non-symbol keyword in double splat, such as **{2 => 3}, raises TypeError or not | | 09/02/2019 04:43 AM |
| 15592 | Ruby master | Feature | Open | mode where "autoload" behaves like an immediate "require" | | 02/10/2019 03:20 PM |
| 15598 | Ruby master | Bug | Open | Deadlock on mutual reference of autoloaded constants | | 03/20/2019 10:58 AM |
| 15599 | Ruby master | Bug | Open | Mixing autoload and require causes deadlock and incomplete definition. | | 02/12/2019 01:40 PM |