



| #     | Project     | Tracker | Status   | Subject   | Assignee                       | Updated             |
|-------|-------------|---------|----------|---|--------------------------------|---------------------|
| 13385 | Ruby master | Feature | Open     | [PATCH] Make Resolv::DNS::Name validation similar to host and dig commands                      | akr (Akira Tanaka)             | 06/16/2017 08:04 AM |
| 16985 | Ruby master | Feature | Open     | Improve `pp` for `Hash` and `String`  | akr (Akira Tanaka)             | 06/26/2020 09:51 AM |
| 17154 | Ruby master | Misc    | Open     | Update Pathname Documentation to Clarify Expected Behavior                                      | akr (Akira Tanaka)             | 09/05/2020 01:18 PM |
| 17173 | Ruby master | Feature | Open     | open-uri ☐ ciphers ☐☐☐☐☐☐   | akr (Akira Tanaka)             | 09/25/2020 09:17 AM |
| 17296 | Ruby master | Feature | Open     | Feature: Pathname#chmod use FileUtils.chmod instead of File                                     | akr (Akira Tanaka)             | 11/19/2020 07:18 PM |
| 17473 | Ruby master | Feature | Open     | Make Pathname to embedded class of Ruby   | akr (Akira Tanaka)             | 01/12/2021 04:43 AM |
| 17569 | Ruby master | Misc    | Open     | `uri` lib maintainership  | akr (Akira Tanaka)             | 01/23/2021 10:42 AM |
| 3608  | Ruby master | Feature | Assigned | Enhancing Pathname#each_child to be lazy  | akr (Akira Tanaka)             | 12/25/2017 06:14 PM |
| 3848  | Ruby master | Feature | Assigned | Using http basic authentication for FTP with Open URI   | akr (Akira Tanaka)             | 12/25/2017 06:14 PM |
| 7362  | Ruby master | Feature | Assigned | Adding Pathname#start_with?   | akr (Akira Tanaka)             | 12/25/2017 06:15 PM |
| 7412  | Ruby master | Feature | Assigned | Pathname#relative_path_from does not support mixed directory separators on windows              | akr (Akira Tanaka)             | 01/05/2018 09:00 PM |
| 8445  | Ruby master | Bug     | Assigned | IO.open and IO#set_encoding does not support :fallback option                                   | akr (Akira Tanaka)             | 01/05/2018 09:00 PM |
| 10129 | Ruby master | Feature | Assigned | More descriptive error message for failed net/http requests                                     | akr (Akira Tanaka)             | 01/05/2018 09:01 PM |
| 10459 | Ruby master | Feature | Assigned | [PATCH] rfc3339 method for Time   | akr (Akira Tanaka)             | 05/21/2015 08:14 AM |
| 10637 | Ruby master | Feature | Assigned | Puppet orchestration on vagrant fails with Error: Non-HTTP proxy URI                            | akr (Akira Tanaka)             | 09/23/2020 10:23 PM |
| 11322 | Ruby master | Feature | Assigned | OpenUri: RuntimeError: HTTP redirection loop  | akr (Akira Tanaka)             | 11/13/2020 03:52 AM |
| 12052 | Ruby master | Bug     | Assigned | String#encode with xml option returns wrong result  | akr (Akira Tanaka)             | 02/05/2016 02:50 AM |
| 12497 | Ruby master | Feature | Assigned | GMP version of divmod may be slower   | akr (Akira Tanaka)             | 08/10/2016 03:11 AM |
| 13047 | Ruby master | Feature | Assigned | Use String literal instead of `String#+` for multiline pretty-printing of multiline strings     | akr (Akira Tanaka)             | 02/22/2017 07:09 AM |
| 13513 | Ruby master | Bug     | Assigned | Resolv::DNS::Message.decode hangs after detecting truncation in UDP messages                    | akr (Akira Tanaka)             | 03/08/2021 11:35 PM |
| 14066 | Ruby master | Feature | Assigned | Add CAA DNS RR on Resolv  | akr (Akira Tanaka)             | 11/10/2017 06:50 AM |
| 14922 | Ruby master | Feature | Assigned | Resolv getaddresses ignores AAAA records for IPv6   | akr (Akira Tanaka)             | 11/13/2020 04:01 AM |
| 16937 | Ruby master | Feature | Assigned | Add DNS over HTTP to Resolv   | akr (Akira Tanaka)             | 12/10/2020 09:15 AM |
| 16972 | Ruby master | Feature | Assigned | Pathname#mkpath to accept block to call on each created directory                               | akr (Akira Tanaka)             | 06/22/2020 02:55 PM |
| 17524 | Ruby master | Feature | Assigned | resolv: add some more characters in IPv6 link local zone id                                     | akr (Akira Tanaka)             | 03/24/2021 05:22 PM |
| 17781 | Ruby master | Bug     | Assigned | Resolv::DNS RequestID table allocations are never freed, causing DNS lookups to eventually hang | akr (Akira Tanaka)             | 04/08/2021 02:04 AM |
| 2149  | Ruby master | Feature | Feedback | Pathname#include?   | akr (Akira Tanaka)             | 03/15/2018 08:19 AM |
| 10381 | Ruby master | Feature | Feedback | Pathname#mkdir_p, Pathname#mkdirs ☐☐☐☐  | akr (Akira Tanaka)             | 10/15/2014 04:27 AM |
| 11139 | Ruby master | Feature | Feedback | [PATCH] socket: support accept `sock_nonblock: (true false)`                                    | akr (Akira Tanaka)             | 07/02/2015 01:30 AM |
| 14400 | Ruby master | Bug     | Feedback | IO#ungetc and IO#ungetbyte documentation is inconsistent with the behavior                      | akr (Akira Tanaka)             | 02/21/2018 12:26 AM |
| 11164 | Ruby master | Bug     | Assigned | Garbage collector in Ruby 2.2 provokes unexpected CoW   | authorNari (Narihiro Nakamura) | 05/26/2015 06:29 AM |

| #     | Project     | Tracker | Status   | Subject  | Assignee                         | Updated             |
|-------|-------------|---------|----------|--|----------------------------------|---------------------|
| 13604 | Ruby master | Feature | Assigned | Exposing alternative interface of readline   | aycabta (aycabta .)              | 01/20/2020 05:34 AM |
| 13999 | Ruby master | Bug     | Assigned | Cygwin ripper_state_lex.rb   | aycabta (aycabta .)              | 11/06/2018 04:51 PM |
| 14917 | Ruby master | Misc    | Assigned | Add RDoc documents to tar ball   | aycabta (aycabta .)              | 07/21/2018 09:29 AM |
| 15371 | Ruby master | Feature | Assigned | IRB with ARGV  | aycabta (aycabta .)              | 02/14/2020 11:35 AM |
| 9507  | Ruby master | Bug     | Open     | Ruby 2.1.0 is broken on ARMv5: tried to create Proc object without a block                       | charliesome (Charlie Somerville) | 01/05/2018 09:00 PM |
| 12124 | Ruby master | Misc    | Open     | Use Automake   | cjcollier (C.J. Collier)         | 04/19/2016 04:01 AM |
| 16980 | Ruby master | Misc    | Open     | Improve documentation on JSON#parse and JSON#parse!  | drbrain (Eric Hodel)             | 06/23/2020 06:04 PM |
| 10065 | Ruby master | Feature | Feedback | Make `gem env` command output valid YAML   | drbrain (Eric Hodel)             | 07/20/2014 10:54 PM |
| 7742  | Ruby master | Bug     | Open     | System encoding (Windows-1258) is not recognized by Ruby to convert back to UTF-8                | duerst (Martin Dürst)            | 12/25/2017 06:15 PM |
| 17400 | Ruby master | Bug     | Open     | Incorrect character downcase for Greek Sigma   | duerst (Martin Dürst)            | 12/17/2020 06:56 AM |
| 17750 | Ruby master | Feature | Open     | Update Unicode data to Unicode Version 13.0.0  | duerst (Martin Dürst)            | 03/26/2021 06:48 AM |
| 6351  | Ruby master | Bug     | Assigned | transcode table generator does not support multi characters of Unicode                           | duerst (Martin Dürst)            | 12/25/2017 06:15 PM |
| 16842 | Ruby master | Bug     | Assigned | `inspect` prints the UTF-8 character U+0085 (NEXT LINE) verbatim even though it is not printable | duerst (Martin Dürst)            | 02/26/2021 05:43 AM |
| 13696 | Ruby master | Feature | Open     | Add exchange and noreplace options to File.rename  | Glass_saga (Masaki Matsushita)   | 12/01/2017 04:34 PM |
| 16476 | Ruby master | Feature | Open     | Socket.getaddrinfo cannot be interrupted by Timeout.timeout                                      | Glass_saga (Masaki Matsushita)   | 12/28/2020 10:41 AM |
| 17525 | Ruby master | Feature | Open     | Implement Happy Eyeballs Version 2 (RFC8305) in Socket.tcp                                       | Glass_saga (Masaki Matsushita)   | 01/10/2021 01:17 PM |
| 2631  | Ruby master | Feature | Assigned | Allow IO#reopen to take a block  | Glass_saga (Masaki Matsushita)   | 05/24/2018 01:22 PM |
| 7148  | Ruby master | Feature | Assigned | Improved Tempfile w/o DelegateClass  | Glass_saga (Masaki Matsushita)   | 03/27/2019 09:51 AM |
| 15628 | Ruby master | Feature | Assigned | init_inetsock_internal should fallback to IPv4 if IPv6 is unreachable                            | Glass_saga (Masaki Matsushita)   | 09/25/2020 05:42 AM |
| 15408 | Ruby master | Feature | Open     | Deprecate object_id and _id2ref  | headius (Charles Nutter)         | 03/19/2019 04:02 PM |
| 5617  | Ruby master | Feature | Assigned | Allow install RubyGems into dedicated directory  | hsbt (Hiroshi SHIBATA)           | 05/16/2018 09:15 AM |
| 6124  | Ruby master | Bug     | Assigned | remove the "spec-only gems" in Ruby 1.9.3 (was What is the purpose of "fake" gems in Ruby)       | hsbt (Hiroshi SHIBATA)           | 11/06/2018 04:58 PM |
| 6590  | Ruby master | Feature | Assigned | Dealing with bigdecimal, etc gems in JRuby   | hsbt (Hiroshi SHIBATA)           | 05/15/2019 08:33 PM |
| 8836  | Ruby master | Bug     | Assigned | [BUG] Bus Error with bundler on large Gemfile when resolving dependencies                        | hsbt (Hiroshi SHIBATA)           | 05/15/2019 12:51 PM |
| 9366  | Ruby master | Bug     | Assigned | "make -j32 check TESTS=-j32" occasionally fails on rubygems/specification                        | hsbt (Hiroshi SHIBATA)           | 07/26/2018 02:13 AM |
| 10213 | Ruby master | Bug     | Assigned | bundled gems ignored by make install   | hsbt (Hiroshi SHIBATA)           | 12/30/2019 03:00 AM |
| 10919 | Ruby master | Bug     | Assigned | [gem install] installs multiple platforms  | hsbt (Hiroshi SHIBATA)           | 07/30/2019 07:44 AM |
| 12639 | Ruby master | Feature | Assigned | Speed up require in RubyGems by 5x   | hsbt (Hiroshi SHIBATA)           | 07/26/2018 02:12 AM |
| 13508 | Ruby master | Feature | Assigned | How remove/refactor code related mathn library.  | hsbt (Hiroshi SHIBATA)           | 12/25/2017 06:15 PM |
| 13534 | Ruby master | Feature | Assigned | Checking installation results of default gems  | hsbt (Hiroshi SHIBATA)           | 07/26/2018 02:16 AM |
| 13653 | Ruby master | Feature | Assigned | Bundled zlib helper  | hsbt (Hiroshi SHIBATA)           | 12/25/2017 06:15 PM |

| #     | Project     | Tracker | Status   | Subject  | Assignee                    | Updated             |
|-------|-------------|---------|----------|--|-----------------------------|---------------------|
| 14409 | Ruby master | Bug     | Assigned | □□□□□□□□□□   | hsbt (Hiroshi SHIBATA)      | 02/05/2018 10:29 AM |
| 14679 | Ruby master | Bug     | Assigned | StdLib gems should properly specify their dependencies                             | hsbt (Hiroshi SHIBATA)      | 04/11/2018 01:14 PM |
| 14737 | Ruby master | Feature | Assigned | Split default gems into separate directory structure                               | hsbt (Hiroshi SHIBATA)      | 09/02/2020 06:00 PM |
| 15487 | Ruby master | Misc    | Assigned | Clarify default gems maintenance policy  | hsbt (Hiroshi SHIBATA)      | 12/30/2018 08:42 PM |
| 15550 | Ruby master | Bug     | Assigned | Windows - gem bin files - can't run from bash shell                                | hsbt (Hiroshi SHIBATA)      | 03/20/2019 01:05 AM |
| 15856 | Ruby master | Bug     | Assigned | Performance of redundant `Kernel.require` is slow when many gems are activated     | hsbt (Hiroshi SHIBATA)      | 08/24/2020 01:38 AM |
| 16012 | Ruby master | Feature | Assigned | Add a (small) test-install suite?  | hsbt (Hiroshi SHIBATA)      | 07/30/2019 08:13 AM |
| 16512 | Ruby master | Misc    | Assigned | Improving `www.ruby-lang.org` reference by merging with `rubyreferences.github.io` | hsbt (Hiroshi SHIBATA)      | 01/16/2020 08:51 AM |
| 16963 | Ruby master | Feature | Assigned | Remove English.rb from Ruby 2.8/3.0  | hsbt (Hiroshi SHIBATA)      | 06/19/2020 09:48 AM |
| 17476 | Ruby master | Bug     | Assigned | 3.0/specifications/default/net-*.gemspec repeats the same files                    | hsbt (Hiroshi SHIBATA)      | 12/28/2020 12:46 AM |
| 15486 | Ruby master | Misc    | Feedback | Default gems README.md   | hsbt (Hiroshi SHIBATA)      | 03/11/2019 12:19 PM |
| 16013 | Ruby master | Misc    | Feedback | Bundler...   | hsbt (Hiroshi SHIBATA)      | 10/17/2019 05:20 PM |
| 13383 | Ruby master | Feature | Open     | [PATCH] Module#source_location   | ioquatix (Samuel Williams)  | 01/09/2020 05:16 AM |
| 14975 | Ruby master | Feature | Open     | String#append without changing receiver's encoding                                 | ioquatix (Samuel Williams)  | 01/26/2019 11:02 AM |
| 17801 | Ruby master | Bug     | Open     | repeated read from PTY blocks all Fibers   | ioquatix (Samuel Williams)  | 04/14/2021 07:16 PM |
| 595   | Ruby master | Bug     | Assigned | Fiber ignores ensure clause  | ioquatix (Samuel Williams)  | 12/29/2019 10:37 AM |
| 17369 | Ruby master | Feature | Assigned | Introduce non-blocking `Process.wait`, `Kernel.system` and related methods.        | ioquatix (Samuel Williams)  | 02/09/2021 09:07 PM |
| 17370 | Ruby master | Feature | Assigned | Introduce non-blocking `Addrinfo.getaddrinfo` and related methods.                 | ioquatix (Samuel Williams)  | 02/09/2021 09:07 PM |
| 17664 | Ruby master | Bug     | Assigned | Behavior of sockets changed in Ruby 3.0 to non-blocking                            | ioquatix (Samuel Williams)  | 03/01/2021 07:33 PM |
| 16492 | Ruby master | Bug     | Open     | TestBugReporter#test_bug_reporter_add test failures                                | jaruga (Jun Aruga)          | 04/09/2021 06:17 AM |
| 16188 | Ruby master | Misc    | Open     | What are the performance implications of the new keyword arguments in 2.7 and 3.0? | jeremyevans0 (Jeremy Evans) | 11/27/2019 04:45 PM |
| 15425 | Ruby master | Bug     | Open     | Store MJIT header into Ruby versioned directory.                                   | k0kubun (Takashi Kokubun)   | 12/16/2019 01:50 PM |
| 17584 | Ruby master | Bug     | Open     | Segmentation fault with Ruby 3.0   | k0kubun (Takashi Kokubun)   | 02/23/2021 08:36 PM |
| 16694 | Ruby master | Bug     | Assigned | JIT vs hardened GCC with PCH   | k0kubun (Takashi Kokubun)   | 02/02/2021 07:38 AM |
| 16806 | Ruby master | Feature | Assigned | Struct#initialize accepts keyword arguments too by default                         | k0kubun (Takashi Kokubun)   | 01/19/2021 12:05 AM |
| 17008 | Ruby master | Bug     | Feedback | JIT enabled on Windows can cause constant conhost pop-ups                          | k0kubun (Takashi Kokubun)   | 07/03/2020 08:29 PM |
| 16185 | Ruby master | Bug     | Open     | basicstest failure on AIX 6.1 for 64bit build                                      | kanemoto (Yutaka Kanemoto)  | 10/15/2019 12:05 AM |
| 15644 | Ruby master | Bug     | Assigned | ThreadsWait problems with Thread#report_on_exception                               | keiju (Keiju Ishitsuka)     | 10/17/2019 06:49 PM |
| 11710 | Ruby master | Feature | Open     | [PATCH] Replace Set#merge with Set#merge! and make Set#merge non-mutating.         | knu (Akinori MURASHI)       | 11/18/2015 07:28 PM |
| 15240 | Ruby master | Feature | Open     | Set operations check for is_a?(Set), rather than allowing duck typing              | knu (Akinori MURASHI)       | 08/27/2019 08:12 PM |
| 17210 | Ruby master | Feature | Open     | More readable and useful `Set#inspect`   | knu (Akinori MURASHI)       | 10/02/2020 09:22 AM |

| #     | Project     | Tracker | Status   | Subject   | Assignee            | Updated             |
|-------|-------------|---------|----------|---|---------------------|---------------------|
| 3953  | Ruby master | Feature | Assigned | TCPSocket / UDPSocket do not accept IPAddr objects.   | knu (Akinori MUSHA) | 12/25/2017 06:14 PM |
| 8047  | Ruby master | Feature | Assigned | IPAddr makes host address with netmask  | knu (Akinori MUSHA) | 01/05/2018 09:00 PM |
| 9121  | Ruby master | Feature | Assigned | [PATCH] Remove rbtree implementation of SortedSet due to performance regression                   | knu (Akinori MUSHA) | 12/14/2020 12:49 PM |
| 11527 | Ruby master | Feature | Assigned | IPAddr#mask_addr isn't a method   | knu (Akinori MUSHA) | 11/07/2018 04:12 PM |
| 11531 | Ruby master | Bug     | Assigned | IPAddr#== implements wrong logic  | knu (Akinori MUSHA) | 12/29/2019 12:50 PM |
| 13610 | Ruby master | Feature | Assigned | IPAddr doesn't provide helpful methods to get the subnet or IP address                            | knu (Akinori MUSHA) | 10/20/2017 01:13 AM |
| 15281 | Ruby master | Feature | Assigned | Speed up Set#intersect with size check.   | knu (Akinori MUSHA) | 08/11/2020 02:43 AM |
| 16674 | Ruby master | Bug     | Assigned | Build issue of FreeBSD 12   | knu (Akinori MUSHA) | 10/06/2020 03:18 AM |
| 16989 | Ruby master | Feature | Assigned | Sets: need ♥️   | knu (Akinori MUSHA) | 02/23/2021 12:39 PM |
| 8833  | Ruby master | Feature | Feedback | [PATCH] IPAddr#pred   | knu (Akinori MUSHA) | 10/21/2017 05:15 PM |
| 13000 | Ruby master | Feature | Feedback | Implement Set#include? with Hash#include?   | knu (Akinori MUSHA) | 09/11/2020 08:18 PM |
| 14105 | Ruby master | Feature | Feedback | Introduce xor as alias for Set#^  | knu (Akinori MUSHA) | 06/27/2018 10:56 AM |
| 8444  | Ruby master | Bug     | Open     | Regex vars \$~ and friends are not thread local   | ko1 (Koichi Sasada) | 07/30/2019 07:38 AM |
| 10009 | Ruby master | Bug     | Open     | IO operation is 10x slower in multi-thread environment  | ko1 (Koichi Sasada) | 05/21/2015 07:19 AM |
| 10238 | Ruby master | Feature | Open     | todo: remove dependency on malloc_usable_size   | ko1 (Koichi Sasada) | 12/10/2020 09:20 AM |
| 10423 | Ruby master | Feature | Open     | [PATCH] opt_str_lit*: avoid literal string allocations  | ko1 (Koichi Sasada) | 01/05/2018 09:01 PM |
| 10932 | Ruby master | Feature | Open     | Enabling allocation tracing as early as possible  | ko1 (Koichi Sasada) | 06/13/2015 07:54 AM |
| 11174 | Ruby master | Bug     | Open     | threads memory leak   | ko1 (Koichi Sasada) | 06/17/2019 03:17 PM |
| 11808 | Ruby master | Bug     | Open     | Different behavior between Enumerable#grep and Array#grep   | ko1 (Koichi Sasada) | 10/26/2020 04:36 AM |
| 13512 | Ruby master | Feature | Open     | System Threads  | ko1 (Koichi Sasada) | 07/14/2017 07:08 AM |
| 14492 | Ruby master | Feature | Open     | iseq loading + caching should be in core  | ko1 (Koichi Sasada) | 12/10/2020 08:53 AM |
| 14813 | Ruby master | Feature | Open     | [PATCH] gc.c: make gc_enter+gc_exit pairs dtrace probes, too                                      | ko1 (Koichi Sasada) | 12/17/2018 07:42 AM |
| 14859 | Ruby master | Feature | Open     | [PATCH] implement Timeout in VM   | ko1 (Koichi Sasada) | 07/22/2018 07:42 AM |
| 15263 | Ruby master | Bug     | Open     | [PATCH] vm_trace.c (postponed_job_register): only hit main thread                                 | ko1 (Koichi Sasada) | 10/27/2018 11:35 PM |
| 15315 | Ruby master | Bug     | Open     | ec_switch can still lose interrupts   | ko1 (Koichi Sasada) | 11/20/2018 09:32 AM |
| 15778 | Ruby master | Feature | Open     | Expose an API to pry-open the stack frames in Ruby  | ko1 (Koichi Sasada) | 08/29/2019 06:24 AM |
| 15802 | Ruby master | Misc    | Open     | Reduce the minimum string buffer size from 127 to 63 bytes  | ko1 (Koichi Sasada) | 07/30/2019 04:04 AM |
| 15854 | Ruby master | Feature | Open     | Tracing instance variable assignment  | ko1 (Koichi Sasada) | 07/29/2019 07:13 AM |
| 16782 | Ruby master | Bug     | Open     | `lock': deadlock; recursive locking (ThreadError) in 2.7.1  | ko1 (Koichi Sasada) | 11/20/2020 01:31 AM |
| 16889 | Ruby master | Bug     | Open     | TracePoint.enable { ... } also activates the TracePoint for other threads, even outside the block | ko1 (Koichi Sasada) | 05/14/2020 01:44 PM |
| 17196 | Ruby master | Bug     | Open     | Segmentation Fault with Socket#close in Ractors   | ko1 (Koichi Sasada) | 10/15/2020 03:18 PM |
| 17359 | Ruby master | Bug     | Open     | Ractor copy mode is not Ractor-safe   | ko1 (Koichi Sasada) | 12/02/2020 05:42 PM |

| #     | Project     | Tracker | Status   | Subject  | Assignee            | Updated             |
|-------|-------------|---------|----------|--|---------------------|---------------------|
| 17379 | Ruby master | Bug     | Open     | Refinement with modules redefinition bug                               | ko1 (Koichi Sasada) | 12/23/2020 02:05 AM |
| 17393 | Ruby master | Feature | Open     | `Ractor::Moved#inspect`  | ko1 (Koichi Sasada) | 12/21/2020 05:47 PM |
| 17404 | Ruby master | Feature | Open     | Ractor `move:` API to allow shareability check                         | ko1 (Koichi Sasada) | 12/18/2020 09:17 PM |
| 17414 | Ruby master | Feature | Open     | Ractor should allow access to shareable attributes for Modules/Classes | ko1 (Koichi Sasada) | 12/21/2020 03:56 PM |
| 17420 | Ruby master | Bug     | Open     | Unsafe mutation of \$" when doing non-RubyGems require in Ractor       | ko1 (Koichi Sasada) | 01/07/2021 01:23 PM |
| 17502 | Ruby master | Misc    | Open     | C vs Ruby  | ko1 (Koichi Sasada) | 01/03/2021 03:49 AM |
| 17513 | Ruby master | Bug     | Open     | Methods of shareable objects and UnboundMethods should be shareable    | ko1 (Koichi Sasada) | 01/06/2021 08:53 PM |
| 17531 | Ruby master | Bug     | Open     | `did_you_mean` not Ractor friendly                                     | ko1 (Koichi Sasada) | 01/29/2021 08:48 AM |
| 17543 | Ruby master | Bug     | Open     | Ractor isolation broken by `self` in shareable proc                    | ko1 (Koichi Sasada) | 01/29/2021 03:06 PM |
| 17573 | Ruby master | Bug     | Open     | Crashes in profiling tools when signals arrive in non-Ruby threads     | ko1 (Koichi Sasada) | 03/30/2021 12:15 AM |
| 17587 | Ruby master | Bug     | Open     | Segmentation fault with ractors and unix signals                       | ko1 (Koichi Sasada) | 02/07/2021 10:03 AM |
| 17667 | Ruby master | Bug     | Open     | Module#name needs synchronization                                      | ko1 (Koichi Sasada) | 03/02/2021 07:31 AM |
| 2294  | Ruby master | Feature | Assigned | [PATCH] ruby_bind_stack() to embed Ruby in coroutine                   | ko1 (Koichi Sasada) | 01/05/2018 09:00 PM |
| 3731  | Ruby master | Feature | Assigned | Easier Embedding API for Ruby  | ko1 (Koichi Sasada) | 12/25/2017 06:14 PM |
| 4040  | Ruby master | Bug     | Assigned | SystemStackError with Hash[*a] for Large _a_                           | ko1 (Koichi Sasada) | 12/25/2017 06:14 PM |
| 4443  | Ruby master | Bug     | Assigned | odd evaluation order in a multiple assignment                          | ko1 (Koichi Sasada) | 01/24/2018 08:36 AM |
| 6694  | Ruby master | Feature | Assigned | Thread.new without block.  | ko1 (Koichi Sasada) | 12/25/2017 06:15 PM |
| 6695  | Ruby master | Feature | Assigned | Configuration for Thread/Fiber creation                                | ko1 (Koichi Sasada) | 12/25/2017 06:15 PM |
| 7976  | Ruby master | Bug     | Assigned | TracePoint call is at call point, not call site                        | ko1 (Koichi Sasada) | 01/05/2018 09:00 PM |
| 8263  | CommonRuby  | Feature | Assigned | Support discovering yield state of individual Fibers                   | ko1 (Koichi Sasada) | 02/08/2018 10:01 AM |
| 8484  | Ruby master | Bug     | Assigned | Restoring conditions through the ruby method call during VM processing | ko1 (Koichi Sasada) | 01/05/2018 09:00 PM |
| 8576  | Ruby master | Feature | Assigned | Add optimized method type for constant value methods                   | ko1 (Koichi Sasada) | 12/25/2017 06:15 PM |
| 8960  | Ruby master | Feature | Assigned | Add Exception#backtrace_locations                                      | ko1 (Koichi Sasada) | 11/25/2016 02:15 PM |
| 9755  | Ruby master | Feature | Assigned | Thread::Backtrace::Location#defined_class                              | ko1 (Koichi Sasada) | 04/18/2014 09:22 AM |
| 10470 | Ruby master | Bug     | Assigned | TracePoint cannot trace attr_accessor/reader/writer method             | ko1 (Koichi Sasada) | 08/21/2015 03:47 PM |
| 12020 | CommonRuby  | Feature | Assigned | Documenting Ruby memory model  | ko1 (Koichi Sasada) | 02/08/2018 09:59 AM |
| 13252 | Ruby master | Feature | Assigned | C API for creating strings without copying                             | ko1 (Koichi Sasada) | 04/17/2017 07:22 AM |
| 13388 | Ruby master | Feature | Assigned | gc.c: Add GC.get_parameters and .set_parameters                        | ko1 (Koichi Sasada) | 03/30/2017 10:52 AM |
| 13821 | Ruby master | Feature | Assigned | Allow fibers to be resumed across threads                              | ko1 (Koichi Sasada) | 02/15/2019 10:09 AM |
| 13930 | Ruby master | Bug     | Assigned | Exception is caught in rescue above ensure                             | ko1 (Koichi Sasada) | 03/19/2021 11:51 PM |
| 14394 | Ruby master | Feature | Assigned | Class.descendants  | ko1 (Koichi Sasada) | 02/16/2021 07:32 AM |
| 14727 | Ruby master | Bug     | Assigned | TestQueue#test_queue_with_trap always timeout on Windows10             | ko1 (Koichi Sasada) | 05/01/2018 02:59 AM |

| #     | Project     | Tracker | Status   | Subject  | Assignee                 | Updated             |
|-------|-------------|---------|----------|--|--------------------------|---------------------|
| 14817 | Ruby master | Bug     | Assigned | TracePoint#parameters for bmethod's return event should return the same value as its Method#parameters                 | ko1 (Koichi Sasada)      | 07/15/2019 02:51 AM |
| 15499 | Ruby master | Bug     | Assigned | Breaking behavior on ruby 2.6: rb_thread_call_without_gvl doesn't invoke unblock_function when used on the main thread | ko1 (Koichi Sasada)      | 01/05/2021 02:24 AM |
| 15878 | Ruby master | Feature | Assigned | Make exit faster by not running GC   | ko1 (Koichi Sasada)      | 07/29/2019 07:48 AM |
| 15912 | Ruby master | Feature | Assigned | Allow some reentrancy during TracePoint events   | ko1 (Koichi Sasada)      | 10/03/2019 03:32 PM |
| 15939 | Ruby master | Feature | Assigned | Dump symbols reference to their fstr in ObjectSpace.dump()   | ko1 (Koichi Sasada)      | 08/08/2019 09:38 PM |
| 16027 | Ruby master | Feature | Assigned | Update Ruby's dtrace / USDT API to match what is exposed via the TracePoint API  | ko1 (Koichi Sasada)      | 08/03/2019 02:41 AM |
| 16124 | Ruby master | Misc    | Assigned | Let the transient heap belong to objspace  | ko1 (Koichi Sasada)      | 11/18/2019 08:48 AM |
| 16819 | Ruby master | Bug     | Assigned | Line reporting off by one when reporting line of a hash?   | ko1 (Koichi Sasada)      | 06/16/2020 05:57 PM |
| 16983 | Ruby master | Bug     | Assigned | RubyVM::AbstractSyntaxTree.of(method) returns meaningless node if the method is defined in eval                        | ko1 (Koichi Sasada)      | 04/17/2021 07:21 AM |
| 17135 | Ruby master | Feature | Assigned | Improve performance of Integer#size method   | ko1 (Koichi Sasada)      | 10/02/2020 02:19 AM |
| 17363 | Ruby master | Feature | Assigned | Timeouts   | ko1 (Koichi Sasada)      | 03/31/2021 06:34 PM |
| 17489 | Ruby master | Bug     | Assigned | Ractor segfaults   | ko1 (Koichi Sasada)      | 01/05/2021 09:25 PM |
| 17529 | Ruby master | Bug     | Assigned | Ractor Segfaults with GC enabled   | ko1 (Koichi Sasada)      | 02/18/2021 07:26 AM |
| 17545 | Ruby master | Bug     | Assigned | Calling dup on a subclass of Proc returns a Proc and not the subclass  | ko1 (Koichi Sasada)      | 02/19/2021 02:00 AM |
| 17583 | Ruby master | Bug     | Assigned | Segfault on large stack(RUBY_THREAD_VM_STACK_SIZE)   | ko1 (Koichi Sasada)      | 03/09/2021 09:10 AM |
| 17592 | Ruby master | Feature | Assigned | Ractor should allowing reading shareable class instance variables  | ko1 (Koichi Sasada)      | 02/24/2021 05:12 PM |
| 17593 | Ruby master | Feature | Assigned | load_iseq_eval should override the ISeq path   | ko1 (Koichi Sasada)      | 02/16/2021 08:27 AM |
| 17676 | Ruby master | Bug     | Assigned | Accessing ENV from Ractor raises IsolationError  | ko1 (Koichi Sasada)      | 03/09/2021 02:37 AM |
| 17677 | Ruby master | Bug     | Assigned | Ractor crashes fork when blocking  | ko1 (Koichi Sasada)      | 03/09/2021 12:42 AM |
| 17678 | Ruby master | Bug     | Assigned | Ractors do not restart after fork  | ko1 (Koichi Sasada)      | 03/09/2021 12:42 AM |
| 17679 | Ruby master | Bug     | Assigned | Ractor incoming channel can consume unlimited resources  | ko1 (Koichi Sasada)      | 03/26/2021 09:16 AM |
| 3187  | Ruby master | Feature | Feedback | Allow dynamic Fiber stack size   | ko1 (Koichi Sasada)      | 02/21/2018 02:41 PM |
| 6602  | Ruby master | Feature | Feedback | Tail call optimization: enable by default?   | ko1 (Koichi Sasada)      | 06/13/2020 01:31 AM |
| 8725  | Ruby master | Feature | Feedback | Possibility to get a signal handler without changing it  | ko1 (Koichi Sasada)      | 12/25/2017 06:15 PM |
| 10844 | Ruby master | Feature | Feedback | TracePoint API needs an event to inform about creating/removing a new frame without calling something                  | ko1 (Koichi Sasada)      | 03/02/2015 06:38 PM |
| 11182 | Ruby master | Bug     | Feedback | Refinement with alias causes strange behavior  | ko1 (Koichi Sasada)      | 11/05/2016 03:13 AM |
| 11348 | Ruby master | Feature | Feedback | TracePoint API needs events for fiber's switching  | ko1 (Koichi Sasada)      | 09/01/2015 09:12 AM |
| 12607 | Ruby master | Feature | Feedback | Ruby needs an atomic integer   | ko1 (Koichi Sasada)      | 01/29/2021 12:28 PM |
| 13697 | Ruby master | Feature | Open     | [PATCH]: futex based thread primitives   | kosaki (Motohiro KOSAKI) | 01/28/2018 11:41 PM |
| 14090 | Ruby master | Bug     | Open     | `TestGc#test_interrupt_in_finalizer` fails very rarely   | kosaki (Motohiro KOSAKI) | 12/19/2017 06:36 AM |

| #     | Project     | Tracker | Status   | Subject   | Assignee                         | Updated             |
|-------|-------------|---------|----------|---|----------------------------------|---------------------|
| 16186 | Ruby master | Bug     | Open     | Calling Net::HTTP from within an #inspect implementation hang when invoked from p             | kosaki (Motohiro KOSAKI)         | 09/29/2019 05:31 PM |
| 4464  | Ruby master | Feature | Assigned | [PATCH] add Fcntl::Flock object for easier use of POSIX file locks                            | kosaki (Motohiro KOSAKI)         | 12/25/2017 06:14 PM |
| 7086  | Ruby master | Feature | Assigned | ConditionVariable#wait has meaningless return value   | kosaki (Motohiro KOSAKI)         | 12/25/2017 06:15 PM |
| 11269 | Ruby master | Bug     | Assigned | ruby_init_setproctitle() should be called before require_libraries()                          | kosaki (Motohiro KOSAKI)         | 06/17/2015 03:01 AM |
| 10510 | Ruby master | Feature | Assigned | Remove REXML instead of patching it   | kou (Kouhei Sutou)               | 02/02/2015 09:15 AM |
| 7859  | Ruby master | Bug     | Assigned | Readline: Incorrect arrow key behavior in vi_editing_mode insert mode with Readline 6.2       | kouji (Kouji Takao)              | 12/25/2017 06:15 PM |
| 8782  | Ruby master | Bug     | Assigned | Don't set rl_getc_function on editline  | kouji (Kouji Takao)              | 01/05/2018 09:00 PM |
| 15881 | Ruby master | Feature | Open     | Optimize deconstruct in pattern matching  | ktsj (Kazuki Tsujimoto)          | 12/25/2019 04:28 AM |
| 15918 | Ruby master | Feature | Open     | Pattern matching for Set  | ktsj (Kazuki Tsujimoto)          | 07/29/2019 08:12 AM |
| 17355 | Ruby master | Feature | Assigned | Using same set of names in or-patterns (pattern matching with Foo(x)   Bar(x))                | ktsj (Kazuki Tsujimoto)          | 12/13/2020 03:11 AM |
| 17724 | Ruby master | Bug     | Assigned | Pattern matching error message is confusing   | ktsj (Kazuki Tsujimoto)          | 04/11/2021 07:08 AM |
| 14244 | Ruby master | Feature | Open     | Better error messages for scripts with non-matching end statements                            | mame (Yusuke Endoh)              | 11/29/2018 08:57 AM |
| 4247  | Ruby master | Feature | Assigned | New features for Array#sample, Array#choice   | mame (Yusuke Endoh)              | 12/25/2017 06:14 PM |
| 8223  | Ruby master | Feature | Open     | Make Matrix more omnivorous.  | marcandre (Marc-Andre Lafortune) | 04/09/2013 03:42 AM |
| 9347  | Ruby master | Feature | Open     | Accept non callable argument to detect  | marcandre (Marc-Andre Lafortune) | 01/05/2018 09:00 PM |
| 10855 | Ruby master | Bug     | Open     | [PATCH] Matrix#inverse returns matrix of integers whenever possible                           | marcandre (Marc-Andre Lafortune) | 12/30/2019 03:00 AM |
| 15815 | Ruby master | Feature | Open     | Add option to raise NoMethodError for OpenStruct  | marcandre (Marc-Andre Lafortune) | 09/28/2020 02:11 AM |
| 12676 | Ruby master | Feature | Assigned | Significant performance increase, and code conciseness, for prime_division method in prime.rb | marcandre (Marc-Andre Lafortune) | 11/18/2016 03:46 PM |
| 17623 | Ruby master | Bug     | Assigned | irb starts with some local variables already defined  | marcandre (Marc-Andre Lafortune) | 03/18/2021 01:50 PM |
| 14116 | Ruby master | Feature | Feedback | Add Matrix #exponentiate method as Matlab's exp   | marcandre (Marc-Andre Lafortune) | 11/20/2017 06:52 AM |
| 6256  | Ruby master | Feature | Feedback | Slightly improve ruby_qsor performance  | MartinBosslet (Martin Bosslet)   | 01/10/2019 01:51 PM |
| 6641  | Ruby master | Feature | Open     | Hash.auto constructor   | matz (Yukihiko Matsumoto)        | 12/25/2017 06:15 PM |
| 6817  | Ruby master | Feature | Open     | Partial application   | matz (Yukihiko Matsumoto)        | 12/25/2017 06:15 PM |
| 6869  | Ruby master | Feature | Open     | Do not treat `_' parameter exceptionally  | matz (Yukihiko Matsumoto)        | 12/10/2020 08:58 AM |
| 7149  | Ruby master | Feature | Open     | Constant magic for everyone.  | matz (Yukihiko Matsumoto)        | 12/25/2017 06:15 PM |
| 7377  | Ruby master | Feature | Open     | #indetical? as an alias for #equal?   | matz (Yukihiko Matsumoto)        | 12/25/2017 06:15 PM |
| 7444  | Ruby master | Feature | Open     | Array#product_set   | matz (Yukihiko Matsumoto)        | 12/25/2017 06:15 PM |
| 7546  | Ruby master | Feature | Open     | Change behavior of `Array#slice` for an argument of `Range` class                             | matz (Yukihiko Matsumoto)        | 12/10/2020 08:49 AM |
| 7548  | Ruby master | Feature | Open     | Load and Require Callbacks  | matz (Yukihiko Matsumoto)        | 12/25/2017 06:15 PM |
| 7604  | Ruby master | Feature | Open     | Make === comparison operator ability to delegate comparison to an argument                    | matz (Yukihiko Matsumoto)        | 12/25/2017 06:15 PM |
| 7611  | Ruby master | Feature | Open     | Focal method for all loads/requires   | matz (Yukihiko Matsumoto)        | 12/25/2017 06:15 PM |



| #     | Project     | Tracker | Status | Subject   | Assignee                  | Updated             |
|-------|-------------|---------|--------|---|---------------------------|---------------------|
| 7614  | Ruby master | Feature | Open   | alias_accessor  | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7654  | Ruby master | Feature | Open   | Add optional code block to IO::readlines  | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7657  | Ruby master | Feature | Open   | Array#& doesn't accept Enumerables  | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7676  | Ruby master | Bug     | Open   | Comparison of Float::NAN in array behaves unexpectedly                                    | matz (Yukihiko Matsumoto) | 01/16/2016 11:28 AM |
| 7702  | Ruby master | Feature | Open   | Remove Proc#binding   | matz (Yukihiko Matsumoto) | 07/15/2019 07:39 PM |
| 7704  | Ruby master | Feature | Open   | Add a list of enabled (experimental) language features.                                   | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7748  | Ruby master | Feature | Open   | Contextual send   | matz (Yukihiko Matsumoto) | 12/10/2020 08:53 AM |
| 7795  | Ruby master | Feature | Open   | Symbol.defined? and/or to_existing_symbol   | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7848  | Ruby master | Feature | Open   | Restore default state for core ruby objects   | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7876  | Ruby master | Feature | Open   | Add method for accessing Class from within Singleton Class                                | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7883  | Ruby master | Feature | Open   | Add Regex#to_proc   | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7914  | Ruby master | Feature | Open   | Case for local class methods  | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 8061  | Ruby master | Feature | Open   | □□□□□□□□□□□□□□□□  | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 8229  | Ruby master | Feature | Open   | extend Hash.include?  | matz (Yukihiko Matsumoto) | 12/10/2020 08:53 AM |
| 8232  | Ruby master | Feature | Open   | Rudiments of abstract algebra in Ruby   | matz (Yukihiko Matsumoto) | 04/09/2013 01:47 AM |
| 8478  | Ruby master | Feature | Open   | The hash returned by Enumerable#group_by should have an empty array for its default value | matz (Yukihiko Matsumoto) | 06/04/2013 03:56 PM |
| 8663  | Ruby master | Feature | Open   | Officialy alias ArgumentError to ArgError   | matz (Yukihiko Matsumoto) | 08/09/2013 07:42 PM |
| 8804  | Ruby master | Feature | Open   | ONCE syntax   | matz (Yukihiko Matsumoto) | 01/04/2020 08:26 PM |
| 9043  | Ruby master | Feature | Open   | Add String## method as shortcut for #freeze   | matz (Yukihiko Matsumoto) | 01/05/2018 09:00 PM |
| 9070  | Ruby master | Feature | Open   | Introduce `---` as synonym of `end` keyword   | matz (Yukihiko Matsumoto) | 11/02/2013 03:23 AM |
| 9123  | Ruby master | Feature | Open   | Make Numeric#nonzero? behavior consistent with Numeric#zero?                              | matz (Yukihiko Matsumoto) | 06/11/2019 12:55 PM |
| 9614  | Ruby master | Feature | Open   | ordering of non-Hash items which use st_ internally                                       | matz (Yukihiko Matsumoto) | 01/05/2018 09:00 PM |
| 9704  | Ruby master | Feature | Open   | Refinements as files instead of modules   | matz (Yukihiko Matsumoto) | 10/11/2016 06:36 PM |
| 10287 | Ruby master | Misc    | Open   | rename COLON3 to COLON2_HEAD.   | matz (Yukihiko Matsumoto) | 01/05/2018 09:02 PM |
| 10404 | Ruby master | Feature | Open   | Allow individual finalizers to be removed with ObjectSpace.undefine_finalizer             | matz (Yukihiko Matsumoto) | 10/20/2014 08:14 AM |
| 10489 | Ruby master | Feature | Open   | Add inherit method for clearer and multiple inheritance                                   | matz (Yukihiko Matsumoto) | 12/10/2020 08:53 AM |
| 10498 | Ruby master | Feature | Open   | Make `loop` yield a counter   | matz (Yukihiko Matsumoto) | 01/05/2018 09:01 PM |
| 10541 | Ruby master | Misc    | Open   | Remove shorthand string interpolation syntax  | matz (Yukihiko Matsumoto) | 10/08/2015 05:44 PM |
| 10549 | Ruby master | Misc    | Open   | Deprecate each_with_index and each_with_object in favor of with_index and with_object     | matz (Yukihiko Matsumoto) | 01/05/2018 09:02 PM |
| 10574 | Ruby master | Feature | Open   | Add String#lchomp and String.lchomp!  | matz (Yukihiko Matsumoto) | 12/15/2014 04:34 PM |
| 11122 | Ruby master | Feature | Open   | exception-free non-blocking Queue/SizedQueue operations                                   | matz (Yukihiko Matsumoto) | 05/06/2015 08:53 PM |
| 11181 | Ruby master | Feature | Open   | Add a line directive to Ruby  | matz (Yukihiko Matsumoto) | 01/26/2016 02:04 AM |

| #     | Project     | Tracker | Status | Subject  | Assignee                  | Updated             |
|-------|-------------|---------|--------|--|---------------------------|---------------------|
| 11307 | Ruby master | Feature | Open   | exception-free non-blocking Queue#pop  | matz (Yukihiko Matsumoto) | 06/25/2015 11:06 PM |
| 11346 | Ruby master | Feature | Open   | New #intern_str or similarly-named method of Symbol to return a cached, frozen string (like "string".freeze) | matz (Yukihiko Matsumoto) | 08/21/2015 03:31 PM |
| 11390 | Ruby master | Feature | Open   | Allow symbols starting with numbers  | matz (Yukihiko Matsumoto) | 08/14/2015 05:23 AM |
| 11517 | Ruby master | Feature | Open   | Queue enhancement - conditional pop  | matz (Yukihiko Matsumoto) | 09/17/2015 09:02 PM |
| 11518 | Ruby master | Feature | Open   | Queue enhancement - promote! and promote_all!  | matz (Yukihiko Matsumoto) | 09/17/2015 08:40 PM |
| 11627 | CommonRuby  | Feature | Open   | make `nonzero` an alias of `nonzero?`  | matz (Yukihiko Matsumoto) | 10/29/2015 01:25 PM |
| 11735 | Ruby master | Feature | Open   | Porting String#squish and String#squish! from Ruby on Rails' Active Support                                  | matz (Yukihiko Matsumoto) | 06/24/2016 08:02 AM |
| 11758 | Ruby master | Feature | Open   | Add keyword assignment syntax  | matz (Yukihiko Matsumoto) | 02/15/2016 03:31 AM |
| 11882 | Ruby master | Feature | Open   | Map or NamedMap  | matz (Yukihiko Matsumoto) | 01/17/2021 01:31 PM |
| 12019 | CommonRuby  | Feature | Open   | Better low-level support for writing concurrent libraries  | matz (Yukihiko Matsumoto) | 01/27/2016 06:27 AM |
| 12244 | Ruby master | Feature | Open   | Add a way to `integer - integer % num`   | matz (Yukihiko Matsumoto) | 05/17/2016 06:05 AM |
| 12306 | Ruby master | Feature | Open   | Implement String #blank? #present? and improve #strip and family to handle unicode                           | matz (Yukihiko Matsumoto) | 07/22/2018 10:55 PM |
| 14128 | Ruby master | Feature | Open   | Introduce Hash#delete default value  | matz (Yukihiko Matsumoto) | 11/25/2017 04:41 PM |
| 14546 | Ruby master | Feature | Open   | Hash#delete!   | matz (Yukihiko Matsumoto) | 05/30/2018 08:24 PM |
| 14609 | Ruby master | Feature | Open   | Let `Kernel#p` without an argument print the receiver  | matz (Yukihiko Matsumoto) | 02/08/2020 08:43 PM |
| 14724 | Ruby master | Feature | Open   | chains of inequalities   | matz (Yukihiko Matsumoto) | 05/19/2018 01:06 AM |
| 14744 | Ruby master | Bug     | Open   | Refinements modules have a superclass  | matz (Yukihiko Matsumoto) | 12/29/2019 10:34 AM |
| 14760 | Ruby master | Misc    | Open   | cross-thread IO#close semantics  | matz (Yukihiko Matsumoto) | 05/17/2018 08:21 AM |
| 14927 | Ruby master | Feature | Open   | Loading multiple files at once   | matz (Yukihiko Matsumoto) | 09/18/2018 12:38 AM |
| 14982 | Ruby master | Feature | Open   | Improve namespace system in ruby to avoiding top-level names chaos   | matz (Yukihiko Matsumoto) | 12/10/2020 09:16 AM |
| 15112 | Ruby master | Feature | Open   | Introducing the short form of `STDERR.puts expr.inspect`.  | matz (Yukihiko Matsumoto) | 10/12/2018 02:02 AM |
| 15192 | Ruby master | Feature | Open   | Introduce a new "shortcut assigning" syntax to convenient setup instance variables                           | matz (Yukihiko Matsumoto) | 08/11/2019 02:26 AM |
| 15277 | Ruby master | Feature | Open   | at_exec  | matz (Yukihiko Matsumoto) | 05/25/2020 01:09 AM |
| 15330 | Ruby master | Feature | Open   | autoload_relative  | matz (Yukihiko Matsumoto) | 04/09/2020 07:59 PM |
| 15445 | Ruby master | Feature | Open   | Reject '.123' in Float() method  | matz (Yukihiko Matsumoto) | 01/10/2019 07:59 AM |
| 15764 | Ruby master | Bug     | Open   | Whitespace and control characters should not be permitted in tokens  | matz (Yukihiko Matsumoto) | 04/22/2019 07:48 AM |
| 15837 | Ruby master | Feature | Open   | Module#name_components   | matz (Yukihiko Matsumoto) | 05/08/2019 10:29 AM |
| 15991 | Ruby master | Feature | Open   | Allow questionmarks in variable names  | matz (Yukihiko Matsumoto) | 07/30/2019 03:57 AM |
| 16182 | Ruby master | Feature | Open   | Should `expr in a, b, c` be allowed or not?  | matz (Yukihiko Matsumoto) | 11/10/2019 01:40 PM |
| 16495 | Ruby master | Feature | Open   | Inconsistent quotes in error messages  | matz (Yukihiko Matsumoto) | 08/07/2020 12:27 AM |
| 16894 | Ruby master | Feature | Open   | Integer division for Ruby 3  | matz (Yukihiko Matsumoto) | 05/18/2020 03:41 PM |

| #     | Project     | Tracker | Status   | Subject  | Assignee                  | Updated             |
|-------|-------------|---------|----------|--|---------------------------|---------------------|
| 16986 | Ruby master | Feature | Open     | Anonymous Struct literal                                     | matz (Yukihiko Matsumoto) | 12/14/2020 08:19 PM |
| 16992 | Ruby master | Feature | Open     | Sets: officially ordered                                     | matz (Yukihiko Matsumoto) | 09/03/2020 02:08 PM |
| 17184 | Ruby master | Feature | Open     | No stdlib function to perform simple string replacement      | matz (Yukihiko Matsumoto) | 02/23/2021 09:27 PM |
| 17279 | Ruby master | Feature | Open     | Allow a negative step in Range#step with a block             | matz (Yukihiko Matsumoto) | 10/22/2020 02:23 AM |
| 17288 | Ruby master | Feature | Open     | Optimize __send__ call with a literal method name            | matz (Yukihiko Matsumoto) | 10/30/2020 12:17 AM |
| 17380 | Ruby master | Feature | Open     | Useful `include/prepend` in `refine`                         | matz (Yukihiko Matsumoto) | 12/10/2020 02:58 PM |
| 17429 | Ruby master | Bug     | Open     | Prohibit include/prepend in refinement modules               | matz (Yukihiko Matsumoto) | 01/29/2021 12:21 PM |
| 17785 | Ruby master | Feature | Open     | Allow named parameters to be keywords                        | matz (Yukihiko Matsumoto) | 04/10/2021 05:04 PM |
| 3447  | Ruby master | Feature | Assigned | argument delegation  | matz (Yukihiko Matsumoto) | 12/25/2017 06:14 PM |
| 4514  | Ruby master | Feature | Assigned | #deep_clone and #deep_dup for Objects                        | matz (Yukihiko Matsumoto) | 12/25/2017 06:14 PM |
| 4521  | Ruby master | Feature | Assigned | NoMethodError#message may take very long to execute          | matz (Yukihiko Matsumoto) | 12/25/2017 06:14 PM |
| 4539  | Ruby master | Feature | Assigned | Array#zip_with   | matz (Yukihiko Matsumoto) | 11/28/2019 08:23 AM |
| 4592  | Ruby master | Feature | Assigned | Tempfile   | matz (Yukihiko Matsumoto) | 12/25/2017 06:14 PM |
| 4818  | Ruby master | Feature | Assigned | Add method marshalable?                                      | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 4824  | Ruby master | Feature | Assigned | Provide method Kernel#executed?                              | matz (Yukihiko Matsumoto) | 03/05/2018 04:57 AM |
| 5007  | Ruby master | Feature | Assigned | Proc#call_under: Unifying instance_eval and instance_exec    | matz (Yukihiko Matsumoto) | 04/19/2018 07:57 AM |
| 5064  | Ruby master | Feature | Assigned | HTTP user-agent class  | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 5129  | Ruby master | Feature | Assigned | Create a core class "FileArray" and make "ARGV" its instance | matz (Yukihiko Matsumoto) | 01/23/2018 02:02 PM |
| 5389  | Ruby master | Feature | Assigned | New method Enumerator#iterate                                | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 5445  | Ruby master | Feature | Assigned | Need RUBYOPT -r before ARGV -r                               | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 5456  | Ruby master | Feature | Assigned | kernel#syscall() should be removed.                          | matz (Yukihiko Matsumoto) | 12/10/2020 08:46 AM |
| 5558  | Ruby master | Feature | Assigned | String#% strange arity errors                                | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 5582  | Ruby master | Feature | Assigned | Allow clone of singleton methods on a BasicObject            | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 5643  | Ruby master | Feature | Assigned | require/load options and binding option                      | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 5741  | Ruby master | Feature | Assigned | Secure Erasure of Passwords                                  | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 5749  | Ruby master | Feature | Assigned | new method String#match_all needed                           | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 5781  | Ruby master | Feature | Assigned | Query attributes (attribute methods ending in `?` mark)      | matz (Yukihiko Matsumoto) | 01/10/2020 06:34 AM |
| 5825  | Ruby master | Feature | Assigned | Sweet instance var assignment in the object initializer      | matz (Yukihiko Matsumoto) | 12/10/2020 08:53 AM |
| 5945  | Ruby master | Feature | Assigned | Add the ability to mark a at_exit as process-local.          | matz (Yukihiko Matsumoto) | 10/10/2018 08:29 AM |
| 5970  | Ruby master | Feature | Assigned | Add Enumerable#join with same semantics as Array#join        | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6210  | Ruby master | Feature | Assigned | load should provide a way to specify the top-level module    | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6277  | Ruby master | Feature | Assigned | Hash#convert_key   | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6293  | Ruby master | Feature | Assigned | new queue / blocking queues                                  | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |

| #    | Project     | Tracker | Status   | Subject  | Assignee                  | Updated             |
|------|-------------|---------|----------|--|---------------------------|---------------------|
| 6308 | CommonRuby  | Feature | Assigned | Eliminate delegation from WeakRef  | matz (Yukihiko Matsumoto) | 11/01/2013 04:28 AM |
| 6309 | Ruby master | Feature | Assigned | Add a reference queue for weak references  | matz (Yukihiko Matsumoto) | 08/23/2020 09:07 PM |
| 6317 | Ruby master | Feature | Assigned | Range#cover? Range#  | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6337 | Ruby master | Feature | Assigned | FileUtils#sync   | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6354 | Ruby master | Feature | Assigned | Remove escape (break/return/redo/next support) from class/module scope   | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6376 | Ruby master | Feature | Assigned | Feature lookup and checking if feature is loaded   | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6413 | Ruby master | Feature | Assigned | Make Dir.entries default to Dir.entries(Dir.pwd)   | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6445 | Ruby master | Feature | Assigned | request for default length/position on string index  | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6452 | Ruby master | Feature | Assigned | Allow extend to override class methods   | matz (Yukihiko Matsumoto) | 12/10/2020 08:53 AM |
| 6594 | Ruby master | Feature | Assigned | Integrated Functor   | matz (Yukihiko Matsumoto) | 12/10/2020 08:53 AM |
| 6596 | Ruby master | Feature | Assigned | New method `Array#indexes`   | matz (Yukihiko Matsumoto) | 07/29/2020 01:41 AM |
| 6611 | Ruby master | Feature | Assigned | Comments requested on implementation of set_parse_func   | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6648 | Ruby master | Feature | Assigned | Provide a standard API for retrieving all command-line flags passed to Ruby                                    | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6671 | Ruby master | Feature | Assigned | File.split_all and File.split_root   | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6802 | Ruby master | Feature | Assigned | String#scan should have equivalent yielding MatchData  | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6810 | Ruby master | Feature | Assigned | `module A::B; end` is not equivalent to `module A; module B; end; end` with respect to constant lookup (scope) | matz (Yukihiko Matsumoto) | 12/10/2020 09:22 AM |
| 6811 | Ruby master | Feature | Assigned | File, Dir and FileUtils should have bang-versions of singleton methods that fails silently                     | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6841 | Ruby master | Feature | Assigned | Shorthand for Assigning Return Value of Method to Self   | matz (Yukihiko Matsumoto) | 12/10/2020 08:53 AM |
| 6842 | Ruby master | Feature | Assigned | Add Optional Arguments to String#strip   | matz (Yukihiko Matsumoto) | 08/24/2016 05:50 AM |
| 7087 | Ruby master | Feature | Assigned | ::ConditionVariable#wait does not work with Monitor because Monitor#sleep does not exist                       | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7121 | Ruby master | Feature | Assigned | Extending the use of `require`   | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7132 | Ruby master | Feature | Assigned | Alternation between named / ordered method arguments and aliases for method arguments.                         | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7314 | Ruby master | Feature | Assigned | Convert Proc to Lambda doesn't work in MRI   | matz (Yukihiko Matsumoto) | 05/21/2016 09:15 AM |
| 7349 | Ruby master | Feature | Assigned | Struct#inspect needs more meaningful output  | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7436 | Ruby master | Feature | Assigned | Allow for a "granularity" flag for backtrace_locations   | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7503 | Ruby master | Feature | Assigned | make timeout.rb async-interrupt safe by default  | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7580 | Ruby master | Feature | Assigned | Range translation  | matz (Yukihiko Matsumoto) | 06/11/2018 09:51 AM |
| 7644 | Ruby master | Feature | Assigned | In refinements, change "using" keyword to a less generic word.   | matz (Yukihiko Matsumoto) | 12/10/2020 08:49 AM |
| 7739 | Ruby master | Feature | Assigned | Define Hash#  as Hash#reverse_merge in Rails   | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7793 | Ruby master | Feature | Assigned | New methods on Hash  | matz (Yukihiko Matsumoto) | 05/13/2015 06:12 PM |

| #     | Project     | Tracker | Status   | Subject  | Assignee                  | Updated             |
|-------|-------------|---------|----------|--|---------------------------|---------------------|
| 8016  | Ruby master | Feature | Assigned | Alias <code>__FILE__</code> and <code>__LINE__</code> as methods   | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 8042  | Ruby master | Feature | Assigned | Add <code>Addrinfo#socket</code> to create a socket that is not connected or bound   | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 8164  | Ruby master | Feature | Assigned | Public/Private   | matz (Yukihiko Matsumoto) | 12/10/2020 08:50 AM |
| 8271  | CommonRuby  | Feature | Assigned | Proposal for moving to a more visible, formal process for feature requests   | matz (Yukihiko Matsumoto) | 04/03/2019 05:22 AM |
| 8536  | Ruby master | Feature | Assigned | Implement <code>is_numeric?</code> family of methods   | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 8678  | Ruby master | Feature | Assigned | Allow invalid string to work with <code>regexp</code>  | matz (Yukihiko Matsumoto) | 01/05/2018 09:00 PM |
| 8780  | Ruby master | Feature | Assigned | <code>DBM#to_h</code> alias for <code>#to_hash</code>  | matz (Yukihiko Matsumoto) | 01/05/2018 09:00 PM |
| 8839  | Ruby master | Feature | Assigned | Class and module should return the class or module that was opened   | matz (Yukihiko Matsumoto) | 12/28/2015 08:36 AM |
| 8850  | Ruby master | Feature | Assigned | Convert Rational to decimal string   | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 8948  | Ruby master | Feature | Assigned | Frozen <code>regex</code>  | matz (Yukihiko Matsumoto) | 12/20/2020 07:15 PM |
| 8953  | Ruby master | Feature | Assigned | <code>`str =~ /pattern/`</code> does not call <code>=~</code> method if (1) <code>str</code> is a String, (2) <code>/pattern/</code> is a <code>Regex</code> literal | matz (Yukihiko Matsumoto) | 01/05/2018 09:00 PM |
| 8977  | Ruby master | Feature | Assigned | <code>String#frozen</code> that takes advantage of the deduping  | matz (Yukihiko Matsumoto) | 01/27/2018 06:29 AM |
| 9023  | CommonRuby  | Feature | Assigned | <code>Array#tail</code>  | matz (Yukihiko Matsumoto) | 07/26/2016 02:06 PM |
| 9768  | Ruby master | Feature | Assigned | Method that is visible only within a certain module/class  | matz (Yukihiko Matsumoto) | 04/25/2014 06:43 AM |
| 9816  | Ruby master | Feature | Assigned | □□□□□□□□□□□□□□□□□□□□   | matz (Yukihiko Matsumoto) | 10/28/2014 08:29 AM |
| 10481 | Ruby master | Feature | Assigned | Add "if" and "unless" clauses to <code>rescue</code> statements  | matz (Yukihiko Matsumoto) | 01/18/2015 02:46 PM |
| 11028 | Ruby master | Feature | Assigned | standalone running single file ( zipped archives of ruby code) running <code>**without installation**</code> using <code>"gem install ..."</code>                    | matz (Yukihiko Matsumoto) | 04/04/2015 01:44 AM |
| 11256 | Ruby master | Feature | Assigned | anonymous block forwarding   | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 11704 | Ruby master | Bug     | Assigned | Refinements only get "used" once in loop   | matz (Yukihiko Matsumoto) | 04/14/2016 02:45 AM |
| 11782 | Ruby master | Feature | Assigned | <code>String#+@</code> and <code>String#-@</code>  | matz (Yukihiko Matsumoto) | 12/28/2015 04:36 PM |
| 11816 | Ruby master | Feature | Assigned | Partial safe navigation operator   | matz (Yukihiko Matsumoto) | 04/14/2020 08:02 AM |
| 12010 | Ruby master | Feature | Assigned | Exclude dot and <code>dotdot</code> from <code>Dir#each</code>   | matz (Yukihiko Matsumoto) | 03/01/2018 01:13 AM |
| 12533 | Ruby master | Feature | Assigned | Refinements: allow modules inclusion, in which the module can call internal methods which it defines.  | matz (Yukihiko Matsumoto) | 10/06/2017 11:59 AM |
| 12543 | Ruby master | Feature | Assigned | explicit tail call syntax: <code>foo()</code> then <code>return</code>   | matz (Yukihiko Matsumoto) | 06/13/2020 01:27 AM |
| 12813 | Ruby master | Feature | Assigned | Calling <code>chunk_while</code> , <code>slice_after</code> , <code>slice_before</code> , <code>slice_when</code> with no block                                      | matz (Yukihiko Matsumoto) | 12/06/2016 12:58 PM |
| 12929 | Ruby master | Feature | Assigned | ternary should look ahead w/in a block (and not care about newlines)   | matz (Yukihiko Matsumoto) | 01/19/2017 08:17 AM |
| 13129 | Ruby master | Feature | Assigned | Refinements cannot refine <code>method_missing</code> and <code>respond_to_missing?</code>   | matz (Yukihiko Matsumoto) | 12/20/2017 12:01 AM |
| 14091 | Ruby master | Feature | Assigned | Remove <code>Time#succ</code>  | matz (Yukihiko Matsumoto) | 07/14/2019 11:51 AM |
| 14397 | Ruby master | Feature | Assigned | <code>public</code> , <code>protected</code> and <code>private</code> should return their arguments instead of self  | matz (Yukihiko Matsumoto) | 12/10/2018 07:08 AM |
| 15027 | Ruby master | Bug     | Assigned | When <code>Struct#each</code> method is overridden <code>Struct#select</code> and <code>Struct#to_a</code> use wrong collections                                     | matz (Yukihiko Matsumoto) | 12/09/2019 11:12 PM |

| #     | Project     | Tracker | Status   | Subject   | Assignee                  | Updated             |
|-------|-------------|---------|----------|---|---------------------------|---------------------|
| 16461 | Ruby master | Feature | Assigned | Proc#using  | matz (Yukihiko Matsumoto) | 12/10/2020 09:10 AM |
| 16630 | Ruby master | Misc    | Assigned | Deprecate pub/ruby/*snapshot* and use pub/ruby/snapshot/* instead   | matz (Yukihiko Matsumoto) | 02/27/2020 09:52 AM |
| 17291 | Ruby master | Feature | Assigned | Optimize __send__ call  | matz (Yukihiko Matsumoto) | 01/12/2021 05:47 AM |
| 17720 | Ruby master | Misc    | Assigned | Cirrus CI to check non-x86_64 architecture cases by own machines  | matz (Yukihiko Matsumoto) | 04/07/2021 12:54 PM |
| 4264  | Ruby master | Feature | Feedback | General type coercion protocol for Ruby   | matz (Yukihiko Matsumoto) | 12/25/2017 06:14 PM |
| 5514  | Ruby master | Feature | Feedback | Numeric [] quotient [] quotrem [] []  | matz (Yukihiko Matsumoto) | 12/10/2020 08:49 AM |
| 5521  | Ruby master | Feature | Feedback | Numeric#rational?[]Numeric#complex?[]Numeric#float? [] []   | matz (Yukihiko Matsumoto) | 12/10/2020 08:49 AM |
| 5628  | Ruby master | Feature | Feedback | Module#basename   | matz (Yukihiko Matsumoto) | 08/29/2020 05:01 PM |
| 5644  | Ruby master | Feature | Feedback | add Enumerable#exclude? antonym   | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 5673  | Ruby master | Feature | Feedback | undef_method probably doesn't need to raise an error  | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6118  | Ruby master | Feature | Feedback | Hash#keys_of(values), returns related keys of given values  | matz (Yukihiko Matsumoto) | 01/10/2019 08:16 AM |
| 6219  | Ruby master | Feature | Feedback | Return value of Hash#store  | matz (Yukihiko Matsumoto) | 12/10/2020 08:46 AM |
| 6251  | Ruby master | Feature | Feedback | Magic comments for compile options  | matz (Yukihiko Matsumoto) | 08/21/2015 11:47 PM |
| 6367  | Ruby master | Feature | Feedback | #same? for Enumerable   | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6478  | Ruby master | Feature | Feedback | BasicObject#__class__   | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6515  | Ruby master | Feature | Feedback | array.c: added method that verifies if an Array is part of another  | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6669  | Ruby master | Feature | Feedback | A method like Hash#map but returns hash   | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6697  | Ruby master | Feature | Feedback | [PATCH] Add Kernel#Symbol conversion method like String(), Array() etc.   | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6727  | Ruby master | Feature | Feedback | Add Array#rest (with implementation)  | matz (Yukihiko Matsumoto) | 08/14/2019 08:51 AM |
| 6739  | Ruby master | Feature | Feedback | One-line rescue statement should support specifying an exception class  | matz (Yukihiko Matsumoto) | 05/18/2016 12:42 AM |
| 6806  | Ruby master | Feature | Feedback | Support functional programming: forbid instance/class variables for ModuleName::method_name, allow for ModuleName.method_name | matz (Yukihiko Matsumoto) | 12/10/2020 08:53 AM |
| 7511  | Ruby master | Feature | Feedback | short-circuiting logical implication operator   | matz (Yukihiko Matsumoto) | 12/10/2020 08:55 AM |
| 7939  | Ruby master | Feature | Feedback | Alternative curry function creation   | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 8026  | Ruby master | Feature | Feedback | Need Module#prepended_modules   | matz (Yukihiko Matsumoto) | 01/16/2020 06:12 AM |
| 8096  | CommonRuby  | Feature | Feedback | introduce Time.current_timestamp  | matz (Yukihiko Matsumoto) | 10/02/2013 02:37 PM |
| 8168  | Ruby master | Feature | Feedback | Feature request: support for (single) statement lambda syntax/definition  | matz (Yukihiko Matsumoto) | 01/11/2014 11:36 AM |
| 8365  | Ruby master | Feature | Feedback | Make variables objects  | matz (Yukihiko Matsumoto) | 08/19/2016 07:21 PM |
| 8371  | Ruby master | Feature | Feedback | Make some enumerators mimic arrays  | matz (Yukihiko Matsumoto) | 06/02/2013 04:11 PM |
| 8520  | Ruby master | Feature | Feedback | Distinct to_s methods for Array, Hash...  | matz (Yukihiko Matsumoto) | 06/14/2013 12:37 AM |
| 8707  | Ruby master | Feature | Feedback | Hash#reverse_each   | matz (Yukihiko Matsumoto) | 01/05/2018 09:00 PM |
| 9064  | Ruby master | Feature | Feedback | Add support for packages, like in Java  | matz (Yukihiko Matsumoto) | 07/29/2014 02:07 AM |
| 9602  | Ruby master | Feature | Feedback | Logic with `Enumerable#grep`  | matz (Yukihiko Matsumoto) | 12/01/2019 05:23 PM |



| #     | Project     | Tracker | Status   | Subject   | Assignee                | Updated             |
|-------|-------------|---------|----------|---|-------------------------|---------------------|
| 10628 | Ruby master | Misc    | Open     | Peformance of URI module  | naruse (Yui NARUSE)     | 12/26/2014 04:08 PM |
| 15007 | Ruby master | Misc    | Open     | Let all Init_xxx and extension APIs frequently called from init code paths be considered cold             | naruse (Yui NARUSE)     | 12/06/2018 11:05 AM |
| 15931 | Ruby master | Feature | Open     | encoding for CESU-8   | naruse (Yui NARUSE)     | 12/20/2019 05:42 AM |
| 15940 | Ruby master | Feature | Open     | Coerce symbols internal fstrings in UTF8 rather than ASCII to better share memory with string literals    | naruse (Yui NARUSE)     | 07/30/2019 04:17 AM |
| 16559 | Ruby master | Feature | Open     | Net::HTTP#request injects "Connection: close" header if #started? is false, wasting HTTP server resources | naruse (Yui NARUSE)     | 05/28/2020 07:37 PM |
| 2567  | Ruby master | Feature | Assigned | Net::HTTP does not handle encoding correctly  | naruse (Yui NARUSE)     | 12/15/2017 08:22 AM |
| 5461  | Ruby master | Feature | Assigned | Add pipelining to Net::HTTP   | naruse (Yui NARUSE)     | 12/25/2017 06:15 PM |
| 5764  | Ruby master | Feature | Assigned | Net::HTTP should assume HTTP/0.9 on unexpected responses  | naruse (Yui NARUSE)     | 07/15/2019 05:06 PM |
| 6265  | Ruby master | Feature | Assigned | Remove 'useless' 'concatenation' syntax   | naruse (Yui NARUSE)     | 08/10/2016 02:36 AM |
| 9020  | Ruby master | Feature | Assigned | Net::HTTPResponse predicate/query methods   | naruse (Yui NARUSE)     | 12/25/2017 06:15 PM |
| 11526 | Ruby master | Bug     | Assigned | Streaming HTTP requests are not idempotent and should not be retried                                      | naruse (Yui NARUSE)     | 07/01/2019 09:16 PM |
| 12055 | Ruby master | Bug     | Assigned | `NET::HTTPResponse` is not deflating responses with custom `Content-Range` header                         | naruse (Yui NARUSE)     | 06/27/2019 10:27 PM |
| 13221 | Ruby master | Feature | Assigned | [PATCH] gems/bundled_gems: add "curses" RubyGem   | naruse (Yui NARUSE)     | 09/25/2017 06:32 PM |
| 14972 | Ruby master | Bug     | Assigned | Net::HTTP inconsistently raises EOFError when peer closes the connection                                  | naruse (Yui NARUSE)     | 03/01/2021 09:20 PM |
| 15517 | Ruby master | Feature | Assigned | Net::HTTP not recognizing valid UTF-8   | naruse (Yui NARUSE)     | 03/09/2021 10:41 PM |
| 16672 | Ruby master | Bug     | Assigned | net/http leaves original content-length header intact after inflating response                            | naruse (Yui NARUSE)     | 03/02/2021 10:01 PM |
| 17111 | Ruby master | Feature | Assigned | Improve performance of Net::HTTPHeader#set_form by 40%  | naruse (Yui NARUSE)     | 08/10/2020 05:36 AM |
| 17638 | Ruby master | Feature | Assigned | Support backtracing with the libbacktrace library   | naruse (Yui NARUSE)     | 03/05/2021 03:40 PM |
| 3388  | Ruby master | Feature | Feedback | regexp support for start_with? and end_with?  | naruse (Yui NARUSE)     | 12/25/2017 06:02 PM |
| 7745  | Ruby master | Feature | Open     | lib/observer.rb: Observers are compared by identity   | nobu (Nobuyoshi Nakada) | 12/25/2017 06:15 PM |
| 7840  | Ruby master | Bug     | Open     | -Wdeclaration-after-statement is valid for C/ObjC but not for C++   | nobu (Nobuyoshi Nakada) | 06/02/2020 04:41 PM |
| 8270  | Ruby master | Feature | Open     | Ruby should build without thread support (aka minix)  | nobu (Nobuyoshi Nakada) | 12/10/2020 08:53 AM |
| 8449  | Ruby master | Feature | Open     | Array#ary_plus always returns an array  | nobu (Nobuyoshi Nakada) | 06/02/2013 04:23 PM |
| 8973  | Ruby master | Bug     | Open     | Allow to configure archlibdir for multiarch   | nobu (Nobuyoshi Nakada) | 12/30/2019 03:00 AM |
| 9673  | Ruby master | Feature | Open     | pie configure disable   | nobu (Nobuyoshi Nakada) | 01/05/2018 09:00 PM |
| 9970  | Ruby master | Feature | Open     | Add `Hash#map_keys` and `Hash#map_values`   | nobu (Nobuyoshi Nakada) | 05/19/2017 12:41 AM |
| 10416 | Ruby master | Bug     | Open     | Create mechanism for updating of Unicode data files downstreams when we want                              | nobu (Nobuyoshi Nakada) | 01/05/2018 09:01 PM |
| 11670 | Ruby master | Feature | Open     | Show warning to make nested def obsolete  | nobu (Nobuyoshi Nakada) | 11/09/2015 07:40 AM |
| 11706 | Ruby master | Bug     | Open     | Clean up files etc/unicode/name2ctype.{h,blt,kwd,src}   | nobu (Nobuyoshi Nakada) | 01/05/2016 12:26 PM |
| 11840 | Ruby master | Bug     | Open     | Error with "make check" on Cygwin   | nobu (Nobuyoshi Nakada) | 12/29/2019 10:32 AM |



| #     | Project     | Tracker | Status | Subject  | Assignee                | Updated             |
|-------|-------------|---------|--------|--|-------------------------|---------------------|
| 12064 | Ruby master | Feature | Open   | Make creation of enc/unicode/casfold.h automatic again | nobu (Nobuyoshi Nakada) | 02/12/2016 06:13 AM |
| 12590 | Ruby master | Bug     | Open   | Error compiling parse.c on cygwin                      | nobu (Nobuyoshi Nakada) | 07/18/2016 04:09 AM |

...