

Issues

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|----------|---|------------------------------|---------------------|
| 14917 | Ruby master | Misc | Assigned | Add RDoc documents to tar ball | aycabta (aycabta .) | 07/21/2018 09:29 AM |
| 17720 | Ruby master | Misc | Assigned | Cirrus CI to check non-x86_64 architecture cases by own machines | jaruga (Jun Aruga) | 09/26/2021 10:24 AM |
| 15487 | Ruby master | Misc | Assigned | Clarify default gems maintenance policy | hsbt (Hiroshi SHIBATA) | 12/30/2018 08:42 PM |
| 10560 | Ruby master | Misc | Assigned | confusion between <code>x=x+y</code> , <code>x+=y</code> , <code>x.concat(y)</code> and <code>y.each{ z x<<z}</code> | zzak (Zachary Scott) | 01/05/2018 09:02 PM |
| 16805 | Ruby master | Misc | Assigned | Coroutine's license is unclear | ReiOdaira (Rei Odaira) | 07/01/2021 10:09 PM |
| 9136 | Ruby master | Misc | Assigned | Deprecated <code>Enumerator.new(object, method)</code> bad for <code>BasicObject</code> | zzak (Zachary Scott) | 11/23/2013 03:58 AM |
| 16630 | Ruby master | Misc | Assigned | Deprecate <code>pub/ruby/*snapshot*</code> and use <code>pub/ruby/snapshot/*</code> instead | matz (Yukihiro Matsumoto) | 02/27/2020 09:52 AM |
| 13622 | Ruby master | Misc | Assigned | Documentation missing | stomar (Marcus Stollsteimer) | 06/03/2017 07:27 AM |
| 15806 | Ruby master | Misc | Assigned | Explicitly initialise encodings on init to remove branches on encoding lookup | nobu (Nobuyoshi Nakada) | 08/29/2019 04:29 AM |
| 16512 | Ruby master | Misc | Assigned | Improving <code>`www.ruby-lang.org`</code> reference by merging with <code>`rubyreferences.github.io`</code> | zverok (Victor Shepelev) | 02/01/2022 12:28 PM |
| 16124 | Ruby master | Misc | Assigned | Let the transient heap belong to objspace | ko1 (Koichi Sasada) | 11/18/2019 08:48 AM |
| 18888 | Ruby master | Misc | Assigned | Migrate ruby-lang.org mail services to Google Domains and Google Workspace | hsbt (Hiroshi SHIBATA) | 07/22/2022 01:41 AM |
| 10791 | Ruby master | Misc | Assigned | [PATCH 1/1] Remove unnecessary passing value from doc for Observable | | 08/10/2018 10:51 AM |
| 17376 | Ruby master | Misc | Assigned | Reduce number of GitHub Actions | shyouhei (Shyouhei Urabe) | 12/10/2020 11:50 AM |
| 18371 | Ruby master | Misc | Assigned | Release branches (release information in general) | naruse (Yui NARUSE) | 03/23/2022 10:32 PM |
| 16747 | Ruby master | Misc | Assigned | Repository reorganization request | nobu (Nobuyoshi Nakada) | 05/22/2020 01:30 PM |
| 16025 | Ruby master | Misc | Assigned | ' <code>st_check_for_sizeof_st_index_t</code> ' declared as array with a negative size (emscripten) | nobu (Nobuyoshi Nakada) | 07/30/2019 11:20 AM |
| 17662 | Ruby master | Misc | Assigned | The heredoc pattern used in tests does not syntax highlight correctly in many editors | nobu (Nobuyoshi Nakada) | 06/30/2021 12:54 PM |
| 12911 | Ruby master | Misc | Assigned | Translate docs | | 11/24/2021 04:52 AM |
| 14768 | Ruby master | Misc | Open | Add documentation for <code> </code> and <code>&&</code> | | 05/17/2018 09:45 AM |
| 15514 | Ruby master | Misc | Open | Add documentation for implicit array decomposition | | 01/10/2019 04:43 PM |
| 18248 | Ruby master | Misc | Open | Add Feature Triaging Guide | | 10/12/2021 03:21 PM |
| 15202 | Ruby master | Misc | Open | Adding Coverity Scan to CI to see the result casually | | 10/25/2018 10:50 AM |
| 16678 | Ruby master | Misc | Open | <code>Array#values_at</code> has unintuitive behavior when supplied a range starting with negative index | | 03/09/2020 02:06 PM |
| 16671 | Ruby master | Misc | Open | BASERUBY version policy | | 03/05/2020 01:11 AM |
| 9832 | Ruby master | Misc | Open | better concurrency in threads | | 05/12/2014 12:33 PM |
| 16750 | Ruby master | Misc | Open | Change typedef of VALUE for better type checking | | 04/03/2020 02:34 AM |
| 18726 | Ruby master | Misc | Open | CI Error on c99 and c2x | shyouhei (Shyouhei Urabe) | 04/19/2022 09:05 AM |
| 17829 | Ruby master | Misc | Open | Clang/LLVM correctness of x64-mingw32 build (<code>`shorten-64-to-32`</code> warnings) | | 04/26/2021 04:23 PM |
| 11570 | Ruby master | Misc | Open | Clarify autoload chaining behavior | | 10/06/2015 04:52 PM |
| 12277 | Ruby master | Misc | Open | Coding rule: colum number | | 04/13/2016 06:32 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|--------|--|---------------------------|---------------------|
| 16346 | Ruby master | Misc | Open | Confusing macro name: RUBY_MARK_NO_PIN_UNLESS_NULL | | 11/13/2019 07:39 AM |
| 9516 | Ruby master | Misc | Open | Consolidate all deprecation messages to one or more helper methods | | 02/13/2014 05:11 PM |
| 17137 | Ruby master | Misc | Open | Cooperation on maintaining official docker ruby images | | 09/02/2020 05:03 PM |
| 14760 | Ruby master | Misc | Open | cross-thread IO#close semantics | matz (Yukihiro Matsumoto) | 05/17/2018 08:21 AM |
| 13072 | Ruby master | Misc | Open | Current state of date standard library | | 09/02/2017 05:38 PM |
| 17683 | Ruby master | Misc | Open | Current status of beginless range (experimental or not) | | 06/05/2021 07:22 AM |
| 17502 | Ruby master | Misc | Open | C vs Ruby | ko1 (Koichi Sasada) | 12/02/2021 07:53 PM |
| 15418 | Ruby master | Misc | Open | Date.parse('2018') | | 12/15/2018 09:17 PM |
| 18836 | Ruby master | Misc | Open | DevMeeting-2022-07-21 | | 08/04/2022 04:37 PM |
| 18954 | Ruby master | Misc | Open | DevMeeting-2022-08-18 | | 08/10/2022 10:30 AM |
| 16130 | Ruby master | Misc | Open | [Discussion / Ideas] Finding a good name for the concept of/behind guilds - primarily the NAME | | 08/27/2019 04:00 PM |
| 16803 | Ruby master | Misc | Open | Discussion: those internal macros reside in public API headers | | 05/14/2020 12:27 PM |
| 13497 | Ruby master | Misc | Open | Docs, code samples, Ripper example | | 04/23/2017 04:27 AM |
| 15224 | Ruby master | Misc | Open | [DOCs] Minor inconsistency in class Array #initialize_copy - https://ruby-doc.org/core-2.5.1/Array.html#method-i-initialize_copy | | 10/13/2018 02:26 PM |
| 12595 | Ruby master | Misc | Open | Documentation | | 07/18/2016 04:39 PM |
| 14673 | Ruby master | Misc | Open | Documentation for `Array#drop` / `drop_while` unclear in regard to modification | | 04/10/2018 09:51 AM |
| 15249 | Ruby master | Misc | Open | Documentation for attr_accessor and attr_reader should be corrected | | 10/23/2018 08:09 PM |
| 15654 | Ruby master | Misc | Open | Documentation for Complex is wrong or misleading | | 03/11/2019 11:55 AM |
| 16659 | Ruby master | Misc | Open | Documentation on Regexp missing for absence pattern (?~pat) | | 02/27/2020 04:16 PM |
| 11783 | Ruby master | Misc | Open | Do you have any idea if you have a budgets? | | 05/16/2019 09:06 PM |
| 15510 | Ruby master | Misc | Open | Easter egg in Thread.handle_interrupt | | 01/05/2019 11:53 PM |
| 17637 | Ruby master | Misc | Open | Endless ranges with `nil` boundary weird behavior | | 02/19/2021 07:57 AM |
| 16235 | Ruby master | Misc | Open | ENV.assoc spec test does not test invalid name | | 10/05/2019 10:53 PM |
| 10424 | Ruby master | Misc | Open | Error message when sorting NaN | | 10/25/2014 02:13 PM |
| 17174 | Ruby master | Misc | Open | "Error relocating, symbol not found" error when compiling a native extension on Alpine with Ruby >=2.4 | | 10/06/2020 11:19 AM |
| 11355 | Ruby master | Misc | Open | Exceptions inheriting from Timeout::Error should behave the same way | | 07/15/2015 04:59 PM |
| 13209 | Ruby master | Misc | Open | fact.rb in ruby/sample variations | | 02/14/2017 12:10 AM |
| 18082 | Ruby master | Misc | Open | FileUtils.remove_entry_secure has inconsistent document | | 08/17/2021 04:26 PM |
| 15136 | Ruby master | Misc | Open | Fix -Wparentheses warnings | | 09/20/2018 09:41 AM |
| 10312 | Ruby master | Misc | Open | Give people more control over how the ruby parser sees code and lexical code elements (valid/invalid - toggle options) + macros | | 01/20/2016 05:14 PM |
| 15431 | Ruby master | Misc | Open | Hashes and arrays should not require commas to seperate values when using new lines | | 12/18/2018 11:05 AM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|--------|---|---------------------------|---------------------|
| 16436 | Ruby master | Misc | Open | hash missing #last method, make it not so consistent (it has #first) | | 01/06/2021 09:47 AM |
| 17199 | Ruby master | Misc | Open | id outputed by inspect and to_s output does not allow to find actual object_id and vice-versa | | 10/20/2020 09:35 PM |
| 15744 | Ruby master | Misc | Open | Improvement needed to documentation of 'Literals' | | 06/24/2019 02:27 AM |
| 12751 | Ruby master | Misc | Open | Incompatibility of Ruby 3 | | 09/14/2016 12:48 PM |
| 10513 | Ruby master | Misc | Open | instance_eval yields the receiver, but is documented to yield no arguments | zzak (Zachary Scott) | 11/14/2014 10:29 PM |
| 18725 | Ruby master | Misc | Open | IO#write and IO#wait_writable block for write pipe if read pipe is closed in other thread on OpenBSD | | 04/13/2022 11:20 PM |
| 16160 | Ruby master | Misc | Open | Lazy init thread local storage | | 09/22/2019 01:55 AM |
| 15007 | Ruby master | Misc | Open | Let all Init_xxx and extension APIs frequently called from init code paths be considered cold | naruse (Yui NARUSE) | 12/06/2018 11:05 AM |
| 14770 | Ruby master | Misc | Open | [META] DevelopersMeeting | | 05/17/2018 12:28 PM |
| 16267 | Ruby master | Misc | Open | MinGW CI - add to Actions ? | | 10/21/2019 01:10 AM |
| 16114 | Ruby master | Misc | Open | Naming of "beginless range" | | 10/08/2019 03:06 PM |
| 13634 | Ruby master | Misc | Open | NilClass is lying about respond_to?(:clone) | | 06/06/2017 08:27 AM |
| 10628 | Ruby master | Misc | Open | Peformance of URI module | naruse (Yui NARUSE) | 12/26/2014 04:08 PM |
| 17586 | Ruby master | Misc | Open | Please run Windows CI in all std-lib repos | | 01/28/2021 02:34 PM |
| 16487 | Ruby master | Misc | Open | Potential for SIMD usage in ruby-core | | 01/16/2020 05:25 AM |
| 17565 | Ruby master | Misc | Open | Prefer use of access(2) in rb_file_load_ok() to check for existence of require'd files | | 01/21/2021 08:52 PM |
| 18150 | Ruby master | Misc | Open | Proposal: Deprecate leading zero syntax to declare octals, since it's extremely confusing (and Python 3 removed it too) | | 09/04/2021 03:21 AM |
| 13804 | Ruby master | Misc | Open | Protected methods cannot be overridden | | 08/10/2017 09:41 PM |
| 18761 | Ruby master | Misc | Open | provide an example wasm project | katei (Yuta Saito) | 05/23/2022 11:01 AM |
| 18420 | Ruby master | Misc | Open | Question about how to handle IO.pipe reader and writer when forking | | 12/22/2021 12:04 AM |
| 14692 | Ruby master | Misc | Open | Question: Ruby stdlib's Option Parser | nobu (Nobuyoshi Nakada) | 04/22/2018 05:53 AM |
| 17053 | Ruby master | Misc | Open | RDoc for Hash Keys | | 07/28/2020 01:21 AM |
| 15802 | Ruby master | Misc | Open | Reduce the minimum string buffer size from 127 to 63 bytes | ko1 (Koichi Sasada) | 07/30/2019 04:04 AM |
| 10541 | Ruby master | Misc | Open | Remove shorthand string interpolation syntax | matz (Yukihiro Matsumoto) | 10/08/2015 05:44 PM |
| 18921 | Ruby master | Misc | Open | Remove workaround for some fixed bug (llvm.4898 & 38095)? | | 07/19/2022 12:40 AM |
| 11295 | Ruby master | Misc | Open | Request for comments about error messages | | 10/22/2015 09:12 AM |
| 16895 | Ruby master | Misc | Open | Request for cooperation: Try your applications/libraries with master branch and debug options | | 05/15/2020 11:51 PM |
| 13968 | Ruby master | Misc | Open | [Ruby 3.x perhaps] - A (minimal?) static variant of ruby | | 01/14/2018 03:24 PM |
| 14149 | Ruby master | Misc | Open | Ruby Birthday Thread - 25th years anniversary | | 12/02/2017 01:40 AM |
| 16408 | Ruby master | Misc | Open | Ruby docs list incorrect method signatures for PTY::getpty/PTY::spawn | | 12/12/2019 05:12 PM |
| 16629 | Ruby master | Misc | Open | ruby-loco now built & saved on GitHub, both mingw & mswin builds | | 02/12/2020 01:53 PM |
| 15402 | Ruby master | Misc | Open | Shrinking excess retained memory of container types on promotion to uncollectible | | 12/11/2018 08:43 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|----------|--|-----------------------------|---------------------|
| 18068 | Ruby master | Misc | Open | Silence LoadError only if it is for rubygems itself | hsbt (Hiroshi SHIBATA) | 08/08/2021 02:21 PM |
| 17815 | Ruby master | Misc | Open | Snapcraft Ruby plugin | | 04/20/2021 07:59 PM |
| 10783 | Ruby master | Misc | Open | String#concat has an "appending" behavior | | 08/08/2018 03:08 AM |
| 17591 | Ruby master | Misc | Open | Test frameworks and REPLs do not show deprecation warnings by default | | 02/17/2021 09:06 AM |
| 13787 | Ruby master | Misc | Open | The path to Ruby 3.x - would it be useful to have a separate thread here at the tracker, for discussions and issues and ideas related to ruby 3.x? | | 08/08/2017 08:29 AM |
| 14735 | Ruby master | Misc | Open | thread-safe operations in a hash could be documented | | 05/04/2018 01:09 PM |
| 18840 | Ruby master | Misc | Open | Top-level #using and other methods docs | | 06/18/2022 07:12 PM |
| 15568 | Ruby master | Misc | Open | TracePoint(:raise)#parameters raises RuntimeError | | 01/27/2019 12:02 AM |
| 17154 | Ruby master | Misc | Open | Update Pathname Documentation to Clarify Expected Behavior | akr (Akira Tanaka) | 09/05/2020 01:18 PM |
| 17309 | Ruby master | Misc | Open | URI.escape being deprecated, yet there is no replacement | | 11/11/2020 12:52 AM |
| 17569 | Ruby master | Misc | Open | `uri` lib maintainership | akr (Akira Tanaka) | 01/23/2021 10:42 AM |
| 16507 | Ruby master | Misc | Open | ==~ vs include? or match? | | 01/12/2020 11:27 PM |
| 9724 | Ruby master | Misc | Open | Warnings in Ruby: allow per-file directives to i.e. suppress warnings | | 04/10/2014 06:21 PM |
| 16188 | Ruby master | Misc | Open | What are the performance implications of the new keyword arguments in 2.7 and 3.0? | jeremyevans0 (Jeremy Evans) | 11/27/2019 04:45 PM |
| 14190 | Ruby master | Misc | Open | What are the semantics of \$SAFE? | | 12/15/2017 10:28 PM |
| 16157 | Ruby master | Misc | Open | What is the correct and *portable* way to do generic delegation? | | 10/15/2019 04:28 PM |
| 18352 | Ruby master | Misc | Open | What is the Hash#grep expected? | | 11/28/2021 10:39 PM |
| 16396 | Ruby master | Misc | Open | What is the reason for this behaviour of Find.find? | | 12/09/2019 02:51 PM |
| 18587 | Ruby master | Misc | Open | What was the reason behind Ruby choosing SipHash for Hash? | | 02/17/2022 12:02 AM |
| 14825 | Ruby master | Misc | Open | When redefining `attr_xx` methods the visibility becomes `public` | | 06/05/2018 05:57 AM |
| 16464 | Ruby master | Misc | Open | Which core objects should support deconstruct/deconstruct_keys? | | 12/30/2019 07:54 AM |
| 10983 | Ruby master | Misc | Open | Why blocks make Ruby methods 439% slower ? | | 11/10/2015 06:21 AM |
| 14037 | Ruby master | Misc | Open | Writing doxygen document comments to static functions | | 10/21/2017 07:48 AM |
| 15166 | Ruby master | Feature | Assigned | 2.5 times faster implementation than current gcd implementation | watson1978 (Shizuo Fujita) | 04/26/2019 09:12 PM |
| 8042 | Ruby master | Feature | Assigned | Add Addrinfo#socket to create a socket that is not connected or bound | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6682 | Ruby master | Feature | Assigned | Add a method to return an instance attached by a singleton class | shyouhei (Shyouhei Urabe) | 12/25/2017 06:15 PM |
| 6973 | Ruby master | Feature | Assigned | Add an #integral? method to Numeric to test for whole-number values | mrkn (Kenta Murata) | 12/25/2017 06:15 PM |
| 6309 | Ruby master | Feature | Assigned | Add a reference queue for weak references | matz (Yukihiro Matsumoto) | 08/23/2020 09:07 PM |
| 16012 | Ruby master | Feature | Assigned | Add a (small) test-install suite? | hsbt (Hiroshi SHIBATA) | 07/30/2019 08:13 AM |
| 14066 | Ruby master | Feature | Assigned | Add CAA DNS RR on Resolv | akr (Akira Tanaka) | 11/10/2017 06:50 AM |
| 16937 | Ruby master | Feature | Assigned | Add DNS over HTTP to Resolv | akr (Akira Tanaka) | 12/10/2020 09:15 AM |
| 5970 | Ruby master | Feature | Assigned | Add Enumerable#join with same semantics as Array#join | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|----------|--|--------------------------------|---------------------|
| 8960 | Ruby master | Feature | Assigned | Add Exception#backtrace_locations | ko1 (Koichi Sasada) | 11/25/2016 02:15 PM |
| 10481 | Ruby master | Feature | Assigned | Add "if" and "unless" clauses to rescue statements | matz (Yukihiro Matsumoto) | 01/18/2015 02:46 PM |
| 7362 | Ruby master | Feature | Assigned | Adding Pathname#start_with? | akr (Akira Tanaka) | 12/25/2017 06:15 PM |
| 14476 | Ruby master | Feature | Assigned | Adding same_all? for checking whether all items in an Array are same | mrkn (Kenta Murata) | 08/28/2020 01:10 PM |
| 4818 | Ruby master | Feature | Assigned | Add method marshalable? | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 8576 | Ruby master | Feature | Assigned | Add optimized method type for constant value methods | ko1 (Koichi Sasada) | 12/25/2017 06:15 PM |
| 6842 | Ruby master | Feature | Assigned | Add Optional Arguments to String#strip | matz (Yukihiro Matsumoto) | 08/24/2016 05:50 AM |
| 5461 | Ruby master | Feature | Assigned | Add pipelining to Net::HTTP | naruse (Yui NARUSE) | 12/25/2017 06:15 PM |
| 5945 | Ruby master | Feature | Assigned | Add the ability to mark a at_exit as process-local. | matz (Yukihiro Matsumoto) | 10/10/2018 08:29 AM |
| 8016 | Ruby master | Feature | Assigned | Alias __FILE__ and __LINE__ as methods | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5582 | Ruby master | Feature | Assigned | Allow clone of singleton methods on a BasicObject | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6452 | Ruby master | Feature | Assigned | Allow extend to override class methods | matz (Yukihiro Matsumoto) | 12/10/2020 08:53 AM |
| 13821 | Ruby master | Feature | Assigned | Allow fibers to be resumed across threads | ko1 (Koichi Sasada) | 02/15/2019 10:09 AM |
| 7436 | Ruby master | Feature | Assigned | Allow for a "granularity" flag for backtrace_locations | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5617 | Ruby master | Feature | Assigned | Allow install RubyGems into dedicated directory | hsbt (Hiroshi SHIBATA) | 05/16/2018 09:15 AM |
| 8678 | Ruby master | Feature | Assigned | Allow invalid string to work with regexp | matz (Yukihiro Matsumoto) | 01/05/2018 09:00 PM |
| 2631 | Ruby master | Feature | Assigned | Allow IO#reopen to take a block | Glass_saga (Masaki Matsushita) | 05/24/2018 01:22 PM |
| 12281 | Ruby master | Feature | Assigned | Allow lexically scoped use of refinements with `using {}` block syntax | shugo (Shugo Maeda) | 06/13/2016 07:44 AM |
| 18408 | Ruby master | Feature | Assigned | Allow pattern match to set instance variables | ktsj (Kazuki Tsujimoto) | 01/26/2022 07:07 PM |
| 5434 | Ruby master | Feature | Assigned | Allow per-class whitelisting of methods safe to expose through DRb | seki (Masatoshi Seki) | 12/25/2017 06:15 PM |
| 8959 | Ruby master | Feature | Assigned | Allow top level prepend | nobu (Nobuyoshi Nakada) | 10/16/2013 03:22 AM |
| 7132 | Ruby master | Feature | Assigned | Alternation between named / ordered method arguments and aliases for method arguments. | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 16350 | Ruby master | Feature | Assigned | ArithmeticSequence#member? can result in infinite loop | mrkn (Kenta Murata) | 05/29/2020 10:26 PM |
| 9023 | Ruby master | Feature | Assigned | Array#tail | matz (Yukihiro Matsumoto) | 12/23/2021 11:40 PM |
| 5133 | Ruby master | Feature | Assigned | Array#unzip as an alias of Array#transpose | mrkn (Kenta Murata) | 12/25/2017 06:15 PM |
| 4539 | Ruby master | Feature | Assigned | Array#zip_with | matz (Yukihiro Matsumoto) | 11/28/2019 08:23 AM |
| 6857 | Ruby master | Feature | Assigned | bigdecimal/math BigMath.E/BigMath.exp R. P. Feynman inspired optimization | mrkn (Kenta Murata) | 12/25/2017 06:15 PM |
| 12813 | Ruby master | Feature | Assigned | Calling chunk_while, slice_after, slice_before, slice_when with no block | matz (Yukihiro Matsumoto) | 12/06/2016 12:58 PM |
| 13252 | Ruby master | Feature | Assigned | C API for creating strings without copying | ko1 (Koichi Sasada) | 04/17/2017 07:22 AM |
| 13534 | Ruby master | Feature | Assigned | Checking installation results of default gems | hsbt (Hiroshi SHIBATA) | 07/26/2018 02:16 AM |
| 8839 | Ruby master | Feature | Assigned | Class and module should return the class or module that was opened | matz (Yukihiro Matsumoto) | 12/28/2015 08:36 AM |
| 6611 | Ruby master | Feature | Assigned | Comments requested on implementation of set_parse_func | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|----------|--|---------------------------|---------------------|
| 7087 | Ruby master | Feature | Assigned | ::ConditionVariable#wait does not work with Monitor because Monitor#sleep does not exist | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7086 | Ruby master | Feature | Assigned | ConditionVariable#wait has meaningless return value | kosaki (Motohiro KOSAKI) | 12/25/2017 06:15 PM |
| 6695 | Ruby master | Feature | Assigned | Configuration for Thread/Fiber creation | ko1 (Koichi Sasada) | 12/25/2017 06:15 PM |
| 7314 | Ruby master | Feature | Assigned | Convert Proc to Lambda doesn't work in MRI | matz (Yukihiko Matsumoto) | 05/21/2016 09:15 AM |
| 8850 | Ruby master | Feature | Assigned | Convert Rational to decimal string | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 12848 | Ruby master | Feature | Assigned | Crazy idea: Allow regex definition for methods (Do not take it seriously please) | | 10/18/2016 12:17 AM |
| 5129 | Ruby master | Feature | Assigned | Create a core class "FileArray" and make "ARGF" its instance | matz (Yukihiko Matsumoto) | 01/23/2018 02:02 PM |
| 6590 | Ruby master | Feature | Assigned | Dealing with bigdecimal, etc gems in JRuby | hsbt (Hiroshi SHIBATA) | 05/15/2019 08:33 PM |
| 18773 | Ruby master | Feature | Assigned | deconstruct to receive a range | ktsj (Kazuki Tsujimoto) | 07/22/2022 05:48 PM |
| 4514 | Ruby master | Feature | Assigned | #deep_clone and #deep_dup for Objects | matz (Yukihiko Matsumoto) | 12/25/2017 06:14 PM |
| 7739 | Ruby master | Feature | Assigned | Define Hash# as Hash#reverse_merge in Rails | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 13577 | Ruby master | Feature | Assigned | Digest.file accidentally receives File object but uses file path | nobu (Nobuyoshi Nakada) | 05/20/2017 06:50 PM |
| 2324 | Ruby master | Feature | Assigned | Dir instance methods for relative path | nobu (Nobuyoshi Nakada) | 12/25/2017 05:58 PM |
| 15047 | Ruby master | Feature | Assigned | Documentation and more functions for Hash functions in C API | | 03/20/2019 01:24 AM |
| 9235 | Ruby master | Feature | Assigned | Documentation for commercial support | zzak (Zachary Scott) | 08/10/2019 02:55 PM |
| 12020 | Ruby master | Feature | Assigned | Documenting Ruby memory model | ko1 (Koichi Sasada) | 12/23/2021 11:40 PM |
| 14412 | Ruby master | Feature | Assigned | DRb UNIX on local machine: add support for getpeereid() | seki (Masatoshi Seki) | 01/28/2018 12:51 PM |
| 15939 | Ruby master | Feature | Assigned | Dump symbols reference to their fstr in ObjectSpace.dump() | ko1 (Koichi Sasada) | 08/08/2019 09:38 PM |
| 3731 | Ruby master | Feature | Assigned | Easier Embedding API for Ruby | ko1 (Koichi Sasada) | 12/25/2017 06:14 PM |
| 6308 | Ruby master | Feature | Assigned | Eliminate delegation from WeakRef | matz (Yukihiko Matsumoto) | 12/23/2021 11:40 PM |
| 3608 | Ruby master | Feature | Assigned | Enhancing Pathname#each_child to be lazy | akr (Akira Tanaka) | 12/25/2017 06:14 PM |
| 7394 | Ruby master | Feature | Assigned | Enumerable#find ifnone parameter could be non-callable | nobu (Nobuyoshi Nakada) | 02/10/2021 09:32 AM |
| 8083 | Ruby master | Feature | Assigned | Exit status is limited to one-byte values which is invalid for Windows | cruby-windows | 03/14/2013 08:26 PM |
| 12656 | Ruby master | Feature | Assigned | Expand short paths with File.expand_path | cruby-windows | 01/31/2018 02:31 PM |
| 12543 | Ruby master | Feature | Assigned | explicit tail call syntax: foo() then return | matz (Yukihiko Matsumoto) | 04/18/2021 03:02 PM |
| 11955 | Ruby master | Feature | Assigned | Expose Object that Receives logs in Logger | sonots (Naotoshi Seo) | 11/09/2017 11:35 AM |
| 13604 | Ruby master | Feature | Assigned | Exposing alternative interface of readline | aycabta (aycabta .) | 01/20/2020 05:34 AM |
| 7121 | Ruby master | Feature | Assigned | Extending the use of `require` | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 10038 | Ruby master | Feature | Assigned | Extend ObjectSpace.dump to expose buffer addresses for String and Array | tmm1 (Aman Karmani) | 01/05/2018 09:01 PM |
| 17294 | Ruby master | Feature | Assigned | Feature: Allow method chaining with Pathname#mkpath Pathname#rmtree | akr (Akira Tanaka) | 08/30/2021 06:52 AM |
| 17295 | Ruby master | Feature | Assigned | Feature: Create a directory and file with Pathname#touch | akr (Akira Tanaka) | 09/28/2021 01:20 AM |
| 17297 | Ruby master | Feature | Assigned | Feature: Introduce Pathname.mktmpdir | akr (Akira Tanaka) | 08/30/2021 06:51 AM |
| 6376 | Ruby master | Feature | Assigned | Feature lookup and checking if feature is loaded | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|----------|--|-----------------------------------|---------------------|
| 17296 | Ruby master | Feature | Assigned | Feature: Pathname#chmod use FileUtils.chmod instead of File | akr (Akira Tanaka) | 08/30/2021 06:51 AM |
| 7518 | Ruby master | Feature | Assigned | Fiddle::Pointer#to_str and Fiddle::Pointer#to_int should be removed | tenderlovmaking (Aaron Patterson) | 08/15/2013 04:56 AM |
| 6811 | Ruby master | Feature | Assigned | File, Dir and FileUtils should have bang-versions of singleton methods that fails silently | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6671 | Ruby master | Feature | Assigned | File.split_all and File.split_root | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6337 | Ruby master | Feature | Assigned | FileUtils#sync | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 8295 | Ruby master | Feature | Assigned | Float \square Rational $\square\square\square\square\square\square\square\square\square\square$ BigDecimal $\square\square\square\square\square$ | mrkn (Kenta Murata) | 12/25/2017 06:15 PM |
| 18450 | Ruby master | Feature | Assigned | Force break in prettyprint | akr (Akira Tanaka) | 12/29/2021 02:02 PM |
| 8948 | Ruby master | Feature | Assigned | Frozen regex | matz (Yukihiko Matsumoto) | 12/20/2020 07:15 PM |
| 13388 | Ruby master | Feature | Assigned | gc.c: Add GC.get_parameters and .set_parameters | ko1 (Koichi Sasada) | 03/30/2017 10:52 AM |
| 13847 | Ruby master | Feature | Assigned | Gem activated problem for default gems | | 12/10/2020 08:53 AM |
| 12497 | Ruby master | Feature | Assigned | GMP version of divmod may be slower | akr (Akira Tanaka) | 08/10/2016 03:11 AM |
| 7532 | Ruby master | Feature | Assigned | Hardcoded compiler location | nobu (Nobuyoshi Nakada) | 12/25/2017 06:15 PM |
| 6277 | Ruby master | Feature | Assigned | Hash#convert_key | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 13508 | Ruby master | Feature | Assigned | How remove/refactor code related mathn library. | hsbt (Hiroshi SHIBATA) | 12/25/2017 06:15 PM |
| 5064 | Ruby master | Feature | Assigned | HTTP user-agent class | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 8536 | Ruby master | Feature | Assigned | Implement is_numeric? family of methods | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7148 | Ruby master | Feature | Assigned | Improved Tempfile w/o DelegateClass | Glass_saga (Masaki Matsushita) | 03/27/2019 09:51 AM |
| 17111 | Ruby master | Feature | Assigned | Improve performance of Net::HTTPHeader#set_form by 40% | naruse (Yui NARUSE) | 08/10/2020 05:36 AM |
| 13516 | Ruby master | Feature | Assigned | Improve the text of the circular require warning | nobu (Nobuyoshi Nakada) | 08/31/2017 05:49 AM |
| 15628 | Ruby master | Feature | Assigned | init_inetsock_internal should fallback to IPv4 if IPv6 is unreachable | Glass_saga (Masaki Matsushita) | 09/25/2020 05:42 AM |
| 7644 | Ruby master | Feature | Assigned | In refinements, change "using" keyword to a less generic word. | matz (Yukihiko Matsumoto) | 12/10/2020 08:49 AM |
| 4831 | Ruby master | Feature | Assigned | Integer#prime_factors | yugui (Yuki Sonoda) | 01/23/2018 08:09 AM |
| 5310 | Ruby master | Feature | Assigned | Integral objects | mrkn (Kenta Murata) | 12/25/2017 06:15 PM |
| 6594 | Ruby master | Feature | Assigned | Integrated Functor | matz (Yukihiko Matsumoto) | 12/10/2020 08:53 AM |
| 5654 | Ruby master | Feature | Assigned | Introduce global lock to avoid concurrent require | nahi (Hiroshi Nakamura) | 12/25/2017 06:15 PM |
| 13610 | Ruby master | Feature | Assigned | IPAddr doesn't provide helpful methods to get the subnet or IP address | knu (Akinori MURASHI) | 10/20/2017 01:13 AM |
| 8047 | Ruby master | Feature | Assigned | IPAddr makes host address with netmask | knu (Akinori MURASHI) | 01/05/2018 09:00 PM |
| 11527 | Ruby master | Feature | Assigned | IPAddr#mask_addr isn't a method | knu (Akinori MURASHI) | 11/07/2018 04:12 PM |
| 18459 | Ruby master | Feature | Assigned | IRB autocomplete dropdown colour options | aycabta (aycabta .) | 01/05/2022 02:15 AM |
| 15371 | Ruby master | Feature | Assigned | IRB with ARGV | aycabta (aycabta .) | 02/14/2020 11:35 AM |
| 5456 | Ruby master | Feature | Assigned | kernel#syscall() should be removed. | matz (Yukihiko Matsumoto) | 12/10/2020 08:46 AM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|----------|--|----------------------------|---------------------|
| 17593 | Ruby master | Feature | Assigned | load_iseq_eval should override the ISeq path | ko1 (Koichi Sasada) | 02/16/2021 08:27 AM |
| 6413 | Ruby master | Feature | Assigned | Make Dir.entries default to Dir.entries(Dir.pwd) | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 15878 | Ruby master | Feature | Assigned | Make exit faster by not running GC | ko1 (Koichi Sasada) | 07/29/2019 07:48 AM |
| 7503 | Ruby master | Feature | Assigned | make timeout.rb async-interrupt safe by default | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 9768 | Ruby master | Feature | Assigned | Method that is visible only within a certain module/class | matz (Yukihiro Matsumoto) | 04/25/2014 06:43 AM |
| 4924 | Ruby master | Feature | Assigned | mkmf have_header fails with C++ headers | nobu (Nobuyoshi Nakada) | 12/25/2017 06:15 PM |
| 6810 | Ruby master | Feature | Assigned | `module A::B; end` is not equivalent to `module A; module B; end; end` with respect to constant lookup (scope) | matz (Yukihiro Matsumoto) | 12/10/2020 09:22 AM |
| 10129 | Ruby master | Feature | Assigned | More descriptive error message for failed net/http requests | akr (Akira Tanaka) | 01/05/2018 09:01 PM |
| 5445 | Ruby master | Feature | Assigned | Need RUBYOPT -r before ARGV -r | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 9020 | Ruby master | Feature | Assigned | Net::HTTPResponse predicate/query methods | naruse (Yui NARUSE) | 12/25/2017 06:15 PM |
| 5764 | Ruby master | Feature | Assigned | Net::HTTP should assume HTTP/0.9 on unexpected responses | naruse (Yui NARUSE) | 07/15/2019 05:06 PM |
| 4247 | Ruby master | Feature | Assigned | New features for Array#sample, Array#choice | mame (Yusuke Endoh) | 12/25/2017 06:14 PM |
| 6596 | Ruby master | Feature | Assigned | New method `Array#indexes` | matz (Yukihiro Matsumoto) | 07/29/2020 01:41 AM |
| 5389 | Ruby master | Feature | Assigned | New method Enumerator#iterate | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5749 | Ruby master | Feature | Assigned | new method String#match_all needed | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6293 | Ruby master | Feature | Assigned | new queue / blocking queues | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7321 | Ruby master | Feature | Assigned | Newton.#nsolve 2 2 2 2 2 2 2 2 2 2 | mrkn (Kenta Murata) | 12/25/2017 06:15 PM |
| 4521 | Ruby master | Feature | Assigned | NoMethodError#message may take very long to execute | matz (Yukihiro Matsumoto) | 12/25/2017 06:14 PM |
| 8126 | Ruby master | Feature | Assigned | OpenSSL::SSL::SSLSocket does not define #recv and #send messages | rhenium (Kazuki Yamaguchi) | 08/08/2019 11:05 PM |
| 11322 | Ruby master | Feature | Assigned | OpenUri: RuntimeError: HTTP redirection loop | akr (Akira Tanaka) | 11/13/2020 03:52 AM |
| 17291 | Ruby master | Feature | Assigned | Optimize __send__ call | matz (Yukihiro Matsumoto) | 01/12/2021 05:47 AM |
| 11816 | Ruby master | Feature | Assigned | Partial safe navigation operator | matz (Yukihiro Matsumoto) | 04/14/2020 08:02 AM |
| 10782 | Ruby master | Feature | Assigned | Patch: Add constants for BigDecimal for ZERO, ONE, TEN | mrkn (Kenta Murata) | 05/21/2015 08:13 AM |
| 4464 | Ruby master | Feature | Assigned | [PATCH] add Fcntl::Flock object for easier use of POSIX file locks | kosaki (Motohiro KOSAKI) | 12/25/2017 06:14 PM |
| 14901 | Ruby master | Feature | Assigned | [PATCH] do not block SIGCHLD in normal Ruby Threads | normalperson (Eric Wong) | 07/19/2021 05:23 AM |
| 13221 | Ruby master | Feature | Assigned | [PATCH] gems/bundled_gems: add "curses" RubyGem | naruse (Yui NARUSE) | 09/25/2017 06:32 PM |
| 13721 | Ruby master | Feature | Assigned | [PATCH] net/imap: dedupe attr keys in Net::IMAP::FetchData | normalperson (Eric Wong) | 07/27/2017 09:51 AM |
| 8460 | Ruby master | Feature | Assigned | PATCH: optparse: add keep_unknown option | nobu (Nobuyoshi Nakada) | 05/27/2021 10:07 PM |
| 10459 | Ruby master | Feature | Assigned | [PATCH] rfc3339 method for Time | akr (Akira Tanaka) | 05/21/2015 08:14 AM |
| 2294 | Ruby master | Feature | Assigned | [PATCH] ruby_bind_stack() to embed Ruby in coroutine | ko1 (Koichi Sasada) | 01/05/2018 09:00 PM |
| 15239 | Ruby master | Feature | Assigned | [patch] test-spec win32ole | suke (Masaki Suketa) | 12/29/2019 01:04 PM |
| 7412 | Ruby master | Feature | Assigned | Pathname#relative_path_from does not support mixed directory separators on windows | akr (Akira Tanaka) | 01/05/2018 09:00 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|----------|---|------------------------------------|---------------------|
| 12354 | Ruby master | Feature | Assigned | PKey::EC Can't output public key pem when private key exists | rhenium (Kazuki Yamaguchi) | 07/24/2019 10:57 PM |
| 5007 | Ruby master | Feature | Assigned | Proc#call_under: Unifying instance_eval and instance_exec | matz (Yukihiro Matsumoto) | 04/19/2018 07:57 AM |
| 6012 | Ruby master | Feature | Assigned | Proc#source_location also return the column | nobu (Nobuyoshi Nakada) | 02/12/2019 07:49 AM |
| 16461 | Ruby master | Feature | Assigned | Proc#using | matz (Yukihiro Matsumoto) | 12/10/2020 09:10 AM |
| 8271 | Ruby master | Feature | Assigned | Proposal for moving to a more visible, formal process for feature requests | matz (Yukihiro Matsumoto) | 12/23/2021 11:40 PM |
| 6648 | Ruby master | Feature | Assigned | Provide a standard API for retrieving all command-line flags passed to Ruby | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 4824 | Ruby master | Feature | Assigned | Provide method Kernel#executed? | matz (Yukihiro Matsumoto) | 03/05/2018 04:57 AM |
| 8164 | Ruby master | Feature | Assigned | Public/Private | matz (Yukihiro Matsumoto) | 12/10/2020 08:50 AM |
| 14397 | Ruby master | Feature | Assigned | public, protected and private should return their arguments instead of self | matz (Yukihiro Matsumoto) | 12/10/2018 07:08 AM |
| 10637 | Ruby master | Feature | Assigned | Puppet orchestration on vagrant fails with Error: Non-HTTP proxy URI | akr (Akira Tanaka) | 09/23/2020 10:23 PM |
| 5781 | Ruby master | Feature | Assigned | Query attributes (attribute methods ending in `?` mark) | matz (Yukihiro Matsumoto) | 01/10/2020 06:34 AM |
| 6317 | Ruby master | Feature | Assigned | Range#cover? Range#Range | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7580 | Ruby master | Feature | Assigned | Range translation | matz (Yukihiro Matsumoto) | 06/11/2018 09:51 AM |
| 6769 | Ruby master | Feature | Assigned | rbinstall.rb: install both src and batch files separately | nobu (Nobuyoshi Nakada) | 10/30/2015 12:38 PM |
| 6047 | Ruby master | Feature | Assigned | read_all: Grow buffer exponentially in generic case | | 09/13/2015 03:19 AM |
| 7488 | Ruby master | Feature | Assigned | Receiving object_id in object creation probes | tenderlovemaking (Aaron Patterson) | 12/25/2017 06:15 PM |
| 1644 | Ruby master | Feature | Assigned | recv on inherited socket wrapped in TCPSocket does not read data, on Windows | cruby-windows | 12/10/2020 08:45 AM |
| 13129 | Ruby master | Feature | Assigned | Refinements cannot refine method_missing and respond_to_missing? | matz (Yukihiro Matsumoto) | 07/03/2021 10:45 PM |
| 18571 | Ruby master | Feature | Assigned | Removed the bundled sources from release package after Ruby 3.2 | hsbt (Hiroshi SHIBATA) | 03/28/2022 06:23 AM |
| 16963 | Ruby master | Feature | Assigned | Remove English.rb from Ruby 2.8/3.0 | hsbt (Hiroshi SHIBATA) | 06/19/2020 09:48 AM |
| 6354 | Ruby master | Feature | Assigned | Remove escape (break/return/redo/next support) from class/module scope | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6265 | Ruby master | Feature | Assigned | Remove 'useless' 'concatenation' syntax | naruse (Yui NARUSE) | 08/10/2016 02:36 AM |
| 6445 | Ruby master | Feature | Assigned | request for default length/position on string index | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5643 | Ruby master | Feature | Assigned | require/load options and binding option | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 14922 | Ruby master | Feature | Assigned | Resolv getaddresses ignores AAAA records for IPv6 | akr (Akira Tanaka) | 11/13/2020 04:01 AM |
| 5741 | Ruby master | Feature | Assigned | Secure Erasure of Passwords | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 17339 | Ruby master | Feature | Assigned | Semantic grouping with BigDecimal#to_s | mrkn (Kenta Murata) | 12/20/2021 12:39 PM |
| 6841 | Ruby master | Feature | Assigned | Shorthand for Assigning Return Value of Method to Self | matz (Yukihiro Matsumoto) | 12/10/2020 08:53 AM |
| 12676 | Ruby master | Feature | Assigned | Significant performance increase, and code conciseness, for prime_division method in prime.rb | marcandre (Marc-Andre Lafortune) | 11/18/2016 03:46 PM |
| 12639 | Ruby master | Feature | Assigned | Speed up require in RubyGems by 5x | hsbt (Hiroshi SHIBATA) | 07/26/2018 02:12 AM |
| 15281 | Ruby master | Feature | Assigned | Speed up Set#intersect with size check. | knu (Akinori MUSA) | 08/11/2020 02:43 AM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|----------|---|----------------------------------|---------------------|
| 14737 | Ruby master | Feature | Assigned | Split default gems into separate directory structure | hsbt (Hiroshi SHIBATA) | 09/02/2020 06:00 PM |
| 6133 | Ruby master | Feature | Assigned | SSLSocket shutdown | | 09/13/2015 03:22 AM |
| 11028 | Ruby master | Feature | Assigned | standalone running single file (zipped archives of ruby code) running **without installation** using "gem install ..." | matz (Yukihiko Matsumoto) | 04/04/2015 01:44 AM |
| 6802 | Ruby master | Feature | Assigned | String#scan should have equivalent yielding MatchData | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 5558 | Ruby master | Feature | Assigned | String#% strange arity errors | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7349 | Ruby master | Feature | Assigned | Struct#inspect needs more meaningful output | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 17638 | Ruby master | Feature | Assigned | Support backtracing with the libbacktrace library | naruse (Yui NARUSE) | 03/05/2021 03:40 PM |
| 8263 | Ruby master | Feature | Assigned | Support discovering yield state of individual Fibers | ko1 (Koichi Sasada) | 12/23/2021 11:40 PM |
| 9830 | Ruby master | Feature | Assigned | Support for GOST private/public keys | | 09/13/2015 03:10 AM |
| 5825 | Ruby master | Feature | Assigned | Sweet instance var assignment in the object initializer | matz (Yukihiko Matsumoto) | 12/10/2020 08:53 AM |
| 3953 | Ruby master | Feature | Assigned | TCPsocket / UDPSocket do not accept IPAddr objects. | knu (Akinori MURASHI) | 12/25/2017 06:14 PM |
| 4592 | Ruby master | Feature | Assigned | Tempfile | matz (Yukihiko Matsumoto) | 12/25/2017 06:14 PM |
| 9755 | Ruby master | Feature | Assigned | Thread::Backtrace::Location#defined_class | ko1 (Koichi Sasada) | 04/18/2014 09:22 AM |
| 6694 | Ruby master | Feature | Assigned | Thread.new without block. | ko1 (Koichi Sasada) | 12/25/2017 06:15 PM |
| 17363 | Ruby master | Feature | Assigned | Timeouts | ko1 (Koichi Sasada) | 05/14/2022 09:06 AM |
| 11625 | Ruby master | Feature | Assigned | Unlock GVL for SHA1 calculations | | 09/25/2018 11:26 AM |
| 16027 | Ruby master | Feature | Assigned | Update Ruby's dtrace / USDT API to match what is exposed via the TracePoint API | ko1 (Koichi Sasada) | 08/03/2019 02:41 AM |
| 13047 | Ruby master | Feature | Assigned | Use String literal instead of `String#+` for multiline pretty-printing of multiline strings | akr (Akira Tanaka) | 02/22/2017 07:09 AM |
| 12653 | Ruby master | Feature | Assigned | Use wide WinAPI for rb_w32_getcwd | usa (Usaku NAKAMURA) | 09/12/2016 06:35 AM |
| 17355 | Ruby master | Feature | Assigned | Using same set of names in or-patterns (pattern matching with Foo(x) Bar(x)) | ksj (Kazuki Tsujimoto) | 09/13/2021 09:11 AM |
| 6613 | Ruby master | Feature | Assigned | VT_RECORD, IRecordInfo Support in WIN32OLE | suke (Masaki Suketa) | 12/25/2017 06:15 PM |
| 9816 | Ruby master | Feature | Assigned | | matz (Yukihiko Matsumoto) | 10/28/2014 08:29 AM |
| 18332 | Ruby master | Feature | Open | a ? b | | 12/29/2021 04:38 AM |
| 12272 | Ruby master | Feature | Open | Accepting HTML entity name in string literal | | 04/13/2016 05:16 AM |
| 12247 | Ruby master | Feature | Open | accept multiple arguments at Array#delete | | 04/04/2016 10:16 PM |
| 9347 | Ruby master | Feature | Open | Accept non callable argument to detect | marcandre (Marc-Andre Lafortune) | 01/05/2018 09:00 PM |
| 16381 | Ruby master | Feature | Open | Accept resolv_timeout in Net::HTTP | | 11/29/2019 04:38 PM |
| 9992 | Ruby master | Feature | Open | Access Modifiers (Internal Interfaces) | | 12/18/2017 03:04 PM |
| 12867 | Ruby master | Feature | Open | Add ability to check validity of a URL | | 12/23/2021 11:43 PM |
| 18812 | Ruby master | Feature | Open | Add ability to trace exit locations for YJIT | | 06/01/2022 02:42 PM |
| 17834 | Ruby master | Feature | Open | Add a Bytes and ByteArray class that implement memoryview | | 05/06/2021 02:22 PM |
| 18168 | Ruby master | Feature | Open | Add ActiveSupport deep_transform_values to Ruby | | 09/15/2021 05:29 AM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|--------|--|---------------------------|---------------------|
| 17155 | Ruby master | Feature | Open | Add a Diggable mixin | | 09/05/2020 02:08 PM |
| 14758 | Ruby master | Feature | Open | Add a first-class support for isolated bounded packages / modules / contexts | | 05/18/2018 09:13 AM |
| 17942 | Ruby master | Feature | Open | Add a `initialize(public @a, private @b)` shortcut syntax for defining public/private accessors for instance vars as part of constructor | | 12/13/2021 12:43 AM |
| 9185 | Ruby master | Feature | Open | Add alias_class_method or class_alias functionality | | 01/05/2018 09:00 PM |
| 15541 | Ruby master | Feature | Open | Add alias symbolize_keys for symbolize_names kwarg for JSON.parse | | 01/15/2020 07:00 PM |
| 11181 | Ruby master | Feature | Open | Add a line directive to Ruby | matz (Yukihiro Matsumoto) | 01/26/2016 02:04 AM |
| 7704 | Ruby master | Feature | Open | Add a list of enabled (experimental) language features. | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 15446 | Ruby master | Feature | Open | Add a method `String#each_match` to the Ruby core | | 02/06/2019 08:00 AM |
| 13395 | Ruby master | Feature | Open | Add a method to check for not nil | | 09/30/2017 12:53 PM |
| 16761 | Ruby master | Feature | Open | Add an API to move the entire heap, as to make testing GC.compact compatibility easier | | 05/07/2020 04:03 PM |
| 16665 | Ruby master | Feature | Open | Add an Array#except_index method | | 03/15/2020 03:37 PM |
| 18762 | Ruby master | Feature | Open | Add an Array#undigits that compliments Integer#digits | | 05/03/2022 08:08 PM |
| 18897 | Ruby master | Feature | Open | Add a new instruction for sending messages to ephemeral stack arrays | | 07/19/2022 09:36 AM |
| 13820 | Ruby master | Feature | Open | Add a nil coalescing operator | | 03/16/2021 03:34 PM |
| 16946 | Ruby master | Feature | Open | Add an `intersperse` method | | 06/11/2020 01:47 AM |
| 18275 | Ruby master | Feature | Open | Add an option to define_method to not capture the surrounding environment | ko1 (Koichi Sasada) | 12/03/2021 02:34 PM |
| 16913 | Ruby master | Feature | Open | Add `ARGF#each_io` | | 05/25/2020 11:33 PM |
| 8626 | Ruby master | Feature | Open | Add a Set coercion method to the standard lib: Set(possible_set) | | 12/23/2021 11:43 PM |
| 18004 | Ruby master | Feature | Open | Add Async to the stdlib | | 07/05/2022 05:09 PM |
| 16244 | Ruby master | Feature | Open | Add a Time#before? and Time#after? method | | 12/15/2019 12:59 AM |
| 18228 | Ruby master | Feature | Open | Add a `timeout` option to `IO.copy_stream` | | 10/01/2021 05:10 AM |
| 18594 | Ruby master | Feature | Open | Add a #to_h method on URI::Generic | | 03/31/2022 01:18 PM |
| 12455 | Ruby master | Feature | Open | Add a way for class String to determine whether it has only numbers / digits or not | | 07/20/2016 03:13 AM |
| 16018 | Ruby master | Feature | Open | Add a way to deprecate methods | | 09/02/2019 06:24 AM |
| 15222 | Ruby master | Feature | Open | Add a way to distinguish between Struct classes with and without keyword initializer | | 10/11/2018 01:16 PM |
| 12244 | Ruby master | Feature | Open | Add a way to `integer - integer % num` | matz (Yukihiro Matsumoto) | 05/17/2016 06:05 AM |
| 16150 | Ruby master | Feature | Open | Add a way to request a frozen string from to_s | | 06/03/2022 04:42 PM |
| 11148 | Ruby master | Feature | Open | Add a way to require files, but not raise an exception when the file isn't found | | 05/13/2015 05:57 PM |
| 18593 | Ruby master | Feature | Open | Add back URI.escape | | 02/18/2022 07:45 PM |
| 12802 | Ruby master | Feature | Open | Add BLAKE2 support to Digest | | 09/02/2019 05:58 AM |
| 16282 | Ruby master | Feature | Open | Add "call data" wrapper IMEMO object so inline cache can be updated | | 10/29/2019 12:13 AM |
| 11373 | Ruby master | Feature | Open | Add command line option to query valid values for --dump | | 07/27/2021 11:09 AM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|--------|--|--------------------------------|---------------------|
| 13263 | Ruby master | Feature | Open | Add companion integer nth-root method to recent Integer#isqrt | | 04/05/2017 12:49 AM |
| 15393 | Ruby master | Feature | Open | Add compilation flags to freeze Array and Hash literals | | 01/15/2019 12:15 AM |
| 17496 | Ruby master | Feature | Open | Add constant Math::TAU | | 01/13/2021 05:47 AM |
| 18146 | Ruby master | Feature | Open | Add `delete_prefix` and `delete_suffix` to `Pathname` | | 09/03/2021 04:59 AM |
| 14618 | Ruby master | Feature | Open | Add display width method to String for CLI | | 03/21/2018 04:00 AM |
| 15590 | Ruby master | Feature | Open | Add dups to Array to find duplicates | | 02/08/2019 10:00 AM |
| 11577 | Ruby master | Feature | Open | Add encodeURIComponent compatible API for URI | | 10/09/2015 01:40 PM |
| 14077 | Ruby master | Feature | Open | Add Encoding::FILESYSTEM and Encoding::LOCALE constants | | 11/03/2017 09:31 PM |
| 14399 | Ruby master | Feature | Open | Add Enumerable#product | | 08/11/2019 09:34 PM |
| 14593 | Ruby master | Feature | Open | Add `Enumerator#concat` | | 03/08/2018 09:15 PM |
| 16833 | Ruby master | Feature | Open | Add Enumerator#empty? | | 05/06/2020 07:55 PM |
| 18438 | Ruby master | Feature | Open | Add `Exception#additional_message` to show additional error information | | 07/12/2022 05:11 AM |
| 18564 | Ruby master | Feature | Open | Add Exception#detailed_message | mame (Yusuke Endoh) | 02/01/2022 08:06 PM |
| 13696 | Ruby master | Feature | Open | Add exchange and noreplace options to File.rename | Glass_saga (Masaki Matsushita) | 12/01/2017 04:34 PM |
| 14092 | Ruby master | Feature | Open | Add extension key argument to Tempfile | | 11/08/2017 06:47 PM |
| 13893 | Ruby master | Feature | Open | Add Fiber#[] and Fiber#[]= and restore Thread#[] and Thread#[]= to their original behavior | | 08/14/2020 01:48 AM |
| 11583 | Ruby master | Feature | Open | Add File#unlink | | 10/12/2015 05:40 AM |
| 18925 | Ruby master | Feature | Open | Add `FileUtils.in_sr` to create symbolic links relative to link location | | 07/19/2022 09:06 AM |
| 17165 | Ruby master | Feature | Open | Add `filter` and `flatten` keywords to `Enumerable#map` | | 09/13/2020 09:41 AM |
| 16929 | Ruby master | Feature | Open | Add GC.start(compact: true) | | 06/01/2020 03:42 PM |
| 13924 | Ruby master | Feature | Open | Add headings/hints to RubyVM::InstructionSequence#disasm | | 09/20/2017 01:40 PM |
| 9556 | Ruby master | Feature | Open | Add HTTP#get block functionality to HTTP.get | | 02/23/2014 05:53 AM |
| 14404 | Ruby master | Feature | Open | Adding writev support to IO#write_nonblock | | 01/29/2018 12:29 AM |
| 10489 | Ruby master | Feature | Open | Add inherit method for clearer and multiple inheritance | matz (Yukihiro Matsumoto) | 12/10/2020 08:53 AM |
| 18835 | Ruby master | Feature | Open | Add InstructionSequence#type method | | 06/16/2022 10:30 PM |
| 17830 | Ruby master | Feature | Open | Add Integer#previous and Integer#prev | matz (Yukihiro Matsumoto) | 04/27/2021 11:35 PM |
| 16245 | Ruby master | Feature | Open | Add interfaces to count and measure size all IMEMO objects | | 10/17/2019 09:16 PM |
| 16757 | Ruby master | Feature | Open | Add intersection to Range | | 01/22/2022 07:26 AM |
| 17833 | Ruby master | Feature | Open | add IO.readinto(b) where b is a bytes like object that is you can get a memoryview from | | 06/30/2021 02:36 PM |
| 17326 | Ruby master | Feature | Open | Add Kernel#must! to the standard library | | 06/22/2022 04:10 PM |
| 11597 | Ruby master | Feature | Open | Add Linux-specific setsuid(2)/setfsgid(2) | | 10/15/2015 10:08 PM |
| 16231 | Ruby master | Feature | Open | Add #location to Net::HTTPResponse | | 10/06/2019 11:14 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|--------|---|----------------------------------|---------------------|
| 14122 | Ruby master | Feature | Open | Add LogicError | | 06/17/2019 11:47 PM |
| 18179 | Ruby master | Feature | Open | Add Math methods to Numeric | | 03/24/2022 02:54 PM |
| 16899 | Ruby master | Feature | Open | Add method `Array#both_end` | | 05/18/2020 01:44 AM |
| 7876 | Ruby master | Feature | Open | Add method for accessing Class from within Singleton Class | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 8994 | Ruby master | Feature | Open | add methods for Float to get if an NaN is quiet or not, also add class methods for Float to "generate" an quiet NaN and an loud NaN | | 10/21/2019 10:38 PM |
| 15571 | Ruby master | Feature | Open | Add methods: irroot, root, and roots | | 01/30/2019 06:17 PM |
| 14771 | Ruby master | Feature | Open | Add method to create DNS resource from data string | | 05/17/2018 10:43 PM |
| 9779 | Ruby master | Feature | Open | Add Module#descendents | | 01/05/2018 09:00 PM |
| 17753 | Ruby master | Feature | Open | Add Module#namespace | | 07/04/2022 01:42 AM |
| 8275 | Ruby master | Feature | Open | Add Module#public_const_get | | 12/23/2021 11:43 PM |
| 18418 | Ruby master | Feature | Open | Add Net::HTTP#security_level= | | 12/19/2021 11:58 AM |
| 18675 | Ruby master | Feature | Open | Add new exception class for resolv timeouts | | 04/01/2022 11:22 PM |
| 17406 | Ruby master | Feature | Open | Add `NoMatchingPatternError#depth` | | 12/19/2020 03:18 PM |
| 18809 | Ruby master | Feature | Open | Add Numeric#ceildiv | | 07/21/2022 10:52 PM |
| 9585 | Ruby master | Feature | Open | Add Object#in? to make ruby easier to read | | 03/15/2014 04:49 PM |
| 8751 | Ruby master | Feature | Open | Add offsets to method#source_location | | 12/23/2021 11:43 PM |
| 7654 | Ruby master | Feature | Open | Add optional code block to IO::readlines | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 15815 | Ruby master | Feature | Open | Add option to raise NoMethodError for OpenStruct | marcandre (Marc-Andre Lafortune) | 09/28/2020 02:11 AM |
| 13765 | Ruby master | Feature | Open | Add Proc#bind | | 07/26/2017 01:31 PM |
| 13933 | Ruby master | Feature | Open | Add Range#empty? | | 10/25/2017 09:19 AM |
| 11917 | Ruby master | Feature | Open | Add Range#length as an alias for size | | 01/30/2016 07:01 AM |
| 14777 | Ruby master | Feature | Open | Add Range#offset ? | | 05/19/2018 03:50 PM |
| 18515 | Ruby master | Feature | Open | Add Range#reverse_each implementation for performance | | 01/31/2022 02:23 AM |
| 7883 | Ruby master | Feature | Open | Add Regex#to_proc | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 15217 | Ruby master | Feature | Open | Add Resolv.current_resolver | | 10/08/2018 11:18 PM |
| 11312 | Ruby master | Feature | Open | Add Resolv::DNS::Resource::IN::SPF | akr (Akira Tanaka) | 07/01/2015 03:26 AM |
| 17134 | Ruby master | Feature | Open | Add resolv_timeout to TCPSocket | | 12/10/2020 09:09 AM |
| 13639 | Ruby master | Feature | Open | Add "RTMIN" and "RTMAX" to Signal.list | | 08/31/2017 09:06 AM |
| 14833 | Ruby master | Feature | Open | Add RubyVM::AST::Node#pretty_print | | 06/07/2018 02:56 PM |
| 17375 | Ruby master | Feature | Open | Add scheduler callbacks for transferring fibers | | 12/07/2020 11:31 PM |
| 17208 | Ruby master | Feature | Open | Add `Set#compact` and `Set#compact!` methods | | 11/05/2020 10:44 AM |
| 17325 | Ruby master | Feature | Open | Adds Fiber#cancel, which forces a Fiber to break/return | | 11/19/2020 12:34 AM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|--------|---|---------------------------|---------------------|
| 18944 | Ruby master | Feature | Open | Add SizedQueue#push(timeout:) | | 08/02/2022 09:12 AM |
| 14114 | Ruby master | Feature | Open | Add #step for Array, Enumerable, Enumerator | | 06/24/2019 05:00 PM |
| 14033 | Ruby master | Feature | Open | Add String#append | | 08/08/2018 03:01 AM |
| 14919 | Ruby master | Feature | Open | Add String#byteinsert | | 07/18/2018 01:29 PM |
| 13626 | Ruby master | Feature | Open | Add String#byteslice! | | 07/03/2018 11:07 PM |
| 9043 | Ruby master | Feature | Open | Add String#f method as shortcut for #freeze | matz (Yukihiko Matsumoto) | 01/05/2018 09:00 PM |
| 10574 | Ruby master | Feature | Open | Add String#lchomp and String.lchomp! | matz (Yukihiko Matsumoto) | 12/15/2014 04:34 PM |
| 10869 | Ruby master | Feature | Open | Add support for option to pre-compile Ruby files | | 02/23/2015 11:08 AM |
| 15560 | Ruby master | Feature | Open | Add support for read/write offsets. | | 01/26/2019 11:03 AM |
| 12115 | Ruby master | Feature | Open | Add Symbol#call to allow to _proc shorthand with arguments | | 11/16/2018 09:49 AM |
| 5478 | Ruby master | Feature | Open | Add syntax to import Set into core | | 09/02/2020 12:24 PM |
| 16425 | Ruby master | Feature | Open | Add Thread#dig | | 12/17/2019 12:15 AM |
| 8640 | Ruby master | Feature | Open | Add Time#elapsed to return nanoseconds since creation | | 12/23/2021 11:43 PM |
| 10829 | Ruby master | Feature | Open | Add to _proc method to the Array class | | 12/23/2021 11:43 PM |
| 16137 | Ruby master | Feature | Open | Add === to UnboundMethod | | 09/07/2019 11:05 AM |
| 8967 | Ruby master | Feature | Open | add uninclude and unextend method | | 09/30/2013 02:18 PM |
| 9887 | Ruby master | Feature | Open | Add uninclude please | | 05/31/2014 01:33 PM |
| 9929 | Ruby master | Feature | Open | add with _default method to Hash | | 06/11/2014 12:08 AM |
| 18948 | Ruby master | Feature | Open | Add `with_private_method` option to `private_constant` | | 07/29/2022 02:49 PM |
| 15456 | Ruby master | Feature | Open | Adopt some kind of consistent versioning mechanism | | 02/07/2019 06:26 PM |
| 11660 | Ruby master | Feature | Open | a falsy value (similar to js undefined) that facilitates forwarding of default arguments | | 11/05/2019 07:33 PM |
| 15036 | Ruby master | Feature | Open | after upgrade when run apt upgrade metasploit | | 12/23/2021 11:43 PM |
| 15804 | Ruby master | Feature | Open | A generic method to resolve the indexing on a sequence | | 04/28/2019 12:54 PM |
| 7614 | Ruby master | Feature | Open | alias_accessor | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 16781 | Ruby master | Feature | Open | alias :fold :reduce | | 05/16/2020 08:28 AM |
| 12145 | Ruby master | Feature | Open | Aliashood between `size` and `length` is not consistent | | 06/27/2019 10:02 PM |
| 17773 | Ruby master | Feature | Open | Alias `Numeric#zero?` and `Float#zero?` as `Numeric#empty?` and `Float#empty?` | | 04/02/2021 03:39 PM |
| 9784 | Ruby master | Feature | Open | Alias URI#merge to URI#join | | 04/29/2014 05:42 AM |
| 17356 | Ruby master | Feature | Open | Alignment of memory allocated through Fiddle struct's malloc | | 12/02/2020 11:06 AM |
| 18559 | Ruby master | Feature | Open | Allocation tracing: Objects created by the parser are attributed to Kernel.require | | 08/02/2022 09:58 AM |
| 17279 | Ruby master | Feature | Open | Allow a negative step in Range#step with a block | matz (Yukihiko Matsumoto) | 10/22/2020 02:23 AM |
| 13890 | Ruby master | Feature | Open | Allow a regexp as an argument to 'count', to count more interesting things than single characters | | 12/30/2017 04:37 AM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|--------|--|---------------------------|---------------------|
| 14463 | Ruby master | Feature | Open | Allow comments to precede dots in member expressions | | 12/23/2021 11:43 PM |
| 12968 | Ruby master | Feature | Open | Allow default value via block for Integer(), Float() and Rational() | | 06/28/2017 05:53 PM |
| 16739 | Ruby master | Feature | Open | Allow Hash#keys and Hash#values to accept a block for filtering output | | 07/10/2020 04:09 PM |
| 10404 | Ruby master | Feature | Open | Allow individual finalizers to be removed with ObjectSpace.undefine_finalizer | matz (Yukihiro Matsumoto) | 10/20/2014 08:14 AM |
| 12023 | Ruby master | Feature | Open | Allow ivars to be used as method arguments | | 01/27/2016 09:58 AM |
| 15419 | Ruby master | Feature | Open | Allow Kernel#tap to be invoked with arguments like Kernel#send | | 12/23/2021 11:43 PM |
| 18690 | Ruby master | Feature | Open | Allow `Kernel#then` to take arguments | | 05/10/2022 06:16 PM |
| 10528 | Ruby master | Feature | Open | Allow line breaks instead of commas in arrays, hashes, argument lists, etc. | | 12/23/2021 11:43 PM |
| 12057 | Ruby master | Feature | Open | Allow methods with `yield` to be called without a block | | 12/23/2021 11:43 PM |
| 16037 | Ruby master | Feature | Open | Allow multiple single/double-splatted variables in `in` pattern matching and introduce non-greedy-splatted variables | | 08/04/2019 04:47 AM |
| 18617 | Ruby master | Feature | Open | Allow multiples keys in Hash#[] acting like Hash#dig | | 03/10/2022 01:36 PM |
| 17785 | Ruby master | Feature | Open | Allow named parameters to be keywords | matz (Yukihiro Matsumoto) | 12/17/2021 06:10 PM |
| 8046 | Ruby master | Feature | Open | allow Object#extend to take a block | | 12/25/2017 06:15 PM |
| 12969 | Ruby master | Feature | Open | Allow optional parameter in String#strip and related | | 01/20/2017 08:19 AM |
| 16667 | Ruby master | Feature | Open | Allow parameters to Symbol#to_proc and Method#to_proc | | 03/03/2020 03:40 PM |
| 16336 | Ruby master | Feature | Open | Allow private constants to be accessed with absolute references | | 11/14/2019 06:21 PM |
| 10863 | Ruby master | Feature | Open | allow protected class methods to be callable from instance methods | | 04/01/2015 06:11 PM |
| 15991 | Ruby master | Feature | Open | Allow questionmarks in variable names | matz (Yukihiro Matsumoto) | 07/30/2019 03:57 AM |
| 8291 | Ruby master | Feature | Open | Allow retrieving the root Fiber of a Thread | | 12/23/2021 11:43 PM |
| 8921 | Ruby master | Feature | Open | Allow select, reject, etc to accept a regex | | 04/04/2020 05:57 AM |
| 15927 | Ruby master | Feature | Open | Allow string keys to be used for String#% and sprintf methods | | 06/17/2019 07:13 AM |
| 11390 | Ruby master | Feature | Open | Allow symbols starting with numbers | matz (Yukihiro Matsumoto) | 08/14/2015 05:23 AM |
| 9095 | Ruby master | Feature | Open | Allow `Symbol#to_proc` to take arguments | | 11/10/2013 04:25 AM |
| 18603 | Ruby master | Feature | Open | Allow syntax like obj.method(arg)=value | | 02/27/2022 05:04 PM |
| 18683 | Ruby master | Feature | Open | Allow to create hashes with a specific capacity. | | 04/22/2022 02:34 PM |
| 16688 | Ruby master | Feature | Open | Allow #to_path object as argument to system() | | 04/13/2020 05:37 PM |
| 16296 | Ruby master | Feature | Open | Alternative behavior for `...` in method body if `...` is not in method definition | | 11/10/2019 10:20 AM |
| 14278 | Ruby master | Feature | Open | Ambiguous Exception for OpenSSL::HMAC.digest | | 06/20/2019 11:36 PM |
| 7250 | Ruby master | Feature | Open | A mechanism to include at once both instance-level and class-level methods from a module | | 12/25/2017 06:15 PM |
| 17718 | Ruby master | Feature | Open | a method paramaters object that can be pattern matched against | | 03/24/2021 01:29 PM |
| 8827 | Ruby master | Feature | Open | A method that flips the receiver and the first argument | | 08/29/2013 05:59 AM |
| 10183 | Ruby master | Feature | Open | An alternative name for method `class` | | 10/31/2017 11:42 AM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|--------|---|---------------------------|---------------------|
| 12083 | Ruby master | Feature | Open | \$_ and \$~ by Binding#local_variable_{get,set} | | 02/18/2016 04:35 AM |
| 15557 | Ruby master | Feature | Open | A new class that stores a condition and the previous receiver | | 01/27/2019 05:22 AM |
| 18137 | Ruby master | Feature | Open | A new method to check Proc is isolated or not | | 10/27/2021 07:30 AM |
| 12901 | Ruby master | Feature | Open | Anonymous functions without scope lookup overhead | | 01/01/2022 12:30 PM |
| 16986 | Ruby master | Feature | Open | Anonymous Struct literal | matz (Yukihiro Matsumoto) | 01/15/2022 04:57 PM |
| 12262 | Ruby master | Feature | Open | Anti-loop | | 04/09/2016 05:30 AM |
| 14967 | Ruby master | Feature | Open | Any type | | 08/11/2019 07:43 PM |
| 15627 | Ruby master | Feature | Open | Appearance of custom singleton classes | | 06/15/2020 10:37 PM |
| 10425 | Ruby master | Feature | Open | A predicate method to tell if a number is near another | | 10/26/2014 01:47 AM |
| 10426 | Ruby master | Feature | Open | A predicate to express congruence | | 11/14/2014 02:11 AM |
| 13860 | Ruby master | Feature | Open | A proposal for a new, simpler class-method addition to Time - for the time being calling it Time.date() but another name is fine; and the ability to omit '%' tokens as arguments to it | | 02/21/2018 12:57 PM |
| 12378 | Ruby master | Feature | Open | arbitrary size Random.new_seed | | 05/13/2016 04:44 PM |
| 12992 | Ruby master | Feature | Open | ArgumentError if hostname is missing | | 07/27/2021 11:40 AM |
| 12482 | Ruby master | Feature | Open | ArgumentError.new(nil) should give a better description | | 06/16/2016 04:18 AM |
| 14111 | Ruby master | Feature | Open | ArgumentError | | 06/13/2019 05:41 AM |
| 18402 | Ruby master | Feature | Open | Argument Labels | | 01/31/2022 06:14 PM |
| 8449 | Ruby master | Feature | Open | Array#ary_plus always returns an array | nobu (Nobuyoshi Nakada) | 06/02/2013 04:23 PM |
| 16039 | Ruby master | Feature | Open | Array#contains? to check if one array contains another array | | 12/19/2019 06:47 AM |
| 16146 | Ruby master | Feature | Open | Array .difference allow custom comparison | | 11/11/2019 08:34 PM |
| 16118 | Ruby master | Feature | Open | Array .difference allow custom comparison | | 12/23/2021 11:44 PM |
| 7657 | Ruby master | Feature | Open | Array#& doesn't accept Enumerables | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 14585 | Ruby master | Feature | Open | Array#each_pair | | 03/11/2018 11:38 PM |
| 16928 | Ruby master | Feature | Open | Array#include_all? & Array#include_any? | | 06/01/2020 09:27 PM |

...