

Issues

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|------|-------------|---------|----------|--|--------------------------------|---------------------|
| 595 | Ruby master | Bug | Assigned | Fiber ignores ensure clause | ioquatix (Samuel Williams) | 12/29/2019 10:37 AM |
| 1644 | Ruby master | Feature | Assigned | recv on inherited socket wrapped in TCPSocket does not read data, on Windows | cruby-windows | 12/10/2020 08:45 AM |
| 2149 | Ruby master | Feature | Feedback | Pathname#include? | akr (Akira Tanaka) | 03/15/2018 08:19 AM |
| 2294 | Ruby master | Feature | Assigned | [PATCH] ruby_bind_stack() to embed Ruby in coroutine | ko1 (Koichi Sasada) | 01/05/2018 09:00 PM |
| 2324 | Ruby master | Feature | Assigned | Dir instance methods for relative path | nobu (Nobuyoshi Nakada) | 12/25/2017 05:58 PM |
| 2567 | Ruby master | Feature | Assigned | Net::HTTP does not handle encoding correctly | naruse (Yui NARUSE) | 12/15/2017 08:22 AM |
| 2631 | Ruby master | Feature | Assigned | Allow IO#reopen to take a block | Glass_saga (Masaki Matsushita) | 05/24/2018 01:22 PM |
| 2715 | Ruby master | Feature | Feedback | Optimization to avoid spawning shell in Kernel#system call should check for failure conditions | | 12/25/2017 06:00 PM |
| 3001 | Ruby master | Feature | Feedback | Ruby stdlib: Benchmark::Tms #memberwise drops labels | | 05/24/2016 01:42 PM |
| 3187 | Ruby master | Feature | Feedback | Allow dynamic Fiber stack size | ko1 (Koichi Sasada) | 07/15/2021 06:07 PM |
| 3356 | Ruby master | Feature | Feedback | Add GetShortPathName to ruby | usa (Usaku NAKAMURA) | 01/21/2016 02:27 PM |
| 3388 | Ruby master | Feature | Feedback | regexp support for start_with? and end_with? | naruse (Yui NARUSE) | 12/25/2017 06:02 PM |
| 3608 | Ruby master | Feature | Assigned | Enhancing Pathname#each_child to be lazy | akr (Akira Tanaka) | 12/25/2017 06:14 PM |
| 3647 | Ruby master | Feature | Feedback | Array#sample(n, replace=false) | mrkn (Kenta Murata) | 03/11/2020 02:09 AM |
| 3731 | Ruby master | Feature | Assigned | Easier Embedding API for Ruby | ko1 (Koichi Sasada) | 12/25/2017 06:14 PM |
| 3953 | Ruby master | Feature | Assigned | TCPSocket / UDPSocket do not accept IPAddr objects. | knu (Akinori MUSHIA) | 12/25/2017 06:14 PM |
| 4040 | Ruby master | Bug | Assigned | SystemStackError with Hash[*a] for Large _a_ | ko1 (Koichi Sasada) | 12/25/2017 06:14 PM |
| 4046 | Ruby master | Feature | Feedback | Saving C's **argv and cwd allows Ruby programs to reliably restart themselves | | 12/25/2017 06:14 PM |
| 4147 | Ruby master | Feature | Feedback | Array#sample            | | 11/21/2016 04:59 AM |
| 4173 | Ruby master | Bug | Open | TestProcess#test_wait_and_sigchild            | | 03/15/2018 08:29 AM |
| 4247 | Ruby master | Feature | Assigned | New features for Array#sample, Array#choice | mame (Yusuke Endoh) | 12/25/2017 06:14 PM |
| 4264 | Ruby master | Feature | Feedback | General type coercion protocol for Ruby | matz (Yukihiko Matsumoto) | 12/25/2017 06:14 PM |
| 4434 | Ruby master | Bug | Feedback | make test-all "-j10000"                      | sorah (Sorah Fukumori) | 12/25/2017 06:14 PM |
| 4464 | Ruby master | Feature | Assigned | [PATCH] add Fcntl::Flock object for easier use of POSIX file locks | kosaki (Motohiro KOSAKI) | 12/25/2017 06:14 PM |
| 4514 | Ruby master | Feature | Assigned | #deep_clone and #deep_dup for Objects | matz (Yukihiko Matsumoto) | 12/25/2017 06:14 PM |
| 4521 | Ruby master | Feature | Assigned | NoMethodError#message may take very long to execute | matz (Yukihiko Matsumoto) | 12/25/2017 06:14 PM |
| 4539 | Ruby master | Feature | Assigned | Array#zip_with | matz (Yukihiko Matsumoto) | 11/28/2019 08:23 AM |
| 4592 | Ruby master | Feature | Assigned | Tempfile           | matz (Yukihiko Matsumoto) | 12/25/2017 06:14 PM |
| 4645 | Ruby master | Feature | Feedback | Pass existing buffer to getsockopt | | 12/25/2017 06:14 PM |
| 4712 | Ruby master | Feature | Feedback | File.writable? inaccurate in windows | | 12/25/2017 06:14 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|------|-------------|---------|----------|--|---------------------------|---------------------|
| 4818 | Ruby master | Feature | Assigned | Add method marshalable? | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 4824 | Ruby master | Feature | Assigned | Provide method Kernel#executed? | matz (Yukihiko Matsumoto) | 03/05/2018 04:57 AM |
| 4831 | Ruby master | Feature | Assigned | Integer#prime_factors | yugui (Yuki Sonoda) | 01/23/2018 08:09 AM |
| 4924 | Ruby master | Feature | Assigned | mkmf have_header fails with C++ headers | nobu (Nobuyoshi Nakada) | 12/25/2017 06:15 PM |
| 5007 | Ruby master | Feature | Assigned | Proc#call_under: Unifying instance_eval and instance_exec | matz (Yukihiko Matsumoto) | 04/19/2018 07:57 AM |
| 5064 | Ruby master | Feature | Assigned | HTTP user-agent class | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 5102 | Ruby master | Feature | Feedback | [ext/openssl] Purpose of OpenSSL::PKCS12.new / Allow changing the password | openssl | 09/13/2015 03:33 AM |
| 5103 | Ruby master | Feature | Feedback | [ext/openssl] Object equality for objects based on ASN.1 structures | openssl | 09/13/2015 03:32 AM |
| 5129 | Ruby master | Feature | Assigned | Create a core class "FileArray" and make "ARGF" its instance | matz (Yukihiko Matsumoto) | 01/23/2018 02:02 PM |
| 5133 | Ruby master | Feature | Assigned | Array#unzip as an alias of Array#transpose | mrkn (Kenta Murata) | 12/25/2017 06:15 PM |
| 5145 | Ruby master | Feature | Feedback | Function extension of Array#transpose | | 12/25/2017 06:15 PM |
| 5174 | Ruby master | Feature | Feedback | Export ruby_init_prelude() | nobu (Nobuyoshi Nakada) | 12/25/2017 06:15 PM |
| 5179 | Ruby master | Bug | Assigned | Complex#rationalize and to_r with approximate zeros | mrkn (Kenta Murata) | 01/17/2020 03:00 AM |
| 5310 | Ruby master | Feature | Assigned | Integral objects | mrkn (Kenta Murata) | 12/25/2017 06:15 PM |
| 5317 | Ruby master | Bug | Assigned | ruby off_t | nobu (Nobuyoshi Nakada) | 01/05/2018 09:00 PM |
| 5334 | Ruby master | Bug | Assigned | Segmentation fault in InternetExplorer IServiceProvider interface | suke (Masaki Suketa) | 12/30/2019 03:00 AM |
| 5360 | Ruby master | Feature | Feedback | BasicObject#binding | | 12/25/2017 06:15 PM |
| 5378 | Ruby master | Feature | Assigned | Prime.each is slow | yugui (Yuki Sonoda) | 12/25/2017 06:15 PM |
| 5389 | Ruby master | Feature | Assigned | New method Enumerator#iterate | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 5434 | Ruby master | Feature | Assigned | Allow per-class whitelisting of methods safe to expose through DRb | seki (Masatoshi Seki) | 12/25/2017 06:15 PM |
| 5445 | Ruby master | Feature | Assigned | Need RUBYOPT -r before ARGV -r | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 5456 | Ruby master | Feature | Assigned | kernel#syscall() should be removed. | matz (Yukihiko Matsumoto) | 12/10/2020 08:46 AM |
| 5461 | Ruby master | Feature | Assigned | Add pipelining to Net::HTTP | naruse (Yui NARUSE) | 12/25/2017 06:15 PM |
| 5478 | Ruby master | Feature | Open | Add syntax to import Set into core | | 09/02/2020 12:24 PM |
| 5514 | Ruby master | Feature | Feedback | Numeric quotient quotrem | matz (Yukihiko Matsumoto) | 12/10/2020 08:49 AM |
| 5521 | Ruby master | Feature | Feedback | Numeric#rational?Numeric#complex?Numeric#float? | matz (Yukihiko Matsumoto) | 12/10/2020 08:49 AM |
| 5522 | Ruby master | Feature | Feedback | Numeric#finite?Numeric#infinite?Numeric#nan? | mrkn (Kenta Murata) | 12/10/2020 08:54 AM |
| 5558 | Ruby master | Feature | Assigned | String#% strange arity errors | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 5582 | Ruby master | Feature | Assigned | Allow clone of singleton methods on a BasicObject | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 5606 | Ruby master | Feature | Feedback | String#each_match(regex) | | 12/25/2017 06:15 PM |
| 5617 | Ruby master | Feature | Assigned | Allow install RubyGems into dedicated directory | hsbt (Hiroshi SHIBATA) | 05/16/2018 09:15 AM |
| 5628 | Ruby master | Feature | Feedback | Module#basename | matz (Yukihiko Matsumoto) | 08/29/2020 05:01 PM |
| 5643 | Ruby master | Feature | Assigned | require/load options and binding option | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|------|-------------|---------|----------|--|--------------------------------|---------------------|
| 5644 | Ruby master | Feature | Feedback | add Enumerable#exclude? antonym | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 5654 | Ruby master | Feature | Assigned | Introduce global lock to avoid concurrent require | nahi (Hiroshi Nakamura) | 12/25/2017 06:15 PM |
| 5673 | Ruby master | Feature | Feedback | undef_method probably doesn't need to raise an error | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 5741 | Ruby master | Feature | Assigned | Secure Erasure of Passwords | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 5749 | Ruby master | Feature | Assigned | new method String#match_all needed | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 5764 | Ruby master | Feature | Assigned | Net::HTTP should assume HTTP/0.9 on unexpected responses | naruse (Yui NARUSE) | 07/15/2019 05:06 PM |
| 5778 | Ruby master | Feature | Assigned | Allow WEBrick::HTTPResponse to send IO-duck-typed bodies | normalperson (Eric Wong) | 06/23/2018 09:03 AM |
| 5781 | Ruby master | Feature | Assigned | Query attributes (attribute methods ending in `?' mark) | matz (Yukihiko Matsumoto) | 01/10/2020 06:34 AM |
| 5805 | Ruby master | Feature | Feedback | object_hexid | | 12/25/2017 06:15 PM |
| 5825 | Ruby master | Feature | Assigned | Sweet instance var assignment in the object initializer | matz (Yukihiko Matsumoto) | 12/10/2020 08:53 AM |
| 5945 | Ruby master | Feature | Assigned | Add the ability to mark a at_exit as process-local. | matz (Yukihiko Matsumoto) | 10/10/2018 08:29 AM |
| 5970 | Ruby master | Feature | Assigned | Add Enumerable#join with same semantics as Array#join | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6012 | Ruby master | Feature | Assigned | Proc#source_location also return the column | nobu (Nobuyoshi Nakada) | 02/12/2019 07:49 AM |
| 6047 | Ruby master | Feature | Assigned | read_all: Grow buffer exponentially in generic case | openssl | 09/13/2015 03:19 AM |
| 6118 | Ruby master | Feature | Feedback | Hash#keys_of(values), returns related keys of given values | matz (Yukihiko Matsumoto) | 01/10/2019 08:16 AM |
| 6133 | Ruby master | Feature | Assigned | SSLSocket#shutdown | openssl | 09/13/2015 03:22 AM |
| 6210 | Ruby master | Feature | Assigned | load should provide a way to specify the top-level module | matz (Yukihiko Matsumoto) | 10/18/2021 06:32 PM |
| 6219 | Ruby master | Feature | Feedback | Return value of Hash#store | matz (Yukihiko Matsumoto) | 12/10/2020 08:46 AM |
| 6251 | Ruby master | Feature | Feedback | Magic comments for compile options | matz (Yukihiko Matsumoto) | 08/21/2015 11:47 PM |
| 6256 | Ruby master | Feature | Feedback | Slightly improve ruby_qsor performance | MartinBosslet (Martin Bosslet) | 01/10/2019 01:51 PM |
| 6263 | Ruby master | Feature | Feedback | Simple access to toplevel object (main) | | 12/25/2017 06:15 PM |
| 6265 | Ruby master | Feature | Assigned | Remove 'useless' 'concatenation' syntax | naruse (Yui NARUSE) | 08/10/2016 02:36 AM |
| 6277 | Ruby master | Feature | Assigned | Hash#convert_key | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6293 | Ruby master | Feature | Assigned | new queue / blocking queues | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6308 | CommonRuby | Feature | Assigned | Eliminate delegation from WeakRef | matz (Yukihiko Matsumoto) | 11/01/2013 04:28 AM |
| 6309 | Ruby master | Feature | Assigned | Add a reference queue for weak references | matz (Yukihiko Matsumoto) | 08/23/2020 09:07 PM |
| 6315 | Ruby master | Feature | Feedback | handler to trace output of each line of code executed | | 12/25/2017 06:15 PM |
| 6317 | Ruby master | Feature | Assigned | Range#cover? Range | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6337 | Ruby master | Feature | Assigned | FileUtils#sync | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6351 | Ruby master | Bug | Assigned | transcode table generator does not support multi characters of Unicode | duerst (Martin Dürst) | 12/25/2017 06:15 PM |
| 6354 | Ruby master | Feature | Assigned | Remove escape (break/return/redo/next support) from class/module scope | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6360 | Ruby master | Bug | Assigned | Debug information build even without requesting it | nobu (Nobuyoshi Nakada) | 01/05/2018 09:00 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|------|-------------|---------|----------|---|---------------------------|---------------------|
| 6367 | Ruby master | Feature | Feedback | #same? for Enumerable | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6376 | Ruby master | Feature | Assigned | Feature lookup and checking if feature is loaded | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6399 | Ruby master | Feature | Feedback | IO.read ignores valid open_args on Windows | usa (Usaku NAKAMURA) | 12/25/2017 06:15 PM |
| 6413 | Ruby master | Feature | Assigned | Make Dir.entries default to Dir.entries(Dir.pwd) | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6442 | Ruby master | Feature | Feedback | CRUDify Hash class | trans (Thomas Sawyer) | 12/25/2017 06:15 PM |
| 6444 | Ruby master | Feature | Feedback | alias for String#index | | 12/25/2017 06:15 PM |
| 6445 | Ruby master | Feature | Assigned | request for default length/position on string index | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6452 | Ruby master | Feature | Assigned | Allow extend to override class methods | matz (Yukihiko Matsumoto) | 12/10/2020 08:53 AM |
| 6478 | Ruby master | Feature | Feedback | BasicObject#__class__ | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6507 | Ruby master | Feature | Feedback | File Literal | | 12/25/2017 06:15 PM |
| 6515 | Ruby master | Feature | Feedback | array.c: added method that verifies if an Array is part of another | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6590 | Ruby master | Feature | Assigned | Dealing with bigdecimal, etc gems in JRuby | hsbt (Hiroshi SHIBATA) | 05/15/2019 08:33 PM |
| 6594 | Ruby master | Feature | Assigned | Integrated Functor | matz (Yukihiko Matsumoto) | 12/10/2020 08:53 AM |
| 6596 | Ruby master | Feature | Assigned | New method `Array#indexes` | matz (Yukihiko Matsumoto) | 07/29/2020 01:41 AM |
| 6602 | Ruby master | Feature | Feedback | Tail call optimization: enable by default? | ko1 (Koichi Sasada) | 06/13/2020 01:31 AM |
| 6611 | Ruby master | Feature | Assigned | Comments requested on implementation of set_parse_func | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6613 | Ruby master | Feature | Assigned | VT_RECORD, IRecordInfo Support in WIN32OLE | suke (Masaki Suketa) | 12/25/2017 06:15 PM |
| 6641 | Ruby master | Feature | Open | Hash.auto constructor | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6648 | Ruby master | Feature | Assigned | Provide a standard API for retrieving all command-line flags passed to Ruby | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6671 | Ruby master | Feature | Assigned | File.split_all and File.split_root | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6682 | Ruby master | Feature | Assigned | Add a method to return an instance attached by a singleton class | shyouhei (Shyouhei Urabe) | 12/25/2017 06:15 PM |
| 6687 | Ruby master | Feature | Open | Enumerable#with | | 12/25/2017 06:15 PM |
| 6694 | Ruby master | Feature | Assigned | Thread.new without block. | ko1 (Koichi Sasada) | 12/25/2017 06:15 PM |
| 6695 | Ruby master | Feature | Assigned | Configuration for Thread/Fiber creation | ko1 (Koichi Sasada) | 12/25/2017 06:15 PM |
| 6697 | Ruby master | Feature | Feedback | [PATCH] Add Kernel#Symbol conversion method like String(), Array() etc. | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6727 | Ruby master | Feature | Feedback | Add Array#rest (with implementation) | matz (Yukihiko Matsumoto) | 08/14/2019 08:51 AM |
| 6733 | Ruby master | Feature | Open | New inspect framework | | 12/10/2020 08:48 AM |
| 6737 | Ruby master | Feature | Feedback | Add Hash#read and alias as #[]. | | 12/25/2017 06:15 PM |
| 6739 | Ruby master | Feature | Feedback | One-line rescue statement should support specifying an exception class | matz (Yukihiko Matsumoto) | 05/18/2016 12:42 AM |
| 6744 | Ruby master | Feature | Feedback | ruby unable to run system commands that require elevated privileges | usa (Usaku NAKAMURA) | 12/25/2017 06:15 PM |
| 6758 | Ruby master | Feature | Open | Object#sequence | | 12/25/2017 06:15 PM |
| 6769 | Ruby master | Feature | Assigned | rbinstall.rb: install both src and batch files separately | nobu (Nobuyoshi Nakada) | 10/30/2015 12:38 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|------|-------------|---------|----------|--|--------------------------------|---------------------|
| 6783 | Ruby master | Feature | Open | Infinite loop in inspect, not overriding inspect, to_s, and no known circular references. Stepping into inspect in debugger locks it up with 100% CPU. | | 08/05/2019 11:13 PM |
| 6792 | Ruby master | Feature | Feedback | request for easier system properties access | | 12/25/2017 06:15 PM |
| 6793 | Ruby master | Feature | Feedback | easier ability to "run as the currently running ruby" | | 12/25/2017 06:15 PM |
| 6802 | Ruby master | Feature | Assigned | String#scan should have equivalent yielding MatchData | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6806 | Ruby master | Feature | Feedback | Support functional programming: forbid instance/class variables for ModuleName::method_name, allow for ModuleName.method_name | matz (Yukihiko Matsumoto) | 12/10/2020 08:53 AM |
| 6808 | Ruby master | Feature | Feedback | Implicit index for enumerations | | 12/25/2017 06:15 PM |
| 6810 | Ruby master | Feature | Assigned | `module A::B; end` is not equivalent to `module A; module B; end; end` with respect to constant lookup (scope) | matz (Yukihiko Matsumoto) | 12/10/2020 09:22 AM |
| 6811 | Ruby master | Feature | Assigned | File, Dir and FileUtils should have bang-versions of singleton methods that fails silently | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6817 | Ruby master | Feature | Open | Partial application | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6828 | Ruby master | Feature | Open | Constancy of Constants | | 12/10/2020 08:47 AM |
| 6841 | Ruby master | Feature | Assigned | Shorthand for Assigning Return Value of Method to Self | matz (Yukihiko Matsumoto) | 12/10/2020 08:53 AM |
| 6842 | Ruby master | Feature | Assigned | Add Optional Arguments to String#strip | matz (Yukihiko Matsumoto) | 08/24/2016 05:50 AM |
| 6857 | Ruby master | Feature | Assigned | bigdecimal/math BigMath.E/BigMath.exp R. P. Feynman inspired optimization | mrkn (Kenta Murata) | 12/25/2017 06:15 PM |
| 6869 | Ruby master | Feature | Open | Do not treat `__` parameter exceptionally | matz (Yukihiko Matsumoto) | 12/10/2020 08:58 AM |
| 6946 | Ruby master | Feature | Open | FIPS support? | | 11/07/2018 04:00 PM |
| 6973 | Ruby master | Feature | Assigned | Add an #integral? method to Numeric to test for whole-number values | mrkn (Kenta Murata) | 12/25/2017 06:15 PM |
| 7060 | Ruby master | Feature | Open | Broaden support for chmod | | 12/25/2017 06:15 PM |
| 7082 | Ruby master | Feature | Open | Process.kill 0 in windows can return spurious success | | 12/25/2017 06:15 PM |
| 7086 | Ruby master | Feature | Assigned | ConditionVariable#wait has meaningless return value | kosaki (Motohiro KOSAKI) | 12/25/2017 06:15 PM |
| 7087 | Ruby master | Feature | Assigned | ::ConditionVariable#wait does not work with Monitor because Monitor#sleep does not exist | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7106 | Ruby master | Feature | Open | FileUtils.touch should allow touching the symlink itself rather than the file the link points to | | 12/25/2017 06:15 PM |
| 7114 | Ruby master | Feature | Feedback | New classes: `HumanTime::LocalTime`, `HumanTime::Duration` | | 12/25/2017 06:15 PM |
| 7121 | Ruby master | Feature | Assigned | Extending the use of `require` | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7132 | Ruby master | Feature | Assigned | Alternation between named / ordered method arguments and aliases for method arguments. | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7148 | Ruby master | Feature | Assigned | Improved Tempfile w/o DelegateClass | Glass_saga (Masaki Matsushita) | 03/27/2019 09:51 AM |
| 7149 | Ruby master | Feature | Open | Constant magic for everyone. | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7220 | Ruby master | Feature | Open | Separate IO#dup, StringIO#initialize_copy from dup(2) | | 12/10/2020 08:47 AM |
| 7240 | Ruby master | Feature | Feedback | Inheritable #included/#extended Hooks For Modules | | 12/25/2017 06:15 PM |
| 7250 | Ruby master | Feature | Open | A mechanism to include at once both instance-level and class-level methods from a module | | 12/25/2017 06:15 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|------|-------------|---------|----------|--|-----------------------------------|---------------------|
| 7314 | Ruby master | Feature | Assigned | Convert Proc to Lambda doesn't work in MRI | matz (Yukihiko Matsumoto) | 05/21/2016 09:15 AM |
| 7321 | Ruby master | Feature | Assigned | Newton.#nsolve 2 2 | mrkn (Kenta Murata) | 12/25/2017 06:15 PM |
| 7340 | Ruby master | Feature | Open | 'each_with' or 'into' alias for 'each_with_object' | | 12/25/2017 06:15 PM |
| 7341 | Ruby master | Feature | Open | Enumerable#associate | | 12/25/2017 06:15 PM |
| 7349 | Ruby master | Feature | Assigned | Struct#inspect needs more meaningful output | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7362 | Ruby master | Feature | Assigned | Adding Pathname#start_with? | akr (Akira Tanaka) | 12/25/2017 06:15 PM |
| 7377 | Ruby master | Feature | Open | #indetical? as an alias for #equal? | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7384 | Ruby master | Feature | Open | Rename #each_with_object to #each_with | | 12/25/2017 06:15 PM |
| 7394 | Ruby master | Feature | Assigned | Enumerable#find ifnone parameter could be non-callable | nobu (Nobuyoshi Nakada) | 02/10/2021 09:32 AM |
| 7400 | Ruby master | Feature | Assigned | Incorporate OpenSSL tests from JRuby. | openssl | 09/13/2015 03:08 AM |
| 7412 | Ruby master | Feature | Assigned | Pathname#relative_path_from does not support mixed directory separators on windows | akr (Akira Tanaka) | 01/05/2018 09:00 PM |
| 7436 | Ruby master | Feature | Assigned | Allow for a "granularity" flag for backtrace_locations | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7444 | Ruby master | Feature | Open | Array#product_set | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7488 | Ruby master | Feature | Assigned | Receiving object_id in object creation probes | tenderlovmaking (Aaron Patterson) | 12/25/2017 06:15 PM |
| 7503 | Ruby master | Feature | Assigned | make timeout.rb async-interrupt safe by default | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7511 | Ruby master | Feature | Feedback | short-circuiting logical implication operator | matz (Yukihiko Matsumoto) | 12/10/2020 08:55 AM |
| 7518 | Ruby master | Feature | Assigned | Fiddle::Pointer#to_str and Fiddle::Pointer#to_int should be removed | tenderlovmaking (Aaron Patterson) | 08/15/2013 04:56 AM |
| 7532 | Ruby master | Feature | Assigned | Hardcoded compiler location | nobu (Nobuyoshi Nakada) | 12/25/2017 06:15 PM |
| 7545 | Ruby master | Feature | Open | Make Range act as a "lazy ordered set" | | 12/10/2020 08:49 AM |
| 7546 | Ruby master | Feature | Open | Change behavior of `Array#slice` for an argument of `Range` class | matz (Yukihiko Matsumoto) | 12/10/2020 08:49 AM |
| 7548 | Ruby master | Feature | Open | Load and Require Callbacks | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7580 | Ruby master | Feature | Assigned | Range translation | matz (Yukihiko Matsumoto) | 06/11/2018 09:51 AM |
| 7604 | Ruby master | Feature | Open | Make === comparison operator ability to delegate comparison to an argument | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7611 | Ruby master | Feature | Open | Focal method for all loads/requires | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7614 | Ruby master | Feature | Open | alias_accessor | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7644 | Ruby master | Feature | Assigned | In refinements, change "using" keyword to a less generic word. | matz (Yukihiko Matsumoto) | 12/10/2020 08:49 AM |
| 7652 | Ruby master | Feature | Feedback | Add FreeMiNT support to Ruby | nobu (Nobuyoshi Nakada) | 12/25/2017 06:15 PM |
| 7654 | Ruby master | Feature | Open | Add optional code block to IO::readlines | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7657 | Ruby master | Feature | Open | Array#& doesn't accept Enumerables | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7702 | Ruby master | Feature | Open | Remove Proc#binding | matz (Yukihiko Matsumoto) | 07/15/2019 07:39 PM |
| 7704 | Ruby master | Feature | Open | Add a list of enabled (experimental) language features. | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7708 | Ruby master | Feature | Open | support for patches list | | 12/25/2017 06:15 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|------|-------------|---------|----------|---|-----------------------------------|---------------------|
| 7739 | Ruby master | Feature | Assigned | Define Hash# as Hash#reverse_merge in Rails | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7742 | Ruby master | Bug | Open | System encoding (Windows-1258) is not recognized by Ruby to convert back to UTF-8 | duerst (Martin Dürst) | 12/25/2017 06:15 PM |
| 7745 | Ruby master | Feature | Open | lib/observer.rb: Observers are compared by identity | nobu (Nobuyoshi Nakada) | 12/25/2017 06:15 PM |
| 7747 | CommonRuby | Feature | Open | Expanded API for Binding semantics | | 02/08/2018 09:49 AM |
| 7748 | Ruby master | Feature | Open | Contextual send | matz (Yukihiko Matsumoto) | 12/10/2020 08:53 AM |
| 7788 | Ruby master | Feature | Open | YAML Tag Schema Support | tenderlovmaking (Aaron Patterson) | 12/25/2017 06:15 PM |
| 7795 | Ruby master | Feature | Open | Symbol.defined? and/or to_existing_symbol | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7796 | Ruby master | Feature | Feedback | Hash#keys should return a set | | 12/10/2020 08:49 AM |
| 7840 | Ruby master | Bug | Open | -Wdeclaration-after-statement is valid for C/ObjC but not for C++ | nobu (Nobuyoshi Nakada) | 06/02/2020 04:41 PM |
| 7845 | CommonRuby | Feature | Open | Strip doesn't handle unicode space characters in ruby 1.9.2 & 1.9.3 (does in 1.9.1) | | 05/07/2013 10:03 AM |
| 7848 | Ruby master | Feature | Open | Restore default state for core ruby objects | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7859 | Ruby master | Bug | Assigned | Readline: Incorrect arrow key behavior in vi_editing_mode insert mode with Readline 6.2 | kouji (Kouji Takao) | 12/25/2017 06:15 PM |
| 7876 | Ruby master | Feature | Open | Add method for accessing Class from within Singleton Class | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7883 | Ruby master | Feature | Open | Add Regexp#to_proc | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7892 | Ruby master | Bug | Open | MIME encoding bug of NKF.nkf | naruse (Yui NARUSE) | 12/25/2017 06:15 PM |
| 7895 | CommonRuby | Feature | Open | Exception#backtrace_locations to go with Thread#backtrace_locations and Kernel#caller_locations | | 10/01/2013 09:39 AM |
| 7914 | Ruby master | Feature | Open | Case for local class methods | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7939 | Ruby master | Feature | Feedback | Alternative curry function creation | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7964 | Ruby master | Bug | Assigned | Writing an ASCII-8BIT String to a StringIO created from a UTF-8 String | nobu (Nobuyoshi Nakada) | 01/05/2018 09:00 PM |
| 7968 | Ruby master | Bug | Assigned | Poor UDPSocket#send performance in ruby 2.0.0 on windows | cruby-windows | 10/23/2017 12:23 AM |
| 7976 | Ruby master | Bug | Assigned | TracePoint call is at call point, not call site | ko1 (Koichi Sasada) | 01/05/2018 09:00 PM |
| 7981 | Ruby master | Feature | Open | ruby does not respect -- | | 02/28/2013 02:49 PM |
| 7986 | Ruby master | Feature | Feedback | Custom case statement comparison method | | 12/10/2020 08:50 AM |
| 8016 | Ruby master | Feature | Assigned | Alias __FILE__ and __LINE__ as methods | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 8026 | Ruby master | Feature | Feedback | Need Module#prepend_modules | matz (Yukihiko Matsumoto) | 01/16/2020 06:12 AM |
| 8027 | Ruby master | Feature | Feedback | add the possibility to raise an exception in #included, #extended, #prepend, #inherited and break the calling feature | | 06/02/2013 03:22 PM |
| 8042 | Ruby master | Feature | Assigned | Add Addrinfo#socket to create a socket that is not connected or bound | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 8046 | Ruby master | Feature | Open | allow Object#extend to take a block | | 12/25/2017 06:15 PM |
| 8047 | Ruby master | Feature | Assigned | IPAddr makes host address with netmask | knu (Akinori MUSA) | 01/05/2018 09:00 PM |
| 8061 | Ruby master | Feature | Open | □□□□□□□□□□□□□□□□ | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 8062 | Ruby master | Feature | Feedback | Argument error stack trace to specify the 'called' method | | 12/25/2017 06:15 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|------|-------------|---------|----------|--|----------------------------------|---------------------|
| 8077 | Ruby master | Feature | Feedback | Returning Dir objects from C extensions | | 07/15/2019 10:48 PM |
| 8083 | Ruby master | Feature | Assigned | Exit status is limited to one-byte values which is invalid for Windows | cruby-windows | 03/14/2013 08:26 PM |
| 8088 | CommonRuby | Feature | Open | Method#parameters (and friends) should provide useful information about core methods | | 09/27/2013 07:44 PM |
| 8096 | CommonRuby | Feature | Feedback | introduce Time.current_timestamp | matz (Yukihiko Matsumoto) | 10/02/2013 02:37 PM |
| 8126 | Ruby master | Feature | Assigned | OpenSSL::SSL::SSLSocket does not define #recv and #send messages | rhenium (Kazuki Yamaguchi) | 08/08/2019 11:05 PM |
| 8164 | Ruby master | Feature | Assigned | Public/Private | matz (Yukihiko Matsumoto) | 12/10/2020 08:50 AM |
| 8168 | Ruby master | Feature | Feedback | Feature request: support for (single) statement lambda syntax/definition | matz (Yukihiko Matsumoto) | 01/11/2014 11:36 AM |
| 8172 | Ruby master | Feature | Feedback | IndexError-returning counterparts to destructive Array methods | | 12/30/2019 07:19 PM |
| 8184 | Ruby master | Feature | Open | Avoid the creation of meaningless ranges (nil, false, true) | | 03/29/2013 11:16 PM |
| 8185 | Ruby master | Bug | Open | Thread/fork issue | | 12/30/2019 03:00 AM |
| 8206 | Ruby master | Feature | Open | Should Ruby core implement String#blank? | | 04/28/2016 02:05 PM |
| 8223 | Ruby master | Feature | Open | Make Matrix more omnivorous. | marcandre (Marc-Andre Lafortune) | 04/09/2013 03:42 AM |
| 8229 | Ruby master | Feature | Open | extend Hash.include? | matz (Yukihiko Matsumoto) | 12/10/2020 08:53 AM |
| 8232 | Ruby master | Feature | Open | Rudiments of abstract algebra in Ruby | matz (Yukihiko Matsumoto) | 04/09/2013 01:47 AM |
| 8258 | CommonRuby | Feature | Feedback | Dir#escape_glob | | 11/24/2018 04:02 PM |
| 8259 | CommonRuby | Feature | Open | Atomic attributes accessors | | 01/26/2016 11:56 AM |
| 8263 | CommonRuby | Feature | Assigned | Support discovering yield state of individual Fibers | ko1 (Koichi Sasada) | 02/08/2018 10:01 AM |
| 8269 | Ruby master | Feature | Feedback | stdlib: Add Find.each_file to accompany Find.find | | 06/02/2013 03:53 PM |
| 8270 | Ruby master | Feature | Open | Ruby should build without thread support (aka minix) | nobu (Nobuyoshi Nakada) | 12/10/2020 08:53 AM |
| 8271 | CommonRuby | Feature | Assigned | Proposal for moving to a more visible, formal process for feature requests | matz (Yukihiko Matsumoto) | 04/03/2019 05:22 AM |
| 8272 | CommonRuby | Feature | Open | Transfer feature tracking to CommonRuby | | 04/16/2013 05:45 AM |
| 8275 | CommonRuby | Feature | Open | Add Module#public_const_get | | 04/17/2013 03:12 AM |
| 8291 | CommonRuby | Feature | Open | Allow retrieving the root Fiber of a Thread | | 04/28/2013 08:53 PM |
| 8295 | Ruby master | Feature | Assigned | Float Rational BigDecimal | mrkn (Kenta Murata) | 12/25/2017 06:15 PM |
| 8299 | Ruby master | Bug | Assigned | Minor error in float parsing | nobu (Nobuyoshi Nakada) | 12/30/2019 03:00 AM |
| 8321 | Ruby master | Feature | Open | Ripper: I would like coordinates for keywords | | 05/10/2013 07:01 PM |
| 8365 | Ruby master | Feature | Feedback | Make variables objects | matz (Yukihiko Matsumoto) | 08/19/2016 07:21 PM |
| 8366 | Ruby master | Feature | Open | Exception.message take time to execute depending on the instance variables | | 09/22/2014 06:41 AM |
| 8371 | Ruby master | Feature | Feedback | Make some enumerators mimic arrays | matz (Yukihiko Matsumoto) | 06/02/2013 04:11 PM |
| 8396 | Ruby master | Feature | Feedback | Allow easier destructuring of MatchData | | 06/02/2013 04:53 PM |
| 8404 | Ruby master | Feature | Open | virtual, hooked or read only global variabls for ruby only code too | | 05/14/2013 09:19 PM |
| 8421 | Ruby master | Feature | Feedback | add Enumerable#find_map and Enumerable#find_all_map | | 11/29/2020 11:40 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|------|-------------|---------|----------|---|---------------------------|---------------------|
| 8422 | Ruby master | Feature | Feedback | add Enumerable#reverse_sort and Enumerable#reverse_sort_by | | 06/14/2013 03:19 AM |
| 8437 | Ruby master | Feature | Open | custom operators, unicode | | 08/30/2015 03:05 AM |
| 8444 | Ruby master | Bug | Open | Regexp vars \$~ and friends are not thread local | ko1 (Koichi Sasada) | 07/30/2019 07:38 AM |
| 8445 | Ruby master | Bug | Assigned | IO.open and IO#set_encoding does not support :fallback option | akr (Akira Tanaka) | 01/05/2018 09:00 PM |
| 8449 | Ruby master | Feature | Open | Array#ary_plus always returns an array | nobu (Nobuyoshi Nakada) | 06/02/2013 04:23 PM |
| 8452 | Ruby master | Feature | Open | Kernel#otherwise to rewrite code like (obj default_obj).do_smth | | 05/26/2013 08:41 PM |
| 8460 | Ruby master | Feature | Assigned | PATCH: optparse: add keep_unknown option | nobu (Nobuyoshi Nakada) | 05/27/2021 10:07 PM |
| 8478 | Ruby master | Feature | Open | The hash returned by Enumerable#group_by should have an empty array for its default value | matz (Yukihiko Matsumoto) | 06/04/2013 03:56 PM |
| 8494 | Ruby master | Feature | Open | Safe method for defensive copies. alternative to 'dup' | | 06/05/2013 04:26 PM |
| 8506 | Ruby master | Feature | Open | Object#iter_for / Object#to_iter | | 06/10/2013 05:21 PM |
| 8515 | Ruby master | Feature | Feedback | don't allow irb to dump output for forever and ever | | 08/15/2014 09:20 PM |
| 8520 | Ruby master | Feature | Feedback | Distinct to_s methods for Array, Hash... | matz (Yukihiko Matsumoto) | 06/14/2013 12:37 AM |
| 8536 | Ruby master | Feature | Assigned | Implement is_numeric? family of methods | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 8544 | Ruby master | Feature | Open | OpenURI should open 'file:/' URIs | | 12/12/2015 04:30 PM |
| 8564 | Ruby master | Feature | Open | Extend Module#attr... methods | | 02/05/2015 07:39 PM |
| 8566 | Ruby master | Feature | Open | [PATCH] Allow to configure additional preludes | | 12/10/2014 01:13 PM |
| 8570 | CommonRuby | Feature | Open | Better mechanisms to safely load classes concurrently | | 09/27/2013 07:58 PM |
| 8573 | Ruby master | Feature | Feedback | Add String#format method(not an alias of String#%) | | 04/18/2018 09:59 AM |
| 8576 | Ruby master | Feature | Assigned | Add optimized method type for constant value methods | ko1 (Koichi Sasada) | 12/25/2017 06:15 PM |
| 8598 | Ruby master | Feature | Open | Expose information whether a timezone offset has been explicitly set on DateTime object | | 07/03/2013 08:27 PM |
| 8601 | Ruby master | Feature | Assigned | Win32API.rb long life plan | cruby-windows | 01/05/2018 09:00 PM |
| 8614 | Ruby master | Feature | Open | Object#singleton_class with a block | | 07/12/2013 10:14 AM |
| 8619 | CommonRuby | Feature | Open | Standard Profiling API | | 07/11/2013 05:53 PM |
| 8626 | CommonRuby | Feature | Open | Add a Set coercion method to the standard lib: Set(possible_set) | | 11/07/2013 02:36 AM |
| 8635 | CommonRuby | Feature | Open | attr_accessor with default block | | 07/23/2013 06:01 AM |
| 8640 | CommonRuby | Feature | Open | Add Time#elapsed to return nanoseconds since creation | | 07/22/2013 05:55 PM |
| 8663 | Ruby master | Feature | Open | Officialy alias ArgumentError to ArgError | matz (Yukihiko Matsumoto) | 08/09/2013 07:42 PM |
| 8677 | Ruby master | Bug | Open | \$LOAD_PATH did not encoded into the "internal encoding" | | 12/30/2019 03:00 AM |
| 8678 | Ruby master | Feature | Assigned | Allow invalid string to work with regexp | matz (Yukihiko Matsumoto) | 01/05/2018 09:00 PM |
| 8681 | CommonRuby | Feature | Open | Net::HTTP should set TCP_NODELAY for requests with body | | 07/25/2013 03:40 AM |
| 8688 | Ruby master | Feature | Open | #sprintf should accept strings as keys | | 07/26/2013 02:33 AM |
| 8707 | Ruby master | Feature | Feedback | Hash#reverse_each | matz (Yukihiko Matsumoto) | 01/05/2018 09:00 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|------|-------------|---------|----------|--|---------------------------|---------------------|
| 8714 | Ruby master | Feature | Open | Non-interpolated regular expression literal | | 08/02/2013 08:00 PM |
| 8725 | Ruby master | Feature | Feedback | Possibility to get a signal handler without changing it | ko1 (Koichi Sasada) | 12/25/2017 06:15 PM |
| 8751 | CommonRuby | Feature | Open | Add offsets to method#source_location | | 08/19/2013 10:34 AM |
| 8765 | Ruby master | Feature | Feedback | Literal for symbol with interpolation | | 08/19/2013 10:20 PM |
| 8772 | Ruby master | Feature | Open | Hash alias # merge, and the case for Hash and Array polymorphism | | 12/25/2017 06:15 PM |
| 8782 | Ruby master | Bug | Assigned | Don't set rl_getc_function on editline | kouji (Kouji Takao) | 01/05/2018 09:00 PM |
| 8786 | Ruby master | Feature | Open | Process.clock_gettime(:realtime) | | 08/15/2013 10:33 PM |
| 8788 | Ruby master | Feature | Feedback | use eventfd on newer Linux instead of pipe for timer thread | | 12/25/2017 06:15 PM |
| 8804 | Ruby master | Feature | Open | ONCE syntax | matz (Yukihiko Matsumoto) | 01/04/2020 08:26 PM |
| 8807 | Ruby master | Feature | Open | Custom literals | | 12/10/2020 08:53 AM |
| 8811 | Ruby master | Feature | Feedback | Counterpart to `Hash#key?` for `Array` | | 09/04/2013 02:12 AM |
| 8826 | Ruby master | Bug | Assigned | BigDecimal#div and #quo different behavior and inconsistencies | mrkn (Kenta Murata) | 05/20/2018 06:55 PM |
| 8827 | Ruby master | Feature | Open | A method that flips the receiver and the first argument | | 08/29/2013 05:59 AM |
| 8833 | Ruby master | Feature | Feedback | [PATCH] IPAddr#pred | knu (Akinori MUSA) | 10/21/2017 05:15 PM |
| 8834 | Ruby master | Feature | Open | Kernel#load_relative | | 04/18/2019 11:41 PM |
| 8839 | Ruby master | Feature | Assigned | Class and module should return the class or module that was opened | matz (Yukihiko Matsumoto) | 12/28/2015 08:36 AM |
| 8848 | CommonRuby | Feature | Open | Syntax for binary strings | | 10/28/2014 08:33 AM |
| 8850 | Ruby master | Feature | Assigned | Convert Rational to decimal string | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 8853 | Ruby master | Feature | Open | Should String#sub(pattern) returns an Enumerator? | | 07/13/2019 12:32 AM |
| 8862 | Ruby master | Feature | Open | getoptlong to accept user-provided commandline | | 09/04/2013 09:53 PM |
| 8863 | Ruby master | Feature | Feedback | New error class: UndefinedBehaviorError | | 01/11/2014 11:09 AM |
| 8896 | CommonRuby | Feature | Open | #tap with missing block | | 12/15/2018 09:48 PM |
| 8912 | Ruby master | Feature | Feedback | Exception.raise | | 09/16/2013 06:23 AM |
| 8921 | Ruby master | Feature | Open | Allow select, reject, etc to accept a regex | | 04/04/2020 05:57 AM |
| 8947 | CommonRuby | Feature | Open | make alias, alias_method, attr_* return name of the alias | | 09/24/2013 09:34 PM |
| 8948 | Ruby master | Feature | Assigned | Frozen regex | matz (Yukihiko Matsumoto) | 12/20/2020 07:15 PM |
| 8959 | Ruby master | Feature | Assigned | Allow top level prepend | nobu (Nobuyoshi Nakada) | 10/16/2013 03:22 AM |
| 8960 | Ruby master | Feature | Assigned | Add Exception#backtrace_locations | ko1 (Koichi Sasada) | 11/25/2016 02:15 PM |
| 8961 | CommonRuby | Feature | Open | Synchronizable module to easily wrap methods in a mutex | | 10/03/2013 06:52 AM |
| 8967 | Ruby master | Feature | Open | add uninclude and unextend method | | 09/30/2013 02:18 PM |
| 8970 | Ruby master | Feature | Open | Array.zip and Array.product | | 09/12/2019 03:40 AM |
| 8973 | Ruby master | Bug | Open | Allow to configure archlibdir for multiarch | nobu (Nobuyoshi Nakada) | 12/30/2019 03:00 AM |
| 8981 | Ruby master | Feature | Feedback | Suggestion for CreateProcess flags with rubyw on windows | cruby-windows | 01/05/2018 09:00 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|------|-------------|---------|----------|---|----------------------------------|---------------------|
| 8987 | Ruby master | Feature | Open | map/collect extension which handles arguments | | 01/05/2018 09:00 PM |
| 8994 | Ruby master | Feature | Open | add methods for Float to get if an NaN is quiet or not, also add class methods for Float to "generate" an quiet NaN and an loud NaN | | 10/21/2019 10:38 PM |
| 9010 | Ruby master | Bug | Assigned | ./configure --prefix= cannot handle directories with spaces | nobu (Nobuyoshi Nakada) | 04/26/2021 10:38 PM |
| 9020 | Ruby master | Feature | Assigned | Net::HTTPResponse predicate/query methods | naruse (Yui NARUSE) | 12/25/2017 06:15 PM |
| 9023 | CommonRuby | Feature | Assigned | Array#tail | matz (Yukihiko Matsumoto) | 07/26/2016 02:06 PM |
| 9043 | Ruby master | Feature | Open | Add String#f method as shortcut for #freeze | matz (Yukihiko Matsumoto) | 01/05/2018 09:00 PM |
| 9045 | Ruby master | Feature | Assigned | URI#%D/% | akira (akira yamada) | 03/04/2021 10:19 PM |
| 9049 | Ruby master | Feature | Open | Shorthands (a.b, *) for inclusive indexing | | 03/15/2018 12:26 AM |
| 9064 | Ruby master | Feature | Feedback | Add support for packages, like in Java | matz (Yukihiko Matsumoto) | 07/29/2014 02:07 AM |
| 9070 | Ruby master | Feature | Open | Introduce `---` as synonym of `end` keyword | matz (Yukihiko Matsumoto) | 11/02/2013 03:23 AM |
| 9076 | Ruby master | Feature | Feedback | New one-argument block syntax: &. | | 12/10/2020 08:53 AM |
| 9095 | Ruby master | Feature | Open | Allow `Symbol#to_proc` to take arguments | | 11/10/2013 04:25 AM |
| 9099 | Ruby master | Feature | Feedback | Train emoji lambda operator | | 11/24/2013 01:48 AM |
| 9111 | Ruby master | Feature | Open | Encoding-free String comparison | | 11/21/2013 04:35 PM |
| 9115 | Ruby master | Bug | Assigned | Logger traps all exceptions; breaks Timeout | sonots (Naotoshi Seo) | 08/20/2019 12:47 PM |
| 9116 | Ruby master | Feature | Open | String#rsplit missing | | 04/27/2017 10:00 AM |
| 9123 | Ruby master | Feature | Open | Make Numeric#nonzero? behavior consistent with Numeric#zero? | matz (Yukihiko Matsumoto) | 06/11/2019 12:55 PM |
| 9136 | Ruby master | Misc | Assigned | Deprecated Enumerator.new(object, method) bad for BasicObject | zzak (Zachary Scott) | 11/23/2013 03:58 AM |
| 9145 | Ruby master | Feature | Open | Queue#pop(true) return nil if empty instead of raising ThreadError | | 01/01/2018 07:41 PM |
| 9174 | Ruby master | Feature | Open | value receiving block for Hash#has_key? | | 11/29/2013 06:33 AM |
| 9185 | Ruby master | Feature | Open | Add alias_class_method or class_alias functionality | | 01/05/2018 09:00 PM |
| 9189 | Ruby master | Bug | Assigned | Build failure on Windows in case of nonascii TEMP environment. | | 01/05/2018 09:00 PM |
| 9208 | Ruby master | Bug | Assigned | Win32 ANSI color no longer works since revision 43331 | nobu (Nobuyoshi Nakada) | 12/30/2019 03:00 AM |
| 9235 | Ruby master | Feature | Assigned | Documentation for commercial support | zzak (Zachary Scott) | 08/10/2019 02:55 PM |
| 9253 | Ruby master | Feature | Open | Regexp named match and case statement | | 01/05/2018 09:00 PM |
| 9260 | Ruby master | Feature | Open | make FileUtils.rm_rf raise on errors | | 12/19/2013 12:27 AM |
| 9347 | Ruby master | Feature | Open | Accept non callable argument to detect | marcandre (Marc-Andre Lafortune) | 01/05/2018 09:00 PM |
| 9355 | Ruby master | Feature | Open | Re: Rename method_id to method_name in TracePoint class | | 07/12/2019 03:45 AM |
| 9366 | Ruby master | Bug | Assigned | "make -j32 check TESTS=-j32" occasionally fails on rubygems/specification | hsbt (Hiroshi SHIBATA) | 07/26/2018 02:13 AM |
| 9400 | Ruby master | Feature | Open | Respect constant lookup when using `raise` | | 07/12/2019 03:36 AM |
| 9401 | CommonRuby | Feature | Open | Yet another syntax for literal anonymous functions (lambdas) | | 01/13/2014 09:14 AM |
| 9402 | CommonRuby | Feature | Open | A syntax to specify the default value of a hash | | 01/12/2014 01:00 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|------|-------------|---------|----------|---|----------------------------------|---------------------|
| 9409 | Ruby master | Bug | Open | Cygwin "filesystem" encoding | | 12/30/2019 03:00 AM |
| 9414 | Ruby master | Bug | Feedback | strftime returns incorrectly encoded string | nobu (Nobuyoshi Nakada) | 01/05/2018 09:00 PM |
| 9431 | Ruby master | Bug | Open | In windows ruby IO.write returns count of bytes without count of CR character | | 12/30/2019 03:00 AM |
| 9435 | Ruby master | Bug | Open | Kernel.system problem | | 12/30/2019 03:00 AM |
| 9445 | Ruby master | Feature | Open | Support emitting 1.9 Symbol keyword Hash syntax when pretty printing Hashes | | 01/24/2014 06:01 AM |
| 9507 | Ruby master | Bug | Open | Ruby 2.1.0 is broken on ARMv5: tried to create Proc object without a block | charliesome (Charlie Somerville) | 01/05/2018 09:00 PM |
| 9515 | Ruby master | Feature | Open | `IO.each` and `CSV.each` | | 01/04/2020 05:41 PM |
| 9516 | Ruby master | Misc | Open | Consolidate all deprecation messages to one or more helper methods | | 02/13/2014 05:11 PM |
| 9522 | Ruby master | Feature | Open | Float("NaN"), Float("Infinity") | | 02/16/2014 05:36 AM |
| 9527 | Ruby master | Feature | Open | make Net::HTTP.get_print not only to \$stdout but to an IO as a parameter | | 02/23/2014 06:04 AM |
| 9548 | Ruby master | Feature | Feedback | Module curry | | 03/11/2014 02:00 PM |
| 9552 | Ruby master | Feature | Feedback | Module map! | | 03/09/2014 05:51 AM |
| 9553 | Ruby master | Feature | Open | Make argument validation routine of a method an object | | 02/22/2014 07:58 AM |
| 9556 | Ruby master | Feature | Open | Add HTTP#get block functionality to HTTP.get | | 02/23/2014 05:53 AM |
| 9557 | Ruby master | Feature | Open | Enumerator#next and Enumerator#peek with argument | | 04/11/2014 07:00 PM |
| 9585 | Ruby master | Feature | Open | Add Object#in? to make ruby easier to read | | 03/15/2014 04:49 PM |
| 9590 | Ruby master | Feature | Open | introduce st_foreach_update and st_foreach_update_check for performance. | tarui (Masaya Tarui) | 01/05/2018 09:00 PM |
| 9602 | Ruby master | Feature | Feedback | Logic with `Enumerable#grep` | matz (Yukihiko Matsumoto) | 12/01/2019 05:23 PM |
| 9613 | Ruby master | Feature | Open | Warn about unsafe openssl ciphers | openssl | 09/13/2015 03:27 AM |
| 9614 | Ruby master | Feature | Open | ordering of non-Hash items which use st_internally | matz (Yukihiko Matsumoto) | 01/05/2018 09:00 PM |
| 9667 | Ruby master | Feature | Open | Optimization of __FILE__ and __dir__ | | 03/25/2014 04:48 AM |
| 9673 | Ruby master | Feature | Open | pie configure disable | nobu (Nobuyoshi Nakada) | 01/05/2018 09:00 PM |
| 9678 | CommonRuby | Feature | Feedback | New heredoc syntax | | 04/04/2014 08:16 PM |
| 9686 | CommonRuby | Feature | Open | Syntax for symbols used in hashes | | 02/08/2018 10:01 AM |
| 9704 | Ruby master | Feature | Open | Refinements as files instead of modules | matz (Yukihiko Matsumoto) | 10/11/2016 06:36 PM |
| 9713 | Ruby master | Feature | Feedback | __FILE__ return unexpected encoding - breaks Dir.glob | cruby-windows | 12/10/2020 09:13 AM |
| 9724 | Ruby master | Misc | Open | Warnings in Ruby: allow per-file directives to i.e. suppress warnings | | 04/10/2014 06:21 PM |
| 9725 | Ruby master | Feature | Open | Do not inspect NameError target object unless verbose | | 05/08/2015 02:18 AM |
| 9755 | Ruby master | Feature | Assigned | Thread::Backtrace::Location#defined_class | ko1 (Koichi Sasada) | 04/18/2014 09:22 AM |
| 9760 | Ruby master | Bug | Open | mkmf does not allow for linking against custom libraries when a system library is present | | 05/24/2016 08:11 AM |
| 9768 | Ruby master | Feature | Assigned | Method that is visible only within a certain module/class | matz (Yukihiko Matsumoto) | 04/25/2014 06:43 AM |
| 9777 | Ruby master | Feature | Feedback | Feature Proposal: Proc#to_lambda | | 01/05/2018 09:00 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|----------|--|---------------------------|---------------------|
| 9779 | Ruby master | Feature | Open | Add Module#descendents | | 01/05/2018 09:00 PM |
| 9784 | Ruby master | Feature | Open | Alias URI#merge to URI#join | | 04/29/2014 05:42 AM |
| 9804 | CommonRuby | Feature | Open | File::CREATE as a synonym for File::CREAT | | 05/05/2014 08:43 PM |
| 9806 | Ruby master | Bug | Open | URI#encode doesn't encode characters '[' and ']'. They should be encoded as %5B and %5D respectively. | | 12/30/2019 03:00 AM |
| 9807 | Ruby master | Feature | Open | String.new with block | | 05/07/2014 05:54 AM |
| 9816 | Ruby master | Feature | Assigned | XXXXXXXXXXXXXXXXXXXXXXXXXXXX | matz (Yukihiro Matsumoto) | 10/28/2014 08:29 AM |
| 9830 | Ruby master | Feature | Assigned | Support for GOST private/public keys | openssl | 09/13/2015 03:10 AM |
| 9832 | Ruby master | Misc | Open | better concurrency in threads | | 05/12/2014 12:33 PM |
| 9853 | Ruby master | Feature | Open | Please consider quoted generation of hash like in %h(foo bar bee blaa) | | 05/19/2014 04:43 PM |
| 9871 | Ruby master | Feature | Open | load a ruby library which doesn't have extension | | 05/28/2014 10:07 AM |
| 9887 | Ruby master | Feature | Open | Add uninclude please | | 05/31/2014 01:33 PM |
| 9909 | Ruby master | Feature | Open | why shouldn't constant lookup check the nesting of module's name | | 06/07/2014 02:18 AM |
| 9918 | Ruby master | Feature | Open | Exception#cause should be shown in output and #inspect | | 07/13/2015 02:32 PM |
| 9921 | Ruby master | Bug | Open | gmtime_r, win32.h, and <string> | | 12/30/2019 03:00 AM |
| 9929 | Ruby master | Feature | Open | add with_default method to Hash | | 06/11/2014 12:08 AM |
| 9941 | CommonRuby | Feature | Open | Issue a warning when `module` or `class` keyword causes re-initialization of a constant that will become the module/class name, instead of creating/reopening the module/class | | 06/13/2014 03:27 PM |
| 9944 | Ruby master | Bug | Assigned | in ruby for windows in "system" a redirection to append a file works incorrectly | cruby-windows | 01/05/2018 09:00 PM |
| 9947 | CommonRuby | Feature | Open | Make `Object#send` and `Object#method` private | | 06/16/2014 02:19 PM |
| 9953 | Ruby master | Feature | Open | set_trace_func values which could be frozen or symbols | | 06/19/2014 10:44 PM |
| 9955 | Ruby master | Bug | Assigned | issue building dll on mingw, library not found | nobu (Nobuyoshi Nakada) | 01/05/2018 09:00 PM |
| 9960 | Ruby master | Feature | Feedback | Add support for GNU --long options | | 06/21/2014 02:06 AM |
| 9963 | Ruby master | Feature | Feedback | Symbol.count | | 07/11/2014 06:50 AM |
| 9992 | Ruby master | Feature | Open | Access Modifiers (Internal Interfaces) | | 12/18/2017 03:04 PM |
| 10000 | Ruby master | Feature | Open | format width and precision with symbol hash | | 07/01/2014 01:25 AM |
| 10009 | Ruby master | Bug | Open | IO operation is 10x slower in multi-thread environment | ko1 (Koichi Sasada) | 05/21/2015 07:19 AM |
| 10018 | Ruby master | Feature | Feedback | Consider adding Sub-Includes as in include Foo::bar | | 07/10/2014 12:49 AM |
| 10038 | Ruby master | Feature | Assigned | Extend ObjectSpace.dump to expose buffer addresses for String and Array | tmm1 (Aman Gupta) | 01/05/2018 09:01 PM |
| 10040 | Ruby master | Feature | Feedback | `%d` and `%t` shorthands for `Date.new(*args)` and `Time.new(*args)` | | 07/21/2014 03:42 AM |
| 10042 | Ruby master | Feature | Feedback | Deprecate postfix rescue syntax for removal in 3.0 | matz (Yukihiro Matsumoto) | 12/10/2020 08:53 AM |
| 10047 | Ruby master | Feature | Feedback | Proposal for failesafe requires | | 07/17/2014 10:35 PM |
| 10051 | Ruby master | Feature | Open | nbsp isn't remove with trim | | 07/17/2014 08:02 AM |
| 10059 | Ruby master | Feature | Feedback | [PATCH and SUGGEST] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX | | 09/16/2014 11:54 AM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|----------|---|---------------------------|---------------------|
| 10064 | Ruby master | Feature | Feedback | &:symbol in when clause | matz (Yukihiro Matsumoto) | 01/05/2018 09:01 PM |
| 10065 | Ruby master | Feature | Feedback | Make `gem env` command output valid YAML | drbrain (Eric Hodel) | 07/20/2014 10:54 PM |
| 10108 | Ruby master | Feature | Feedback | NameError#name and nested constants | | 08/10/2014 04:37 AM |
| 10128 | Ruby master | Bug | Open | Quoting problem for arguments of Kernel.system, Kernel.exec on Windows | cruby-windows | 12/30/2019 03:00 AM |
| 10129 | Ruby master | Feature | Assigned | More descriptive error message for failed net/http requests | akr (Akira Tanaka) | 01/05/2018 09:01 PM |
| 10131 | Ruby master | Feature | Feedback | Greatest multiple of r not greater than x | | 08/14/2014 07:23 AM |
| 10152 | Ruby master | Feature | Open | String#strip doesn't remove non-breaking space | | 04/12/2015 07:36 PM |
| 10168 | Ruby master | Feature | Open | Native Object#inspect method should single quote strings that don't need to be double quoted | | 01/01/2016 08:27 PM |
| 10175 | Ruby master | Feature | Open | There's no reason to prefer Proc.new over Kernel#proc anymore | | 11/10/2014 11:07 PM |
| 10176 | Ruby master | Feature | Open | Document how to perform net/http calls in parallel | | 08/27/2014 10:46 PM |
| 10177 | Ruby master | Feature | Open | Hash#has_key? and Hash#has_value? should be deprecated | | 09/19/2014 06:01 PM |
| 10179 | Ruby master | Feature | Open | Net::HTTP::Get.new("https://google.com").basic_auth(user_name, password) should throw exception stating the need to set use_ssl to true | | 09/13/2015 03:25 AM |
| 10181 | Ruby master | Feature | Open | New method File.openat() | | 10/22/2015 12:12 PM |
| 10183 | Ruby master | Feature | Open | An alternative name for method `class` | | 10/31/2017 11:42 AM |
| 10211 | Ruby master | Feature | Feedback | Implement Signal.current_trap(sig) | | 08/09/2015 01:00 PM |
| 10213 | Ruby master | Bug | Assigned | bundled gems ignored by make install | hsbt (Hiroshi SHIBATA) | 12/30/2019 03:00 AM |
| 10215 | Ruby master | Feature | Open | prohibit subclassing for classes without allocator in Ruby | | 09/08/2014 07:29 AM |
| 10217 | CommonRuby | Feature | Open | Dir constructor similar to Pathname constructor | | 07/09/2015 05:12 AM |
| 10225 | Ruby master | Feature | Open | [PATCH] *math.c: New method Math.normcdf | | 01/05/2018 09:01 PM |
| 10228 | Ruby master | Feature | Feedback | Statistics module | | 11/10/2014 11:01 PM |
| 10237 | Ruby master | Feature | Open | Transform all elements of one Encoding into another Encoding for Array and Hash | | 01/05/2018 09:01 PM |
| 10238 | Ruby master | Feature | Open | todo: remove dependency on malloc_usable_size | ko1 (Koichi Sasada) | 12/10/2020 09:20 AM |
| 10251 | Ruby master | Feature | Open | URI: Support wildcards (globbing) in no_proxy | | 12/16/2015 05:22 AM |
| 10254 | Ruby master | Feature | Feedback | Array#each and Array#map for nested arrays | | 09/19/2014 07:38 PM |
| 10255 | Ruby master | Feature | Open | Math.log: check domain of base argument | | 01/27/2015 02:32 AM |
| 10270 | Ruby master | Feature | Feedback | Hash#insert | | 09/21/2014 01:01 PM |
| 10273 | CommonRuby | Feature | Open | Immutable Ruby | | 07/27/2016 07:17 PM |
| 10287 | Ruby master | Feature | Open | rename COLON3 to COLON2_HEAD. | matz (Yukihiro Matsumoto) | 07/27/2021 09:34 AM |
| 10305 | Ruby master | Feature | Open | Method for resolving all autoload statements / Add warning on autoload when used with chroot | | 09/29/2014 02:05 PM |
| 10308 | Ruby master | Feature | Open | Pipes in Ruby | | 09/30/2014 11:21 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|----------|---|---------------------------|---------------------|
| 10312 | Ruby master | Misc | Open | Give people more control over how the ruby parser sees code and lexical code elements (valid/invalid - toggle options) + macros | | 01/20/2016 05:14 PM |
| 10318 | Ruby master | Feature | Open | [PATCH 0/n] Let underscore be positionally matched arg to omit binding obvious variable. | | 12/10/2020 08:53 AM |
| 10320 | Ruby master | Feature | Open | require into module | | 06/10/2021 08:15 AM |
| 10327 | Ruby master | Feature | Open | Bool/False/True module for '===' | | 10/15/2014 02:42 PM |
| 10328 | Ruby master | Feature | Open | [PATCH] make OPT_SUPPORT_JOKE a proper VM option | normalperson (Eric Wong) | 01/05/2018 09:01 PM |
| 10331 | Ruby master | Feature | Open | String#to_r to recognize negative denominators | | 10/06/2014 02:44 PM |
| 10332 | Ruby master | Feature | Open | Rational literal for mixed fractions | | 10/06/2014 02:55 PM |
| 10343 | Ruby master | Feature | Open | Postfix notations for `when` and `else` inside `case` statement | | 10/08/2014 05:25 PM |
| 10351 | Ruby master | Feature | Feedback | [PATCH] prevent CVE-2014-6277 | | 01/05/2018 09:01 PM |
| 10355 | Ruby master | Feature | Feedback | Feature request: Module#prepend?(mod) | matz (Yukihiko Matsumoto) | 01/05/2018 09:01 PM |
| 10356 | Ruby master | Feature | Feedback | [PATCH 2/2] Remove unused internal functions | | 10/10/2014 05:24 AM |
| 10366 | Ruby master | Feature | Open | New inspection form for rational | | 10/11/2014 12:50 AM |
| 10370 | Ruby master | Feature | Open | [PATCH] We don't need to check whether rb_block_call exists | | 01/29/2019 06:46 PM |
| 10371 | CommonRuby | Feature | Open | Use Thread#handle_interrupt in MonitorMixin | | 07/09/2015 05:12 AM |
| 10378 | Ruby master | Feature | Open | [PATCH 0/3] It's better (1 + 0i).real? return true | | 01/05/2018 09:01 PM |
| 10381 | Ruby master | Feature | Feedback | Pathname#mkdir_p, Pathname#makedirs [] [] [] [] | akr (Akira Tanaka) | 10/15/2014 04:27 AM |
| 10386 | Ruby master | Feature | Open | [PATCH 3/3] There is little possibility of using m_sqrt at complex.c | | 11/10/2014 11:10 PM |
| 10391 | Ruby master | Feature | Open | Provide %eISO-8859-1'string \xAA literal' string literals with explicit encoding | | 10/28/2014 10:27 AM |
| 10394 | Ruby master | Feature | Feedback | An instance method on Enumerator that evaluates the block under with self being the block variable. | | 04/30/2019 11:58 AM |
| 10404 | Ruby master | Feature | Open | Allow individual finalizers to be removed with ObjectSpace.undefine_finalizer | matz (Yukihiko Matsumoto) | 10/20/2014 08:14 AM |
| 10416 | Ruby master | Bug | Open | Create mechanism for updating of Unicode data files downstreams when we want | nobu (Nobuyoshi Nakada) | 10/08/2021 06:40 AM |
| 10423 | Ruby master | Feature | Open | [PATCH] opt_str_lit*: avoid literal string allocations | ko1 (Koichi Sasada) | 01/05/2018 09:01 PM |
| 10424 | Ruby master | Misc | Open | Error message when sorting NaN | | 10/25/2014 02:13 PM |
| 10425 | Ruby master | Feature | Open | A predicate method to tell if a number is near another | | 10/26/2014 01:47 AM |
| 10426 | Ruby master | Feature | Open | A predicate to express congruence | | 11/14/2014 02:11 AM |
| 10436 | Ruby master | Bug | Open | ruby -c and ripper inconsistency: m(&nil) {} | | 08/27/2019 12:08 AM |
| 10455 | Ruby master | Feature | Open | [PATCH 0/n] Combine interface for creating new matrix | | 10/29/2014 10:17 PM |
| 10459 | Ruby master | Feature | Assigned | [PATCH] rfc3339 method for Time | akr (Akira Tanaka) | 05/21/2015 08:14 AM |
| 10473 | Ruby master | Feature | Open | Change Date#to_datetime to use local time | | 07/23/2021 07:08 PM |
| 10474 | Ruby master | Feature | Open | [PATCH 1/1] Refactoring math.c (Combined some macros into one macro) | | 11/10/2014 10:29 PM |
| 10477 | CommonRuby | Feature | Open | Implicit interfaces | | 07/09/2015 05:12 AM |
| 10481 | Ruby master | Feature | Assigned | Add "if" and "unless" clauses to rescue statements | matz (Yukihiko Matsumoto) | 01/18/2015 02:46 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|----------|---|---------------------------|---------------------|
| 10482 | Ruby master | Feature | Feedback | Allow ignored items to vary in `Enumerable#chunk`. | | 11/11/2014 10:08 AM |
| 10489 | Ruby master | Feature | Open | Add inherit method for clearer and multiple inheritance | matz (Yukihiko Matsumoto) | 12/10/2020 08:53 AM |
| 10498 | Ruby master | Feature | Open | Make `loop` yield a counter | matz (Yukihiko Matsumoto) | 01/05/2018 09:01 PM |
| 10503 | Ruby master | Feature | Open | introduce InvalidPercentEncoding error for failed URI parsing | | 01/05/2018 09:01 PM |
| 10505 | Ruby master | Feature | Open | [PATCH 2/n] 〇〇〇〇〇〇〇〇〇〇./Object#eq!? with block. (ja/en) | | 11/13/2014 05:52 PM |
| 10510 | Ruby master | Feature | Assigned | Remove REXML instead of patching it | kou (Kouhei Sutou) | 02/02/2015 09:15 AM |
| 10513 | Ruby master | Misc | Open | instance_eval yields the receiver, but is documented to yield no arguments | zzak (Zachary Scott) | 11/14/2014 10:29 PM |
| 10519 | Ruby master | Feature | Open | TLS Renegotiation | openssl | 09/13/2015 03:29 AM |
| 10528 | CommonRuby | Feature | Open | Allow line breaks instead of commas in arrays, hashes, argument lists, etc. | | 07/09/2015 05:11 AM |
| 10541 | Ruby master | Misc | Open | Remove shorthand string interpolation syntax | matz (Yukihiko Matsumoto) | 10/08/2015 05:44 PM |
| 10548 | Ruby master | Feature | Open | remove calcc (Calcc is now going obsoleted. Please use Fiber.) | | 12/31/2018 11:28 AM |
| 10549 | Ruby master | Feature | Open | Deprecate each_with_index and each_with_object in favor of with_index and with_object | matz (Yukihiko Matsumoto) | 07/27/2021 11:09 AM |
| 10552 | Ruby master | Feature | Open | [PATCH] Add Enumerable#frequencies and Enumerable#relative_frequencies | | 11/30/2014 11:56 AM |
| 10560 | Ruby master | Misc | Assigned | confusion between x=x+y, x+=y, x.concat(y) and y.each{ z x<<z} | zzak (Zachary Scott) | 01/05/2018 09:02 PM |
| 10561 | Ruby master | Feature | Open | Improve function of Thread::Backtrace::Location #path and #absolute_path | | 09/24/2020 09:39 AM |
| 10574 | Ruby master | Feature | Open | Add String#lchomp and String.lchomp! | matz (Yukihiko Matsumoto) | 12/15/2014 04:34 PM |
| 10580 | Ruby master | Bug | Open | TestProcess#test_deadlock_by_signal_at_forking fails on ARM | akr (Akira Tanaka) | 12/30/2019 03:00 AM |
| 10584 | Ruby master | Bug | Open | String.valid_encoding?, String.ascii_only? fails to account for BOM. | | 01/05/2018 09:01 PM |
| 10585 | Ruby master | Feature | Open | struct: speedup struct.attr = v for first 10 attributes and struct[:attr] for big structs | | 06/30/2015 08:18 PM |
| 10589 | Ruby master | Feature | Open | [TracePoint API] Make THREAD_{BEGIN, END} events return some context information | | 12/11/2014 04:27 PM |
| 10602 | Ruby master | Feature | Open | Support multithreaded profiling | | 07/09/2019 01:24 AM |
| 10628 | Ruby master | Misc | Open | Performance of URI module | naruse (Yui NARUSE) | 12/26/2014 04:08 PM |
| 10634 | CommonRuby | Feature | Open | Baselining with Benchmark | | 07/09/2015 05:11 AM |
| 10637 | Ruby master | Feature | Assigned | Puppet orchestration on vagrant fails with Error: Non-HTTP proxy URI | akr (Akira Tanaka) | 09/23/2020 10:23 PM |
| 10645 | Ruby master | Feature | Open | Consider adding support of .first to MatchData object like MatchData[0] | | 12/25/2014 06:50 AM |
| 10658 | Ruby master | Feature | Open | ThreadGroup local variables | | 01/28/2016 07:20 AM |

...