

Issues

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|------|-------------|---------|----------|---|------------------------------------|---------------------|
| 7981 | Ruby master | Feature | Open | ruby does not respect -- | | 02/28/2013 02:49 PM |
| 8083 | Ruby master | Feature | Assigned | Exit status is limited to one-byte values which is invalid for Windows | cruby-windows | 03/14/2013 08:26 PM |
| 8184 | Ruby master | Feature | Open | Avoid the creation of meaningless ranges (nil, false, true) | | 03/29/2013 11:16 PM |
| 8232 | Ruby master | Feature | Open | Rudiments of abstract algebra in Ruby | matz (Yukihiko Matsumoto) | 04/09/2013 01:47 AM |
| 8223 | Ruby master | Feature | Open | Make Matrix more omnivorous. | marcandre (Marc-Andre Lafortune) | 04/09/2013 03:42 AM |
| 8321 | Ruby master | Feature | Open | Ripper: I would like coordinates for keywords | | 05/10/2013 07:01 PM |
| 8404 | Ruby master | Feature | Open | virtual, hooked or read only global variabls for ruby only code too | | 05/14/2013 09:19 PM |
| 8452 | Ruby master | Feature | Open | Kernel#otherwise to rewrite code like (obj default_obj).do_somth | | 05/26/2013 08:41 PM |
| 8449 | Ruby master | Feature | Open | Array#ary_plus always returns an array | nobu (Nobuyoshi Nakada) | 06/02/2013 04:23 PM |
| 8478 | Ruby master | Feature | Open | The hash returned by Enumerable#group_by should have an empty array for its default value | matz (Yukihiko Matsumoto) | 06/04/2013 03:56 PM |
| 8494 | Ruby master | Feature | Open | Safe method for defensive copies. alternative to 'dup' | | 06/05/2013 04:26 PM |
| 8506 | Ruby master | Feature | Open | Object#iter_for / Object#to_iter | | 06/10/2013 05:21 PM |
| 8598 | Ruby master | Feature | Open | Expose information whether a timezone offset has been explicitly set on DateTime object | | 07/03/2013 08:27 PM |
| 8614 | Ruby master | Feature | Open | Object#singleton_class with a block | | 07/12/2013 10:14 AM |
| 8688 | Ruby master | Feature | Open | #sprintf should accept strings as keys | | 07/26/2013 02:33 AM |
| 8714 | Ruby master | Feature | Open | Non-interpolated regular expression literal | | 08/02/2013 08:00 PM |
| 8663 | Ruby master | Feature | Open | Officialy alias ArgumentError to ArgError | matz (Yukihiko Matsumoto) | 08/09/2013 07:42 PM |
| 7518 | Ruby master | Feature | Assigned | Fiddle::Pointer#to_str and Fiddle::Pointer#to_int should be removed | tenderlovemaking (Aaron Patterson) | 08/15/2013 04:56 AM |
| 8786 | Ruby master | Feature | Open | Process.clock_gettime(:realtime) | | 08/15/2013 10:33 PM |
| 8827 | Ruby master | Feature | Open | A method that flips the receiver and the first argument | | 08/29/2013 05:59 AM |
| 8862 | Ruby master | Feature | Open | getoptlong to accept user-provided commandline | | 09/04/2013 09:53 PM |
| 8967 | Ruby master | Feature | Open | add uninclude and unextend method | | 09/30/2013 02:18 PM |
| 8959 | Ruby master | Feature | Assigned | Allow top level prepend | nobu (Nobuyoshi Nakada) | 10/16/2013 03:22 AM |
| 9070 | Ruby master | Feature | Open | Introduce `---` as synonym of `end` keyword | matz (Yukihiko Matsumoto) | 11/02/2013 03:23 AM |
| 9095 | Ruby master | Feature | Open | Allow `Symbol#to_proc` to take arguments | | 11/10/2013 04:25 AM |
| 9111 | Ruby master | Feature | Open | Encoding-free String comparison | | 11/21/2013 04:35 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|----------|--|---------------------------|---------------------|
| 9136 | Ruby master | Misc | Assigned | Deprecated Enumerator.new(object, method) bad for BasicObject | zzak (Zachary Scott) | 11/23/2013 03:58 AM |
| 9174 | Ruby master | Feature | Open | value receiving block for Hash#has_key? | | 11/29/2013 06:33 AM |
| 9445 | Ruby master | Feature | Open | Support emitting 1.9 Symbol keyword Hash syntax when pretty printing Hashes | | 01/24/2014 06:01 AM |
| 9516 | Ruby master | Misc | Open | Consolidate all deprecation messages to one or more helper methods | | 02/13/2014 05:11 PM |
| 9522 | Ruby master | Feature | Open | Float("NaN"), Float("Infinity") | | 02/16/2014 05:36 AM |
| 9553 | Ruby master | Feature | Open | Make argument validation routine of a method an object | | 02/22/2014 07:58 AM |
| 9556 | Ruby master | Feature | Open | Add HTTP#get block functionality to HTTP.get | | 02/23/2014 05:53 AM |
| 9527 | Ruby master | Feature | Open | make Net::HTTP.get_print not only to \$stdout but to an IO as a parameter | | 02/23/2014 06:04 AM |
| 9585 | Ruby master | Feature | Open | Add Object#in? to make ruby easier to read | | 03/15/2014 04:49 PM |
| 9667 | Ruby master | Feature | Open | Optimization of __FILE__ and __dir__ | | 03/25/2014 04:48 AM |
| 9724 | Ruby master | Misc | Open | Warnings in Ruby: allow per-file directives to i.e. suppress warnings | | 04/10/2014 06:21 PM |
| 9557 | Ruby master | Feature | Open | Enumerator#next and Enumerator#peek with argument | | 04/11/2014 07:00 PM |
| 9755 | Ruby master | Feature | Assigned | Thread::Backtrace::Location#defined_class | ko1 (Koichi Sasada) | 04/18/2014 09:22 AM |
| 9768 | Ruby master | Feature | Assigned | Method that is visible only within a certain module/class | matz (Yukihiro Matsumoto) | 04/25/2014 06:43 AM |
| 9784 | Ruby master | Feature | Open | Alias URI#merge to URI#join | | 04/29/2014 05:42 AM |
| 9807 | Ruby master | Feature | Open | String.new with block | | 05/07/2014 05:54 AM |
| 9832 | Ruby master | Misc | Open | better concurrency in threads | | 05/12/2014 12:33 PM |
| 9853 | Ruby master | Feature | Open | Please consider quoted generation of hash like in %h(foo bar bee blaa) | | 05/19/2014 04:43 PM |
| 9871 | Ruby master | Feature | Open | load a ruby library which doesn't have extension | | 05/28/2014 10:07 AM |
| 9887 | Ruby master | Feature | Open | Add uninclude please | | 05/31/2014 01:33 PM |
| 9909 | Ruby master | Feature | Open | why shouldn't constant lookup check the nesting of module's name | | 06/07/2014 02:18 AM |
| 9929 | Ruby master | Feature | Open | add with_default method to Hash | | 06/11/2014 12:08 AM |
| 9953 | Ruby master | Feature | Open | set_trace_func values which could be frozen or symbols | | 06/19/2014 10:44 PM |
| 10000 | Ruby master | Feature | Open | format width and precision with symbol hash | | 07/01/2014 01:25 AM |
| 10051 | Ruby master | Feature | Open | nbsp isn't remove with trim | | 07/17/2014 08:02 AM |
| 10176 | Ruby master | Feature | Open | Document how to perform net/http calls in parallel | | 08/27/2014 10:46 PM |
| 10215 | Ruby master | Feature | Open | prohibit subclassing for classes without allocator in Ruby | | 09/08/2014 07:29 AM |
| 10177 | Ruby master | Feature | Open | Hash#has_key? and Hash#has_value? should be deprecated | | 09/19/2014 06:01 PM |
| 8366 | Ruby master | Feature | Open | Exception.message take time to execute depending on the instance variables | | 09/22/2014 06:41 AM |
| 10305 | Ruby master | Feature | Open | Method for resolving all autoload statements / Add warning on autoload when used with chroot | | 09/29/2014 02:05 PM |
| 10308 | Ruby master | Feature | Open | Pipes in Ruby | | 09/30/2014 11:21 PM |
| 10331 | Ruby master | Feature | Open | String#to_r to recognize negative denominators | | 10/06/2014 02:44 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|----------|--|---------------------------|---------------------|
| 10332 | Ruby master | Feature | Open | Rational literal for mixed fractions | | 10/06/2014 02:55 PM |
| 10343 | Ruby master | Feature | Open | Postfix notations for `when` and `else` inside `case` statement | | 10/08/2014 05:25 PM |
| 10366 | Ruby master | Feature | Open | New inspection form for rational | | 10/11/2014 12:50 AM |
| 10327 | Ruby master | Feature | Open | Bool/False/True module for '===' | | 10/15/2014 02:42 PM |
| 10404 | Ruby master | Feature | Open | Allow individual finalizers to be removed with ObjectSpace.undefine_finalizer | matz (Yukihiko Matsumoto) | 10/20/2014 08:14 AM |
| 10424 | Ruby master | Misc | Open | Error message when sorting NaN | | 10/25/2014 02:13 PM |
| 10425 | Ruby master | Feature | Open | A predicate method to tell if a number is near another | | 10/26/2014 01:47 AM |
| 9816 | Ruby master | Feature | Assigned | □□□□□□□□□□□□□□□□□□□□ | matz (Yukihiko Matsumoto) | 10/28/2014 08:29 AM |
| 10391 | Ruby master | Feature | Open | Provide %eISO-8859-1'string \xAA literal' string literals with explicit encoding | | 10/28/2014 10:27 AM |
| 10455 | Ruby master | Feature | Open | [PATCH 0/n] Combine interface for creating new matrix | | 10/29/2014 10:17 PM |
| 10474 | Ruby master | Feature | Open | [PATCH 1/1] Refactoring math.c (Combined some macros into one macro) | | 11/10/2014 10:29 PM |
| 10175 | Ruby master | Feature | Open | There's no reason to prefer Proc.new over Kernel#proc anymore | | 11/10/2014 11:07 PM |
| 10386 | Ruby master | Feature | Open | [PATCH 3/3] There is little possibility of using m_sqrt at complex.c | | 11/10/2014 11:10 PM |
| 10505 | Ruby master | Feature | Open | [PATCH 2/n] □□□□□□□□□□.Object#eq!? with block. (ja/en) | | 11/13/2014 05:52 PM |
| 10426 | Ruby master | Feature | Open | A predicate to express congruence | | 11/14/2014 02:11 AM |
| 10513 | Ruby master | Misc | Open | instance_eval yields the receiver, but is documented to yield no arguments | zzak (Zachary Scott) | 11/14/2014 10:29 PM |
| 10552 | Ruby master | Feature | Open | [PATCH] Add Enumerable#frequencies and Enumerable#relative_frequencies | | 11/30/2014 11:56 AM |
| 8566 | Ruby master | Feature | Open | [PATCH] Allow to configure additional preludes | | 12/10/2014 01:13 PM |
| 10589 | Ruby master | Feature | Open | [TracePoint API] Make THREAD_{BEGIN, END} events return some context information | | 12/11/2014 04:27 PM |
| 10574 | Ruby master | Feature | Open | Add String#lchomp and String.lchomp! | matz (Yukihiko Matsumoto) | 12/15/2014 04:34 PM |
| 10645 | Ruby master | Feature | Open | Consider adding support of .first to MatchData object like MatchData[0] | | 12/25/2014 06:50 AM |
| 10628 | Ruby master | Misc | Open | Peformance of URI module | naruse (Yui NARUSE) | 12/26/2014 04:08 PM |
| 10683 | Ruby master | Feature | Open | fix inconsistent behavior of Kernel.Hash() | | 01/02/2015 06:00 AM |
| 10663 | Ruby master | Feature | Open | Consider adding support for String input to File. methods | | 01/05/2015 12:47 AM |
| 10701 | Ruby master | Feature | Open | Class:Array 2 New methods | | 01/08/2015 07:21 AM |
| 10729 | Ruby master | Feature | Open | Array method to subtract in place | | 01/11/2015 02:29 PM |
| 10728 | Ruby master | Feature | Open | Warning for Fixnum#size to use RbConfig::SIZEOF["long"] | | 01/11/2015 04:23 PM |
| 10481 | Ruby master | Feature | Assigned | Add "if" and "unless" clauses to rescue statements | matz (Yukihiko Matsumoto) | 01/18/2015 02:46 PM |
| 10770 | Ruby master | Feature | Open | chr and ord behavior for ill-formed byte sequences and surrogate code points | | 01/22/2015 10:19 AM |
| 10255 | Ruby master | Feature | Open | Math.log: check domain of base argument | | 01/27/2015 02:32 AM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|----------|---|---------------------------|---------------------|
| 11323 | Ruby master | Feature | Open | Documentation update on how uniq works / guarantee of order | | 07/02/2015 03:34 AM |
| 9918 | Ruby master | Feature | Open | Exception#cause should be shown in output and #inspect | | 07/13/2015 02:32 PM |
| 11347 | Ruby master | Feature | Open | Errors with cause not reported properly to console | | 07/15/2015 04:39 PM |
| 11355 | Ruby master | Misc | Open | Exceptions inheriting from Timeout::Error should behave the same way | | 07/15/2015 04:59 PM |
| 10949 | Ruby master | Feature | Open | Time is WB unprotected | | 07/23/2015 05:55 PM |
| 11429 | Ruby master | Feature | Open | Local variable assignment via regex === | | 08/10/2015 11:26 PM |
| 11438 | Ruby master | Bug | Open | native_thread_init_stack() get machine.stack_start unequal to thread's stack start address, x86 win32 | cruby-windows | 08/13/2015 07:31 AM |
| 11390 | Ruby master | Feature | Open | Allow symbols starting with numbers | matz (Yukihiko Matsumoto) | 08/14/2015 05:23 AM |
| 11446 | Ruby master | Feature | Open | Possible work around for the requirement to supplying arguments like this: .map(&.method, <arguments>) | | 08/14/2015 04:40 PM |
| 11475 | Ruby master | Feature | Open | AST transforms | | 08/21/2015 11:14 AM |
| 8437 | Ruby master | Feature | Open | custom operators, unicode | | 08/30/2015 03:05 AM |
| 11507 | Ruby master | Feature | Open | Net::HTTP should use TCP_CORK or TCP_NOPUSH to avoid fragmenting packets | | 09/04/2015 09:47 AM |
| 9830 | Ruby master | Feature | Assigned | Support for GOST private/public keys | | 09/13/2015 03:10 AM |
| 6047 | Ruby master | Feature | Assigned | read_all: Grow buffer exponentially in generic case | | 09/13/2015 03:19 AM |
| 6133 | Ruby master | Feature | Assigned | SSLSocket#shutdown | | 09/13/2015 03:22 AM |
| 10179 | Ruby master | Feature | Open | Net::HTTP::Get.new("https://google.com").basic_auth(user_name, password) should throw exception stating the need to set use_ssl to true | | 09/13/2015 03:25 AM |
| 9613 | Ruby master | Feature | Open | Warn about unsafe openssl ciphers | | 09/13/2015 03:27 AM |
| 10519 | Ruby master | Feature | Open | TLS Renegotiation | | 09/13/2015 03:29 AM |
| 11518 | Ruby master | Feature | Open | Queue enhancement - promote! and promote_all! | matz (Yukihiko Matsumoto) | 09/17/2015 08:40 PM |
| 11517 | Ruby master | Feature | Open | Queue enhancement - conditional pop | matz (Yukihiko Matsumoto) | 09/17/2015 09:02 PM |
| 11514 | Ruby master | Bug | Open | AIX6.1 - Ruby 2.2.3 - Segmentation fault in :byteslice | | 09/18/2015 07:39 AM |
| 11570 | Ruby master | Misc | Open | Clarify autoload chaining behavior | | 10/06/2015 04:52 PM |
| 10541 | Ruby master | Misc | Open | Remove shorthand string interpolation syntax | matz (Yukihiko Matsumoto) | 10/08/2015 05:44 PM |
| 11577 | Ruby master | Feature | Open | Add encodeURIComponent compatible API for URI | | 10/09/2015 01:40 PM |
| 11583 | Ruby master | Feature | Open | Add File#unlink | | 10/12/2015 05:40 AM |
| 11582 | Ruby master | Bug | Open | On Solaris, Rational#** returns -Infinity for Rational(0) when passed a negative Float | | 10/13/2015 03:12 AM |
| 11597 | Ruby master | Feature | Open | Add Linux-specific setsuid(2)/setsgid(2) | | 10/15/2015 10:08 PM |
| 11415 | Ruby master | Feature | Open | autoload with a Proc | | 10/21/2015 08:38 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|----------|---|---------------------------|---------------------|
| 11295 | Ruby master | Misc | Open | Request for comments about error messages | | 10/22/2015 09:12 AM |
| 10181 | Ruby master | Feature | Open | New method File.openat() | | 10/22/2015 12:12 PM |
| 11629 | Ruby master | Feature | Open | Implement Enhanced Mail System Status Codes (rfc1893) | | 10/28/2015 10:38 AM |
| 11634 | Ruby master | Feature | Open | [PATCH] variable.c (rb_global_tbl): convert to id_table | | 10/29/2015 08:11 PM |
| 6769 | Ruby master | Feature | Assigned | rbinstall.rb: install both src and batch files separately | nobu (Nobuyoshi Nakada) | 10/30/2015 12:38 PM |
| 11670 | Ruby master | Feature | Open | Show warning to make nested def obsolete | nobu (Nobuyoshi Nakada) | 11/09/2015 07:40 AM |
| 10983 | Ruby master | Misc | Open | Why blocks make Ruby methods 439% slower ? | | 11/10/2015 06:21 AM |
| 11694 | Ruby master | Feature | Open | Numeric#nonpositive?, nonnegative? | | 11/16/2015 12:56 AM |
| 11700 | Ruby master | Feature | Open | positive flags for reverse lookup to socket | | 11/17/2015 02:48 AM |
| 11710 | Ruby master | Feature | Open | [PATCH] Replace Set#merge with Set#merge! and make Set#merge non-mutating. | knu (Akinori MUSHYA) | 11/18/2015 07:28 PM |
| 11723 | Ruby master | Feature | Open | CGI library should give access to raw request body | | 11/20/2015 07:06 PM |
| 11630 | Ruby master | Feature | Open | possibility to serialize Proc or Lambda | | 11/23/2015 01:34 PM |
| 11599 | Ruby master | Feature | Open | Dump entries of hash in ObjectSpace | tmm1 (Aman Karmani) | 11/24/2015 05:52 PM |
| 11588 | Ruby master | Feature | Open | Implement structured warnings | | 12/06/2015 08:48 PM |
| 11786 | Ruby master | Feature | Open | [PATCH] micro-optimize case dispatch even harder | | 12/09/2015 09:58 AM |
| 11781 | Ruby master | Feature | Open | Would it be possible to alias .prepend() towards .unshift() for class Array by default? | | 12/09/2015 12:46 PM |
| 11796 | Ruby master | Feature | Open | [PATCH] Refactor reduce call get_stat() | | 12/09/2015 02:33 PM |
| 11690 | Ruby master | Feature | Open | Update Hash during multiple assignment | | 12/10/2015 12:26 PM |
| 8544 | Ruby master | Feature | Open | OpenURI should open 'file://' URIs | | 12/12/2015 04:30 PM |
| 11817 | Ruby master | Feature | Open | map.parallel | | 12/15/2015 04:28 AM |
| 10251 | Ruby master | Feature | Open | URI: Support wildcards (globbing) in no_proxy | | 12/16/2015 05:22 AM |
| 8839 | Ruby master | Feature | Assigned | Class and module should return the class or module that was opened | matz (Yukihiro Matsumoto) | 12/28/2015 08:36 AM |
| 10168 | Ruby master | Feature | Open | Native Object#inspect method should single quote strings that don't need to be double quoted | | 01/01/2016 08:27 PM |
| 11939 | Ruby master | Feature | Open | Syntax sugar to apply a method replace a variable | | 01/04/2016 09:49 AM |
| 11987 | Ruby master | Feature | Open | daemons can't show the backtrace of rb_bug | | 01/13/2016 10:58 AM |
| 11550 | Ruby master | Feature | Open | Current behaviour of super(...) is dangerous in the presence of more than one included modules. | | 01/20/2016 08:44 AM |
| 10312 | Ruby master | Misc | Open | Give people more control over how the ruby parser sees code and lexical code elements (valid/invalid - toggle options) + macros | | 01/20/2016 05:14 PM |
| 12006 | Ruby master | Feature | Open | return IO object from IO#print, IO#puts, IO#close_read, IO#close_write,... | | 01/21/2016 12:42 PM |
| 11100 | Ruby master | Feature | Open | Permit multiple captures with String[Regexp, ...] | | 01/24/2016 08:42 AM |
| 12017 | Ruby master | Feature | Open | [PATCH] dedupe string keys from Marshal.load | | 01/25/2016 09:02 AM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|----------|--|---------------------------|---------------------|
| 11181 | Ruby master | Feature | Open | Add a line directive to Ruby | matz (Yukihiro Matsumoto) | 01/26/2016 02:04 AM |
| 12023 | Ruby master | Feature | Open | Allow ivars to be used as method arguments | | 01/27/2016 09:58 AM |
| 10658 | Ruby master | Feature | Open | ThreadGroup local variables | | 01/28/2016 07:20 AM |
| 11917 | Ruby master | Feature | Open | Add Range#length as an alias for size | | 01/30/2016 07:01 AM |
| 12040 | Ruby master | Bug | Assigned | [Win32] File.stat fails on a mounted volume | cruby-windows | 02/01/2016 08:13 AM |
| 12059 | Ruby master | Feature | Open | `Array#single?`, `Hash#single?` | | 02/10/2016 04:02 AM |
| 12041 | Ruby master | Feature | Open | Change the initializer of NameError to take a receiver as the third argument | | 02/12/2016 05:37 AM |
| 12064 | Ruby master | Feature | Open | Make creation of enc/unicode/casfold.h automatic again | nobu (Nobuyoshi Nakada) | 02/12/2016 06:13 AM |
| 10793 | Ruby master | Feature | Open | Infrastructure/Release-Management: Sign releases | | 02/12/2016 09:20 PM |
| 12034 | Ruby master | Feature | Open | RegExp does not respect file encoding directive | | 02/13/2016 06:41 PM |
| 12083 | Ruby master | Feature | Open | \$_ and \$~ by Binding#local_variable_{get,set} | | 02/18/2016 04:35 AM |
| 11361 | Ruby master | Feature | Open | proposal for easy method to nil-guard for generated variable name. | | 02/21/2016 12:01 PM |
| 12114 | Ruby master | Feature | Open | \$VERBOSE = true is being ignored | | 02/26/2016 02:00 PM |
| 12113 | Ruby master | Feature | Open | Global method inside Delegator causes NameError | | 03/01/2016 01:58 AM |
| 12110 | Ruby master | Feature | Open | Create a method to avoid vacuous truth? | | 03/12/2016 08:01 AM |
| 12165 | Ruby master | Feature | Open | Hash#first, Hash#last | | 03/12/2016 10:55 AM |
| 12141 | Ruby master | Feature | Open | send and __send__ | | 03/14/2016 01:32 AM |
| 12129 | Ruby master | Feature | Open | syntactic sugar for dynamic method dispatch `object_expression.method_name_expression(1, 2)` | | 03/14/2016 01:35 AM |
| 12134 | Ruby master | Feature | Open | Comparison between `true` and `false` | | 03/15/2016 12:41 PM |
| 12173 | Ruby master | Feature | Open | `Time#till_now` | | 03/16/2016 10:19 AM |
| 12094 | Ruby master | Feature | Open | parameterized property assignment: o.prop(arg) = 1 | | 03/17/2016 07:05 AM |
| 12116 | Ruby master | Feature | Open | `Fixnum#divmod`, `Bignum#divmod` with multiple arguments | | 03/21/2016 02:00 PM |
| 12214 | Ruby master | Feature | Open | Inconsistent behaviour and lack of warnings/errors when referencing duplicated _variables | | 03/24/2016 04:58 PM |
| 12211 | Ruby master | Feature | Open | introduce Date#first_of_month and Date#last_of_month | | 03/26/2016 12:58 AM |
| 12247 | Ruby master | Feature | Open | accept multiple arguments at Array#delete | | 04/04/2016 10:16 PM |
| 12262 | Ruby master | Feature | Open | Anti-loop | | 04/09/2016 05:30 AM |
| 12272 | Ruby master | Feature | Open | Accepting HTML entity name in string literal | | 04/13/2016 05:16 AM |
| 12277 | Ruby master | Misc | Open | Coding rule: colum number | | 04/13/2016 06:32 PM |
| 12179 | Ruby master | Bug | Open | Build failure due to VPATH expansion | | 04/14/2016 01:55 AM |
| 11704 | Ruby master | Bug | Assigned | Refinements only get "used" once in loop | matz (Yukihiro Matsumoto) | 04/14/2016 02:45 AM |
| 12080 | Ruby master | Feature | Open | Enumerable#first, Array#last with block | | 04/20/2016 03:51 AM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|----------|--|---------------------------|---------------------|
| 11868 | Ruby master | Feature | Open | Proposal for RubyVM::InstructionSequence.compile to return an object containing the syntax error information currently written to STDERR | | 04/21/2016 05:49 AM |
| 12280 | Ruby master | Bug | Open | IO.copy_stream(IO, IO) fails with "pread() not implemented" | | 04/28/2016 05:51 AM |
| 8206 | Ruby master | Feature | Open | Should Ruby core implement String#blank? | | 04/28/2016 02:05 PM |
| 12226 | Ruby master | Feature | Open | Dir.home with valid named user raises ArgumentError on Windows | | 05/08/2016 10:06 AM |
| 12378 | Ruby master | Feature | Open | arbitrary size Random.new_seed | | 05/13/2016 04:44 PM |
| 12380 | Ruby master | Feature | Open | `Struct` as a subclass of `Class` | | 05/14/2016 08:28 AM |
| 12244 | Ruby master | Feature | Open | Add a way to `integer - integer % num` | matz (Yukihiro Matsumoto) | 05/17/2016 06:05 AM |
| 11923 | Ruby master | Feature | Open | Put Struct accessors into separate module to allow redefining them in Struct.new's block | | 05/17/2016 06:37 AM |
| 12077 | Ruby master | Feature | Open | Consolidate SSLSocket interface with TCPSocket | | 05/17/2016 06:37 AM |
| 7314 | Ruby master | Feature | Assigned | Convert Proc to Lambda doesn't work in MRI | matz (Yukihiro Matsumoto) | 05/21/2016 09:15 AM |
| 12403 | Ruby master | Feature | Open | Optimise Regexp#match? | | 05/24/2016 05:54 AM |
| 12435 | Ruby master | Feature | Open | Using connect_nonblock to open TCP connections in Net::HTTP#connect | | 06/06/2016 12:42 AM |
| 12281 | Ruby master | Feature | Assigned | Allow lexically scoped use of refinements with `using {}` block syntax | shugo (Shugo Maeda) | 06/13/2016 07:44 AM |
| 12482 | Ruby master | Feature | Open | ArgumentError.new(nil) should give a better description | | 06/16/2016 04:18 AM |
| 11735 | Ruby master | Feature | Open | Porting String#squish and String#squish! from Ruby on Rails' Active Support | matz (Yukihiro Matsumoto) | 06/24/2016 08:02 AM |
| 12595 | Ruby master | Misc | Open | Documentation | | 07/18/2016 04:39 PM |
| 12350 | Ruby master | Feature | Open | Introduce Array#find! that raises an error if element not found | | 07/19/2016 06:20 AM |
| 12334 | Ruby master | Feature | Open | Final/ReadOnly Support for Fields / Instance Variables | | 07/20/2016 01:49 AM |
| 12455 | Ruby master | Feature | Open | Add a way for class String to determine whether it has only numbers / digits or not | | 07/20/2016 03:13 AM |
| 6265 | Ruby master | Feature | Assigned | Remove 'useless' 'concatenation' syntax | naruse (Yui NARUSE) | 08/10/2016 02:36 AM |
| 12497 | Ruby master | Feature | Assigned | GMP version of divmod may be slower | akr (Akira Tanaka) | 08/10/2016 03:11 AM |
| 12586 | Ruby master | Feature | Open | Hash#sample | | 08/10/2016 04:08 AM |
| 12625 | Ruby master | Feature | Open | TypeError.assert, ArgumentError.assert | | 08/10/2016 04:36 AM |
| 6842 | Ruby master | Feature | Assigned | Add Optional Arguments to String#strip | matz (Yukihiro Matsumoto) | 08/24/2016 05:50 AM |
| 12317 | Ruby master | Feature | Open | Name space of a module | | 09/04/2016 04:59 PM |
| 12653 | Ruby master | Feature | Assigned | Use wide WinAPI for rb_w32_getcwd | usa (Usaku NAKAMURA) | 09/12/2016 06:35 AM |
| 12755 | Ruby master | Feature | Open | optimize instruction sequence | | 09/12/2016 07:05 AM |
| 12751 | Ruby master | Misc | Open | Incompatibility of Ruby 3 | | 09/14/2016 12:48 PM |
| 12817 | Ruby master | Feature | Open | Consider adding method .sample() on class Hash (if this was not yet proposed) | | 10/11/2016 12:57 AM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|----------|--|----------------------------------|---------------------|
| 9704 | Ruby master | Feature | Open | Refinements as files instead of modules | matz (Yukihiro Matsumoto) | 10/11/2016 06:36 PM |
| 12843 | Ruby master | Feature | Open | Proposal to add a new method to class File in order to determine the name of the file without any suffix | | 10/17/2016 08:56 AM |
| 12848 | Ruby master | Feature | Assigned | Crazy idea: Allow regex definition for methods (Do not take it seriously please) | | 10/18/2016 12:17 AM |
| 12858 | Ruby master | Feature | Open | Supporting batch-requiring of files in ruby | | 10/23/2016 08:05 AM |
| 12869 | Ruby master | Feature | Open | open-uri's open rejects `BOM` in encoding | | 10/25/2016 05:06 AM |
| 11428 | Ruby master | Feature | Open | system/exec/etc. should to_s their argument to restore Pathname functionality as it was in 1.8 | | 11/06/2016 02:17 AM |
| 11665 | Ruby master | Feature | Open | Support nested functions for better code organization | | 11/16/2016 03:06 PM |
| 12676 | Ruby master | Feature | Assigned | Significant performance increase, and code conciseness, for prime_division method in prime.rb | marcandre (Marc-Andre Lafortune) | 11/18/2016 03:46 PM |
| 8960 | Ruby master | Feature | Assigned | Add Exception#backtrace_locations | ko1 (Koichi Sasada) | 11/25/2016 02:15 PM |
| 13006 | Ruby master | Feature | Open | backtrace of thread killer | | 12/06/2016 01:11 AM |
| 12813 | Ruby master | Feature | Assigned | Calling chunk_while, slice_after, slice_before, slice_when with no block | matz (Yukihiro Matsumoto) | 12/06/2016 12:58 PM |
| 12852 | Ruby master | Bug | Open | URI.parse can't handle non-ascii URIs | akira (akira yamada) | 12/12/2016 06:39 PM |
| 13108 | Ruby master | Feature | Open | [Doc Request] Explicitly document Range#sum | | 01/05/2017 11:50 PM |
| 13103 | Ruby master | Feature | Open | [PATCH] random.c: use "__NR_" syscall prefix on Linux (instead of "SYS_") | | 01/11/2017 10:51 PM |
| 13048 | Ruby master | Feature | Open | Better way to do Regexp.new(Regexp.escape("some string")) | | 01/20/2017 04:01 AM |
| 12969 | Ruby master | Feature | Open | Allow optional parameter in String#strip and related | | 01/20/2017 08:19 AM |
| 13151 | Ruby master | Bug | Open | File.writable? doesn't report correctly if a directory is writable on Windows. | | 01/23/2017 05:46 PM |
| 13174 | Ruby master | Feature | Open | Smaller id_table on 64bit platform | | 01/31/2017 02:05 PM |
| 13209 | Ruby master | Misc | Open | fact.rb in ruby/sample variations | | 02/14/2017 12:10 AM |
| 13047 | Ruby master | Feature | Assigned | Use String literal instead of `String#+` for multiline pretty-printing of multiline strings | akr (Akira Tanaka) | 02/22/2017 07:09 AM |
| 13240 | Ruby master | Feature | Open | Change Unicode property implementation in Onigmo from inversion lists to direct lookup | | 02/22/2017 08:01 AM |
| 13026 | Ruby master | Feature | Open | Public singleton methods | | 02/22/2017 06:53 PM |
| 12790 | Ruby master | Feature | Open | Better inspect for stdlib classes | | 02/27/2017 08:36 PM |
| 13259 | Ruby master | Feature | Open | Kernel#Date | | 02/28/2017 12:09 PM |
| 13269 | Ruby master | Bug | Assigned | test/readline/test_readline.rb and mingw | nobu (Nobuyoshi Nakada) | 03/13/2017 08:56 AM |
| 13314 | Ruby master | Feature | Open | dig= | | 03/14/2017 12:55 PM |
| 13095 | Ruby master | Feature | Open | [PATCH] io.c (rb_f_syscall): remove deprecation notice | | 03/26/2017 06:21 AM |
| 13388 | Ruby master | Feature | Assigned | gc.c: Add GC.get_parameters and .set_parameters | ko1 (Koichi Sasada) | 03/30/2017 10:52 AM |
| 13263 | Ruby master | Feature | Open | Add companion integer nth-root method to recent Integer#isqrt | | 04/05/2017 12:49 AM |
| 13164 | Ruby master | Bug | Open | A second `SystemStackError` exception results in `Segmentation fault (core dumped)` | | 04/14/2017 01:05 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|----------|--|------------------------------|---------------------|
| 13252 | Ruby master | Feature | Assigned | C API for creating strings without copying | ko1 (Koichi Sasada) | 04/17/2017 07:22 AM |
| 12573 | Ruby master | Feature | Open | Introduce a straightforward way to discover whether a process is running | | 04/19/2017 12:05 PM |
| 13485 | Ruby master | Bug | Open | MinGW TestEnumerable#test_callcc SEGV info | | 04/19/2017 04:17 PM |
| 13497 | Ruby master | Misc | Open | Docs, code samples, Ripper example | | 04/23/2017 04:27 AM |
| 13500 | Ruby master | Bug | Open | MinGW TestArity#test_proc_err_mess stops testing | | 04/26/2017 03:27 PM |
| 9116 | Ruby master | Feature | Open | String#rsplit missing | | 04/27/2017 10:00 AM |
| 12473 | Ruby master | Bug | Assigned | Test failure on fedora with TestTimeExtension#test_huge_precision | nobu (Nobuyoshi Nakada) | 04/28/2017 01:45 PM |
| 12582 | Ruby master | Bug | Assigned | OpenSSL Authenticated Encryption should check for tag length | rhenium (Kazuki Yamaguchi) | 04/28/2017 01:45 PM |
| 12725 | Ruby master | Bug | Assigned | Trying to use ./miniruby before it exists | nobu (Nobuyoshi Nakada) | 04/28/2017 01:45 PM |
| 13211 | Ruby master | Feature | Open | Hash#delete taking a splat | | 04/29/2017 08:41 PM |
| 13333 | Ruby master | Feature | Open | block to yield | | 05/19/2017 09:01 AM |
| 13542 | Ruby master | Bug | Open | MinGW trunk Builds - Summary of Issues | | 05/19/2017 07:04 PM |
| 13577 | Ruby master | Feature | Assigned | Digest.file accidentally receives File object but uses file path | nobu (Nobuyoshi Nakada) | 05/20/2017 06:50 PM |
| 13622 | Ruby master | Misc | Assigned | Documentation missing | stomar (Marcus Stollsteimer) | 06/03/2017 07:27 AM |
| 13634 | Ruby master | Misc | Open | NilClass is lying about respond_to?(:clone) | | 06/06/2017 08:27 AM |
| 13644 | Ruby master | Bug | Open | Windows - Setting Time.now | | 06/11/2017 03:43 AM |
| 13378 | Ruby master | Feature | Open | Eliminate 4 of 8 syscalls when requiring file by absolute path | nobu (Nobuyoshi Nakada) | 06/16/2017 07:57 AM |
| 13385 | Ruby master | Feature | Open | [PATCH] Make Resolv::DNS::Name validation similar to host and dig commands | akr (Akira Tanaka) | 06/16/2017 08:04 AM |
| 13668 | Ruby master | Feature | Open | Show / log test-all skips in CI here or at http://rubyci.org/ ? | | 06/20/2017 03:30 AM |
| 12968 | Ruby master | Feature | Open | Allow default value via block for Integer(), Float() and Rational() | | 06/28/2017 05:53 PM |
| 13681 | Ruby master | Feature | Open | Ruby digest init fails in FIPS mode when built against OpenSSL ~> 1.0.1 | | 07/04/2017 05:17 PM |
| 13434 | Ruby master | Feature | Open | better method definition in C API | | 07/13/2017 07:41 AM |
| 13512 | Ruby master | Feature | Open | System Threads | ko1 (Koichi Sasada) | 07/14/2017 07:08 AM |
| 13765 | Ruby master | Feature | Open | Add Proc#bind | | 07/26/2017 01:31 PM |
| 13721 | Ruby master | Feature | Assigned | [PATCH] net/imap: dedupe attr keys in Net::IMAP::FetchData | normalperson (Eric Wong) | 07/27/2017 09:51 AM |
| 13787 | Ruby master | Misc | Open | The path to Ruby 3.x - would it be useful to have a separate thread here at the tracker, for discussions and issues and ideas related to ruby 3.x? | | 08/08/2017 08:29 AM |
| 13804 | Ruby master | Misc | Open | Protected methods cannot be overridden | | 08/10/2017 09:41 PM |
| 13805 | Ruby master | Feature | Open | Make refinement scoping to be like that of constants | | 08/13/2017 10:52 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|----------|--|-------------------------|---------------------|
| 13516 | Ruby master | Feature | Assigned | Improve the text of the circular require warning | nobu (Nobuyoshi Nakada) | 08/31/2017 05:49 AM |
| 13639 | Ruby master | Feature | Open | Add "RTMIN" and "RTMAX" to Signal.list | | 08/31/2017 09:06 AM |
| 13072 | Ruby master | Misc | Open | Current state of date standard library | | 09/02/2017 05:38 PM |
| 13881 | Ruby master | Feature | Open | Use getcontext/setcontext on OS X | | 09/08/2017 09:13 AM |
| 13245 | Ruby master | Feature | Open | [PATCH] reject inter-thread TLS modification | | 09/12/2017 12:54 PM |
| 13924 | Ruby master | Feature | Open | Add headings/hints to RubyVM::InstructionSequence#disasm | | 09/20/2017 01:40 PM |
| 13934 | Ruby master | Feature | Open | [Feature request] Being able to set a default encoding other than Unicode on a "per-project" basis | | 09/25/2017 05:18 AM |
| 13922 | Ruby master | Feature | Open | Consider showing warning messages about same-named aliases - either directly or perhaps via the "did you mean gem" | | 09/25/2017 12:21 PM |
| 13221 | Ruby master | Feature | Assigned | [PATCH] gems/bundled_gems: add "curses" RubyGem | naruse (Yui NARUSE) | 09/25/2017 06:32 PM |
| 13927 | Ruby master | Feature | Open | Integrate module_function as a core language type | | 09/25/2017 10:30 PM |
| 13395 | Ruby master | Feature | Open | Add a method to check for not nil | | 09/30/2017 12:53 PM |
| 13936 | Ruby master | Feature | Open | Make regular expressions debugable | | 10/07/2017 01:25 AM |
| 14025 | Ruby master | Feature | Open | #initialize with ivars | | 10/19/2017 06:50 AM |
| 13610 | Ruby master | Feature | Assigned | IPAddr doesn't provide helpful methods to get the subnet or IP address | knu (Akinori MUSA) | 10/20/2017 01:13 AM |
| 13869 | Ruby master | Feature | Open | Filter non directories from Dir.glob | | 10/20/2017 01:58 AM |
| 14037 | Ruby master | Misc | Open | Writing doxygen document comments to static functions | | 10/21/2017 07:48 AM |
| 14040 | Ruby master | Feature | Open | deprecate HTTP.version_1_2 | | 10/22/2017 09:32 AM |
| 7968 | Ruby master | Bug | Assigned | Poor UDPSocket#send performance in ruby 2.0.0 on windows | cruby-windows | 10/23/2017 12:23 AM |
| 13933 | Ruby master | Feature | Open | Add Range#empty? | | 10/25/2017 09:19 AM |
| 14049 | Ruby master | Bug | Open | SEGV svn 60401 require_relative | | 10/26/2017 05:25 PM |
| 10183 | Ruby master | Feature | Open | An alternative name for method `class` | | 10/31/2017 11:42 AM |
| 14077 | Ruby master | Feature | Open | Add Encoding::FILESYSTEM and Encoding::LOCALE constants | | 11/03/2017 09:31 PM |
| 14064 | Ruby master | Bug | Open | test-all with and without -j - incorrect assertions and missing test methods | | 11/03/2017 10:54 PM |
| 14083 | Ruby master | Bug | Open | Refinement in block calling incorrect method | | 11/05/2017 07:36 PM |
| 14084 | Ruby master | Feature | Open | Introduce Enumerator#next? | | 11/06/2017 03:28 PM |
| 14079 | Ruby master | Feature | Open | Validate argument list without calling method | | 11/07/2017 03:20 AM |
| 14092 | Ruby master | Feature | Open | Add extension key argument to Tempfile | | 11/08/2017 06:47 PM |
| 11955 | Ruby master | Feature | Assigned | Expose Object that Receives logs in Logger | sonots (Naotoshi Seo) | 11/09/2017 11:35 AM |
| 14066 | Ruby master | Feature | Assigned | Add CAA DNS RR on Resolv | akr (Akira Tanaka) | 11/10/2017 06:50 AM |
| 13571 | Ruby master | Bug | Open | Script arguments, encoding, windows / MinGW | | 11/12/2017 10:53 PM |
| 12700 | Ruby master | Feature | Open | regexp heredoc support | | 11/24/2017 12:53 AM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|----------|---|--------------------------------|---------------------|
| 14128 | Ruby master | Feature | Open | Introduce Hash#delete default value | matz (Yukihiko Matsumoto) | 11/25/2017 04:41 PM |
| 13763 | Ruby master | Feature | Open | Trigger "unused variable warning" for unused variables in parameter lists | | 11/28/2017 04:49 AM |
| 13696 | Ruby master | Feature | Open | Add exchange and noreplace options to File.rename | Glass_saga (Masaki Matsushita) | 12/01/2017 04:34 PM |
| 13124 | Ruby master | Feature | Open | Should #puts convert to external encoding? | | 12/01/2017 06:45 PM |
| 14149 | Ruby master | Misc | Open | Ruby Birthday Thread - 25th years anniversary | | 12/02/2017 01:40 AM |
| 14129 | Ruby master | Feature | Open | Feature Request: sockets - add support for recvmsg | | 12/12/2017 08:35 AM |
| 14052 | Ruby master | Feature | Open | Introduce SecureRandom.with_chars | | 12/12/2017 08:59 AM |
| 14190 | Ruby master | Misc | Open | What are the semantics of \$SAFE? | | 12/15/2017 10:28 PM |
| 9992 | Ruby master | Feature | Open | Access Modifiers (Internal Interfaces) | | 12/18/2017 03:04 PM |
| 2324 | Ruby master | Feature | Assigned | Dir instance methods for relative path | nobu (Nobuyoshi Nakada) | 12/25/2017 05:58 PM |
| 3608 | Ruby master | Feature | Assigned | Enhancing Pathname#each_child to be lazy | akr (Akira Tanaka) | 12/25/2017 06:14 PM |
| 3731 | Ruby master | Feature | Assigned | Easier Embedding API for Ruby | ko1 (Koichi Sasada) | 12/25/2017 06:14 PM |
| 3953 | Ruby master | Feature | Assigned | TCPsocket / UDPSocket do not accept IPAddr objects. | knu (Akinori MURASHI) | 12/25/2017 06:14 PM |
| 4040 | Ruby master | Bug | Assigned | SystemStackError with Hash[*a] for Large _a_ | ko1 (Koichi Sasada) | 12/25/2017 06:14 PM |
| 4247 | Ruby master | Feature | Assigned | New features for Array#sample, Array#choice | mame (Yusuke Endoh) | 12/25/2017 06:14 PM |
| 4464 | Ruby master | Feature | Assigned | [PATCH] add Fcntl::Flock object for easier use of POSIX file locks | kosaki (Motohiro KOSAKI) | 12/25/2017 06:14 PM |
| 4514 | Ruby master | Feature | Assigned | #deep_clone and #deep_dup for Objects | matz (Yukihiko Matsumoto) | 12/25/2017 06:14 PM |
| 4521 | Ruby master | Feature | Assigned | NoMethodError#message may take very long to execute | matz (Yukihiko Matsumoto) | 12/25/2017 06:14 PM |
| 4592 | Ruby master | Feature | Assigned | Tempfile | matz (Yukihiko Matsumoto) | 12/25/2017 06:14 PM |
| 4818 | Ruby master | Feature | Assigned | Add method marshalable? | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 4924 | Ruby master | Feature | Assigned | mkmf have_header fails with C++ headers | nobu (Nobuyoshi Nakada) | 12/25/2017 06:15 PM |
| 5064 | Ruby master | Feature | Assigned | HTTP user-agent class | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 5133 | Ruby master | Feature | Assigned | Array#unzip as an alias of Array#transpose | mrkn (Kenta Murata) | 12/25/2017 06:15 PM |
| 5310 | Ruby master | Feature | Assigned | Integral objects | mrkn (Kenta Murata) | 12/25/2017 06:15 PM |
| 5389 | Ruby master | Feature | Assigned | New method Enumerator#iterate | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 5434 | Ruby master | Feature | Assigned | Allow per-class whitelisting of methods safe to expose through DRb | seki (Masatoshi Seki) | 12/25/2017 06:15 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|------|-------------|---------|----------|--|---------------------------|---------------------|
| 5445 | Ruby master | Feature | Assigned | Need RUBYOPT -r before ARGV -r | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5461 | Ruby master | Feature | Assigned | Add pipelining to Net::HTTP | naruse (Yui NARUSE) | 12/25/2017 06:15 PM |
| 5558 | Ruby master | Feature | Assigned | String#% strange arity errors | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5582 | Ruby master | Feature | Assigned | Allow clone of singleton methods on a BasicObject | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5643 | Ruby master | Feature | Assigned | require/load options and binding option | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5654 | Ruby master | Feature | Assigned | Introduce global lock to avoid concurrent require | nahi (Hiroshi Nakamura) | 12/25/2017 06:15 PM |
| 5741 | Ruby master | Feature | Assigned | Secure Erasure of Passwords | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5749 | Ruby master | Feature | Assigned | new method String#match_all needed | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5970 | Ruby master | Feature | Assigned | Add Enumerable#join with same semantics as Array#join | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6277 | Ruby master | Feature | Assigned | Hash#convert_key | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6293 | Ruby master | Feature | Assigned | new queue / blocking queues | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6317 | Ruby master | Feature | Assigned | Range#cover? Range | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6337 | Ruby master | Feature | Assigned | FileUtils#sync | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6351 | Ruby master | Bug | Assigned | transcode table generator does not support multi characters of Unicode | duerst (Martin Dürst) | 12/25/2017 06:15 PM |
| 6354 | Ruby master | Feature | Assigned | Remove escape (break/return/redo/next support) from class/module scope | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6376 | Ruby master | Feature | Assigned | Feature lookup and checking if feature is loaded | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6413 | Ruby master | Feature | Assigned | Make Dir.entries default to Dir.entries(Dir.pwd) | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6445 | Ruby master | Feature | Assigned | request for default length/position on string index | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6611 | Ruby master | Feature | Assigned | Comments requested on implementation of set_parse_func | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6613 | Ruby master | Feature | Assigned | VT_RECORD, IRecordInfo Support in WIN32OLE | suke (Masaki Suketa) | 12/25/2017 06:15 PM |
| 6641 | Ruby master | Feature | Open | Hash.auto constructor | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|------|-------------|---------|----------|--|---------------------------|---------------------|
| 6648 | Ruby master | Feature | Assigned | Provide a standard API for retrieving all command-line flags passed to Ruby | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6671 | Ruby master | Feature | Assigned | File.split_all and File.split_root | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6682 | Ruby master | Feature | Assigned | Add a method to return an instance attached by a singleton class | shyouhei (Shyouhei Urabe) | 12/25/2017 06:15 PM |
| 6687 | Ruby master | Feature | Open | Enumerable#with | | 12/25/2017 06:15 PM |
| 6694 | Ruby master | Feature | Assigned | Thread.new without block. | ko1 (Koichi Sasada) | 12/25/2017 06:15 PM |
| 6695 | Ruby master | Feature | Assigned | Configuration for Thread/Fiber creation | ko1 (Koichi Sasada) | 12/25/2017 06:15 PM |
| 6758 | Ruby master | Feature | Open | Object#sequence | | 12/25/2017 06:15 PM |
| 6802 | Ruby master | Feature | Assigned | String#scan should have equivalent yielding MatchData | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6811 | Ruby master | Feature | Assigned | File, Dir and FileUtils should have bang-versions of singleton methods that fails silently | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6817 | Ruby master | Feature | Open | Partial application | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 6857 | Ruby master | Feature | Assigned | bigdecimal/math BigMath.E/BigMath.exp R. P. Feynman inspired optimization | mrkn (Kenta Murata) | 12/25/2017 06:15 PM |
| 6973 | Ruby master | Feature | Assigned | Add an #integral? method to Numeric to test for whole-number values | mrkn (Kenta Murata) | 12/25/2017 06:15 PM |
| 7060 | Ruby master | Feature | Open | Broaden support for chmod | | 12/25/2017 06:15 PM |
| 7082 | Ruby master | Feature | Open | Process.kill 0 in windows can return spurious success | | 12/25/2017 06:15 PM |
| 7086 | Ruby master | Feature | Assigned | ConditionVariable#wait has meaningless return value | kosaki (Motohiro KOSAKI) | 12/25/2017 06:15 PM |
| 7087 | Ruby master | Feature | Assigned | ::ConditionVariable#wait does not work with Monitor because Monitor#sleep does not exist | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7106 | Ruby master | Feature | Open | FileUtils.touch should allow touching the symlink itself rather than the file the link points to | | 12/25/2017 06:15 PM |
| 7121 | Ruby master | Feature | Assigned | Extending the use of 'require' | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7132 | Ruby master | Feature | Assigned | Alternation between named / ordered method arguments and aliases for method arguments. | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7149 | Ruby master | Feature | Open | Constant magic for everyone. | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7250 | Ruby master | Feature | Open | A mechanism to include at once both instance-level and class-level methods from a module | | 12/25/2017 06:15 PM |
| 7321 | Ruby master | Feature | Assigned | Newton.#nsolve 2 000000000000 | mrkn (Kenta Murata) | 12/25/2017 06:15 PM |
| 7340 | Ruby master | Feature | Open | 'each_with' or 'into' alias for 'each_with_object' | | 12/25/2017 06:15 PM |
| 7341 | Ruby master | Feature | Open | Enumerable#associate | | 12/25/2017 06:15 PM |
| 7349 | Ruby master | Feature | Assigned | Struct#inspect needs more meaningful output | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|------|-------------|---------|----------|---|-----------------------------------|---------------------|
| 7362 | Ruby master | Feature | Assigned | Adding Pathname#start_with? | akr (Akira Tanaka) | 12/25/2017 06:15 PM |
| 7377 | Ruby master | Feature | Open | #indetical? as an alias for #equal? | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7384 | Ruby master | Feature | Open | Rename #each_with_object to #each_with | | 12/25/2017 06:15 PM |
| 7436 | Ruby master | Feature | Assigned | Allow for a "granularity" flag for backtrace_locations | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7444 | Ruby master | Feature | Open | Array#product_set | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7488 | Ruby master | Feature | Assigned | Receiving object_id in object creation probes | tenderlovmaking (Aaron Patterson) | 12/25/2017 06:15 PM |
| 7503 | Ruby master | Feature | Assigned | make timeout.rb async-interrupt safe by default | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7532 | Ruby master | Feature | Assigned | Hardcoded compiler location | nobu (Nobuyoshi Nakada) | 12/25/2017 06:15 PM |
| 7548 | Ruby master | Feature | Open | Load and Require Callbacks | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7604 | Ruby master | Feature | Open | Make === comparison operator ability to delegate comparison to an argument | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7611 | Ruby master | Feature | Open | Focal method for all loads/requires | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7614 | Ruby master | Feature | Open | alias_accessor | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7654 | Ruby master | Feature | Open | Add optional code block to IO::readlines | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7657 | Ruby master | Feature | Open | Array#& doesn't accept Enumerables | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7704 | Ruby master | Feature | Open | Add a list of enabled (experimental) language features. | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7708 | Ruby master | Feature | Open | support for patches list | | 12/25/2017 06:15 PM |
| 7739 | Ruby master | Feature | Assigned | Define Hash# as Hash#reverse_merge in Rails | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7742 | Ruby master | Bug | Open | System encoding (Windows-1258) is not recognized by Ruby to convert back to UTF-8 | duerst (Martin Dürst) | 12/25/2017 06:15 PM |
| 7745 | Ruby master | Feature | Open | lib/observer.rb: Observers are compared by identity | nobu (Nobuyoshi Nakada) | 12/25/2017 06:15 PM |
| 7788 | Ruby master | Feature | Open | YAML Tag Schema Support | tenderlovmaking (Aaron Patterson) | 12/25/2017 06:15 PM |
| 7795 | Ruby master | Feature | Open | Symbol.defined? and/or to_existing_symbol | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|----------|---|---------------------------|---------------------|
| 7848 | Ruby master | Feature | Open | Restore default state for core ruby objects | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7859 | Ruby master | Bug | Assigned | Readline: Incorrect arrow key behavior in vi_editing_mode insert mode with Readline 6.2 | kouji (Kouji Takao) | 12/25/2017 06:15 PM |
| 7876 | Ruby master | Feature | Open | Add method for accessing Class from within Singleton Class | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7883 | Ruby master | Feature | Open | Add Regexp#to_proc | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7892 | Ruby master | Bug | Open | MIME encoding bug of NKF.nkf | naruse (Yui NARUSE) | 12/25/2017 06:15 PM |
| 7914 | Ruby master | Feature | Open | Case for local class methods | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 8016 | Ruby master | Feature | Assigned | Alias __FILE__ and __LINE__ as methods | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 8042 | Ruby master | Feature | Assigned | Add Addrinfo#socket to create a socket that is not connected or bound | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 8046 | Ruby master | Feature | Open | allow Object#extend to take a block | | 12/25/2017 06:15 PM |
| 8061 | Ruby master | Feature | Open | □□□□□□□□□□□□□□□□ | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 8295 | Ruby master | Feature | Assigned | Float □ Rational □□□□□□□□□□□□□□□□ BigDecimal □□□□□□□□ | mrkn (Kenta Murata) | 12/25/2017 06:15 PM |
| 8536 | Ruby master | Feature | Assigned | Implement is_numeric? family of methods | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 8576 | Ruby master | Feature | Assigned | Add optimized method type for constant value methods | ko1 (Koichi Sasada) | 12/25/2017 06:15 PM |
| 8772 | Ruby master | Feature | Open | Hash alias # merge, and the case for Hash and Array polymorphism | | 12/25/2017 06:15 PM |
| 8850 | Ruby master | Feature | Assigned | Convert Rational to decimal string | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 9020 | Ruby master | Feature | Assigned | Net::HTTPResponse predicate/query methods | naruse (Yui NARUSE) | 12/25/2017 06:15 PM |
| 13508 | Ruby master | Feature | Assigned | How remove/refactor code related mathn library. | hsbt (Hiroshi SHIBATA) | 12/25/2017 06:15 PM |
| 14177 | Ruby master | Feature | Open | PATCH: File::Stat#dev on Windows | | 12/25/2017 06:15 PM |
| 14153 | Ruby master | Feature | Open | [PATCH] resurrection of # *- warn_past_scope: true *- | | 12/26/2017 08:53 AM |
| 13890 | Ruby master | Feature | Open | Allow a regexp as an argument to 'count', to count more interesting things than single characters | | 12/30/2017 04:37 AM |
| 9145 | Ruby master | Feature | Open | Queue#pop(true) return nil if empty instead of raising ThreadError | | 01/01/2018 07:41 PM |
| 14276 | Ruby master | Feature | Open | Ruby core debugger API | | 01/05/2018 07:54 PM |
| 8987 | Ruby master | Feature | Open | map/collect extension which handles arguments | | 01/05/2018 09:00 PM |
| 9043 | Ruby master | Feature | Open | Add String#f method as shortcut for #freeze | matz (Yukihiro Matsumoto) | 01/05/2018 09:00 PM |
| 9185 | Ruby master | Feature | Open | Add alias_class_method or class_alias functionality | | 01/05/2018 09:00 PM |
| 9189 | Ruby master | Bug | Assigned | Build failure on Windows in case of nonascii TEMP environment. | | 01/05/2018 09:00 PM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|----------|--|----------------------------------|---------------------|
| 9253 | Ruby master | Feature | Open | Regexp named match and case statement | | 01/05/2018 09:00 PM |
| 9347 | Ruby master | Feature | Open | Accept non callable argument to detect | marcandre (Marc-Andre Lafortune) | 01/05/2018 09:00 PM |
| 9507 | Ruby master | Bug | Open | Ruby 2.1.0 is broken on ARmv5: tried to create Proc object without a block | charliesome (Charlie Somerville) | 01/05/2018 09:00 PM |
| 9590 | Ruby master | Feature | Open | introduce st_foreach_update and st_foreach_update_check for performance. | tarui (Masaya Tarui) | 01/05/2018 09:00 PM |
| 9614 | Ruby master | Feature | Open | ordering of non-Hash items which use st_ internally | matz (Yukihiko Matsumoto) | 01/05/2018 09:00 PM |
| 9779 | Ruby master | Feature | Open | Add Module#descendents | | 01/05/2018 09:00 PM |
| 9944 | Ruby master | Bug | Assigned | in ruby for windows in "system" a redirection to append a file works incorrectly | cruby-windows | 01/05/2018 09:00 PM |
| 9955 | Ruby master | Bug | Assigned | issue building dll on mingw, library not found | nobu (Nobuyoshi Nakada) | 01/05/2018 09:00 PM |
| 2294 | Ruby master | Feature | Assigned | [PATCH] ruby_bind_stack() to embed Ruby in coroutine | ko1 (Koichi Sasada) | 01/05/2018 09:00 PM |
| 6360 | Ruby master | Bug | Assigned | Debug information build even without requesting it | nobu (Nobuyoshi Nakada) | 01/05/2018 09:00 PM |
| 7412 | Ruby master | Feature | Assigned | Pathname#relative_path_from does not support mixed directory separators on windows | akr (Akira Tanaka) | 01/05/2018 09:00 PM |
| 7964 | Ruby master | Bug | Assigned | Writing an ASCII-8BIT String to a StringIO created from a UTF-8 String | nobu (Nobuyoshi Nakada) | 01/05/2018 09:00 PM |
| 7976 | Ruby master | Bug | Assigned | TracePoint call is at call point, not call site | ko1 (Koichi Sasada) | 01/05/2018 09:00 PM |
| 8047 | Ruby master | Feature | Assigned | IPAddr makes host address with netmask | knu (Akinori MUSA) | 01/05/2018 09:00 PM |
| 8678 | Ruby master | Feature | Assigned | Allow invalid string to work with regexp | matz (Yukihiko Matsumoto) | 01/05/2018 09:00 PM |
| 8782 | Ruby master | Bug | Assigned | Don't set rl_getc_function on editline | kouji (Kouji Takao) | 01/05/2018 09:00 PM |
| 10038 | Ruby master | Feature | Assigned | Extend ObjectSpace.dump to expose buffer addresses for String and Array | tmm1 (Aman Karmani) | 01/05/2018 09:01 PM |
| 10129 | Ruby master | Feature | Assigned | More descriptive error message for failed net/http requests | akr (Akira Tanaka) | 01/05/2018 09:01 PM |
| 10225 | Ruby master | Feature | Open | [PATCH] *math.c: New method Math.normcdf | | 01/05/2018 09:01 PM |
| 10237 | Ruby master | Feature | Open | Transform all elements of one Encoding into another Encoding for Array and Hash | | 01/05/2018 09:01 PM |
| 10328 | Ruby master | Feature | Open | [PATCH] make OPT_SUPPORT_JOKE a proper VM option | normalperson (Eric Wong) | 01/05/2018 09:01 PM |
| 10378 | Ruby master | Feature | Open | [PATCH 0/3] It's better (1 + 0i).real? return true | | 01/05/2018 09:01 PM |
| 10423 | Ruby master | Feature | Open | [PATCH] opt_str_lit*: avoid literal string allocations | ko1 (Koichi Sasada) | 01/05/2018 09:01 PM |
| 10498 | Ruby master | Feature | Open | Make `loop` yield a counter | matz (Yukihiko Matsumoto) | 01/05/2018 09:01 PM |
| 10503 | Ruby master | Feature | Open | introduce InvalidPercentEncoding error for failed URI parsing | | 01/05/2018 09:01 PM |
| 10560 | Ruby master | Misc | Assigned | confusion between x=x+y, x+=y, x.concat(y) and y.each{ z x<<z} | zzak (Zachary Scott) | 01/05/2018 09:02 PM |
| 14348 | Ruby master | Feature | Open | win32ole: enable using coclass-es with multiple IDispatch implementations | | 01/10/2018 11:35 AM |

| # | Project | Tracker | Status | Subject | Assignee | Updated |
|-------|-------------|---------|----------|---|---------------------------|---------------------|
| 13968 | Ruby master | Misc | Open | [Ruby 3.x perhaps] - A (minimal?) static variant of ruby | | 01/14/2018 03:24 PM |
| 4831 | Ruby master | Feature | Assigned | Integer#prime_factors | yugui (Yuki Sonoda) | 01/23/2018 08:09 AM |
| 5129 | Ruby master | Feature | Assigned | Create a core class "FileArray" and make "ARGF" its instance | matz (Yukihiro Matsumoto) | 01/23/2018 02:02 PM |
| 14393 | Ruby master | Feature | Open | Support sending file descriptors (on local machine) via DRb UNIX | | 01/24/2018 08:58 PM |
| 14401 | Ruby master | Feature | Open | Integer#digits | | 01/25/2018 01:13 PM |
| 14412 | Ruby master | Feature | Assigned | DRb UNIX on local machine: add support for getpeerid() | seki (Masatoshi Seki) | 01/28/2018 12:51 PM |
| 13697 | Ruby master | Feature | Open | [PATCH]: futex based thread primitives | kosaki (Motohiro KOSAKI) | 01/28/2018 11:41 PM |
| 14404 | Ruby master | Feature | Open | Adding writev support to IO#write_nonblock | | 01/29/2018 12:29 AM |
| 12656 | Ruby master | Feature | Assigned | Expand short paths with File.expand_path | cruby-windows | 01/31/2018 02:31 PM |
| 11388 | Ruby master | Feature | Open | SMTP Service Extension for Delivery Status Notifications | | 02/06/2018 11:37 AM |
| 14411 | Ruby master | Feature | Open | URI#secure? | | 02/11/2018 03:44 PM |
| 12589 | Ruby master | Feature | Open | VM performance improvement proposal | | 02/20/2018 05:00 AM |
| 13860 | Ruby master | Feature | Open | A proposal for a new, simpler class-method addition to Time - for the time being calling it Time.date() but another name is fine; and the ability to omit '%' tokens as arguments to it | | 02/21/2018 12:57 PM |
| 14550 | Ruby master | Feature | Open | Support keyword arguments with Date#step | | 02/26/2018 03:58 AM |
| 14555 | Ruby master | Feature | Open | OpenStruct performance doesn't have to be slow... | | 02/27/2018 12:59 AM |
| 14574 | Ruby master | Feature | Open | percent literals and binary encoding strings | | 03/04/2018 07:38 AM |
| 4824 | Ruby master | Feature | Assigned | Provide method Kernel#executed? | matz (Yukihiro Matsumoto) | 03/05/2018 04:57 AM |
| 14422 | Ruby master | Bug | Open | Ruby configuration options should not be reused for gem builds | | 03/05/2018 03:32 PM |
| 14580 | Ruby master | Feature | Open | Hash#store accepts a block | | 03/08/2018 11:59 AM |
| 14593 | Ruby master | Feature | Open | Add `Enumerator#concat` | | 03/08/2018 09:15 PM |
| 14585 | Ruby master | Feature | Open | Array#each_pair | | 03/11/2018 11:38 PM |
| 9049 | Ruby master | Feature | Open | Shorthands (a:b, *) for inclusive indexing | | 03/15/2018 12:26 AM |
| 4173 | Ruby master | Bug | Open | TestProcess#test_wait_and_sigchild | | 03/15/2018 08:29 AM |
| 14606 | Ruby master | Feature | Open | Change begin-else-end without rescue from warning to syntax error | | 03/16/2018 01:22 AM |
| 14615 | Ruby master | Feature | Open | Consider introducing shortcut to check Net::HTTP response type | | 03/19/2018 05:43 AM |
| 14618 | Ruby master | Feature | Open | Add display width method to String for CLI | | 03/21/2018 04:00 AM |
| 14636 | Ruby master | Feature | Open | `Hash` has a method for accessing the shortest path towards a certain key | | 03/28/2018 09:42 AM |
| 14625 | Ruby master | Feature | Open | yield_self accepts an argument, calling to_proc | | 03/30/2018 06:52 AM |
| 14669 | Ruby master | Feature | Open | Regexp does not expose the amount of capture groups. | | 04/08/2018 11:11 AM |
| 14673 | Ruby master | Misc | Open | Documentation for `Array#drop` / `drop_while` unclear in regard to modification | | 04/10/2018 09:51 AM |

...