

## Issues

| #     | Project     | Tracker | Status   | Subject                                                                                               | Assignee             | Updated             |
|-------|-------------|---------|----------|-------------------------------------------------------------------------------------------------------|----------------------|---------------------|
| 8083  | Ruby master | Feature | Assigned | Exit status is limited to one-byte values which is invalid for Windows                                | cruby-windows        | 03/14/2013 08:26 PM |
| 11438 | Ruby master | Bug     | Open     | native_thread_init_stack() get machine.stack_start unequal to thread's stack start address, x86 win32 | cruby-windows        | 08/13/2015 07:31 AM |
| 12040 | Ruby master | Bug     | Assigned | [Win32] File.stat fails on a mounted volume                                                           | cruby-windows        | 02/01/2016 08:13 AM |
| 7968  | Ruby master | Bug     | Assigned | Poor UDPSocket#send performance in ruby 2.0.0 on windows                                              | cruby-windows        | 10/23/2017 12:23 AM |
| 9944  | Ruby master | Bug     | Assigned | in ruby for windows in "system" a redirection to append a file works incorrectly                      | cruby-windows        | 01/05/2018 09:00 PM |
| 12656 | Ruby master | Feature | Assigned | Expand short paths with File.expand_path                                                              | cruby-windows        | 01/31/2018 02:31 PM |
| 14640 | Ruby master | Bug     | Open     | [win32] File.realpath treats a relative path with a drive letter as an absolute path.                 | cruby-windows        | 12/10/2018 07:09 AM |
| 10128 | Ruby master | Bug     | Open     | Quoting problem for arguments of Kernel.system, Kernel.exec on Windows                                | cruby-windows        | 12/30/2019 03:00 AM |
| 1644  | Ruby master | Feature | Assigned | recv on inherited socket wrapped in TCPSocket does not read data, on Windows                          | cruby-windows        | 12/10/2020 08:45 AM |
| 9409  | Ruby master | Bug     | Open     | Cygwin "filesystem" encoding ??????????                                                               | cruby-cygwin         | 05/19/2022 08:20 AM |
| 11840 | Ruby master | Bug     | Open     | Error with "make check" on Cygwin                                                                     | cruby-cygwin         | 05/19/2022 08:20 AM |
| 12442 | Ruby master | Bug     | Assigned | TestArgf#test_textmode fails on cygwin                                                                | cruby-cygwin         | 05/19/2022 08:20 AM |
| 12444 | Ruby master | Bug     | Assigned | Segmentation fault when running TestException#test_machine_stackoverflow on cygwin                    | cruby-cygwin         | 05/19/2022 08:20 AM |
| 12445 | Ruby master | Bug     | Assigned | Testing TestIO#test_open_fifo_does_not_block_other_threads results in deadlock on cygwin              | cruby-cygwin         | 05/19/2022 08:20 AM |
| 12506 | Ruby master | Bug     | Assigned | On cygwin, Feature #5994 does not work                                                                | cruby-cygwin         | 05/19/2022 08:20 AM |
| 13999 | Ruby master | Bug     | Assigned | Cygwin ??? ripper_state_lex.rb ??????????                                                             | cruby-cygwin         | 05/19/2022 08:20 AM |
| 15097 | Ruby master | Bug     | Open     | Gem install fails on Ruby 2.5.1 with Cygwin (get_dns_server_list undefined)                           | cruby-cygwin         | 05/19/2022 08:20 AM |
| 15334 | Ruby master | Bug     | Open     | child_info_fork::abort: address space needed by 'emoji_iso2022_kddi.so' on cygwin                     | cruby-cygwin         | 05/19/2022 08:20 AM |
| 17882 | Ruby master | Bug     | Assigned | bootstraptest/test_ractor.rb:224 segfaults on Cygwin                                                  | cruby-cygwin         | 05/19/2022 08:20 AM |
| 17996 | Ruby master | Bug     | Open     | Cygwin: thread + pipe behavior since Ruby 2.6                                                         | cruby-cygwin         | 05/19/2022 08:20 AM |
| 12852 | Ruby master | Bug     | Open     | URI.parse can't handle non-ascii URIs                                                                 | akira (akira yamada) | 12/12/2016 06:39 PM |
| 10459 | Ruby master | Feature | Assigned | [PATCH] rfc3339 method for Time                                                                       | akr (Akira Tanaka)   | 05/21/2015 08:14 AM |
| 11312 | Ruby master | Feature | Open     | Add Resolv::DNS::Resource::IN::SPF                                                                    | akr (Akira Tanaka)   | 07/01/2015 03:26 AM |
| 12497 | Ruby master | Feature | Assigned | GMP version of divmod may be slower                                                                   | akr (Akira Tanaka)   | 08/10/2016 03:11 AM |
| 13047 | Ruby master | Feature | Assigned | Use String literal instead of `String#+` for multiline pretty-printing of multiline strings           | akr (Akira Tanaka)   | 02/22/2017 07:09 AM |
| 13385 | Ruby master | Feature | Open     | [PATCH] Make Resolv::DNS::Name validation similar to host and dig commands                            | akr (Akira Tanaka)   | 06/16/2017 08:04 AM |
| 14066 | Ruby master | Feature | Assigned | Add CAA DNS RR on Resolv                                                                              | akr (Akira Tanaka)   | 11/10/2017 06:50 AM |
| 3608  | Ruby master | Feature | Assigned | Enhancing Pathname#each_child to be lazy                                                              | akr (Akira Tanaka)   | 12/25/2017 06:14 PM |
| 7362  | Ruby master | Feature | Assigned | Adding Pathname#start_with?                                                                           | akr (Akira Tanaka)   | 12/25/2017 06:15 PM |
| 7412  | Ruby master | Feature | Assigned | Pathname#relative_path_from does not support mixed directory separators on windows                    | akr (Akira Tanaka)   | 01/05/2018 09:00 PM |
| 10129 | Ruby master | Feature | Assigned | More descriptive error message for failed net/http requests                                           | akr (Akira Tanaka)   | 01/05/2018 09:01 PM |

| #     | Project     | Tracker | Status   | Subject                                                                                                  | Assignee                         | Updated             |
|-------|-------------|---------|----------|----------------------------------------------------------------------------------------------------------|----------------------------------|---------------------|
| 10580 | Ruby master | Bug     | Open     | TestProcess#test_deadlock_by_signal_at_forking fails on ARM                                              | akr (Akira Tanaka)               | 12/30/2019 03:00 AM |
| 16985 | Ruby master | Feature | Open     | Improve `pp` for `Hash` and `String`                                                                     | akr (Akira Tanaka)               | 06/26/2020 09:51 AM |
| 17154 | Ruby master | Misc    | Open     | Update Pathname Documentation to Clarify Expected Behavior                                               | akr (Akira Tanaka)               | 09/05/2020 01:18 PM |
| 10637 | Ruby master | Feature | Assigned | Puppet orchestration on vagrant fails with Error: Non-HTTP proxy URI                                     | akr (Akira Tanaka)               | 09/23/2020 10:23 PM |
| 17173 | Ruby master | Feature | Open     | open-uri ☐ ciphers ☐☐☐☐☐☐                                                                                | akr (Akira Tanaka)               | 09/25/2020 09:17 AM |
| 11322 | Ruby master | Feature | Assigned | OpenUri: RuntimeError: HTTP redirection loop                                                             | akr (Akira Tanaka)               | 11/13/2020 03:52 AM |
| 14922 | Ruby master | Feature | Assigned | Resolv getaddresses ignores AAAA records for IPv6                                                        | akr (Akira Tanaka)               | 11/13/2020 04:01 AM |
| 16937 | Ruby master | Feature | Assigned | Add DNS over HTTP to Resolv                                                                              | akr (Akira Tanaka)               | 12/10/2020 09:15 AM |
| 17569 | Ruby master | Misc    | Open     | `uri` lib maintainership                                                                                 | akr (Akira Tanaka)               | 01/23/2021 10:42 AM |
| 13513 | Ruby master | Bug     | Assigned | Resolv::DNS::Message.decode hangs after detecting truncation in UDP messages                             | akr (Akira Tanaka)               | 03/08/2021 11:35 PM |
| 17297 | Ruby master | Feature | Assigned | Feature: Introduce Pathname.mktmpdir                                                                     | akr (Akira Tanaka)               | 08/30/2021 06:51 AM |
| 17296 | Ruby master | Feature | Assigned | Feature: Pathname#chmod use FileUtils.chmod instead of File                                              | akr (Akira Tanaka)               | 08/30/2021 06:51 AM |
| 17294 | Ruby master | Feature | Assigned | Feature: Allow method chaining with Pathname#mkpath Pathname#rmtree                                      | akr (Akira Tanaka)               | 08/30/2021 06:52 AM |
| 17295 | Ruby master | Feature | Assigned | Feature: Create a directory and file with Pathname#touch                                                 | akr (Akira Tanaka)               | 09/28/2021 01:20 AM |
| 18450 | Ruby master | Feature | Assigned | Force break in prettyprint                                                                               | akr (Akira Tanaka)               | 12/29/2021 02:02 PM |
| 17473 | Ruby master | Feature | Open     | Make Pathname to embedded class of Ruby                                                                  | akr (Akira Tanaka)               | 01/07/2022 09:25 AM |
| 18651 | Ruby master | Bug     | Open     | oob access in CP51932 -> CP50220 transcoder                                                              | akr (Akira Tanaka)               | 03/23/2022 01:17 PM |
| 18654 | Ruby master | Feature | Open     | Enhancements to prettyprint                                                                              | akr (Akira Tanaka)               | 05/12/2022 01:44 PM |
| 8445  | Ruby master | Bug     | Assigned | IO.open and IO#set_encoding does not support :fallback option                                            | akr (Akira Tanaka)               | 06/14/2022 06:02 AM |
| 14917 | Ruby master | Misc    | Assigned | Add RDoc documents to tar ball                                                                           | aycabta (aycabta .)              | 07/21/2018 09:29 AM |
| 13604 | Ruby master | Feature | Assigned | Exposing alternative interface of readline                                                               | aycabta (aycabta .)              | 01/20/2020 05:34 AM |
| 15371 | Ruby master | Feature | Assigned | IRB with ARGV                                                                                            | aycabta (aycabta .)              | 02/14/2020 11:35 AM |
| 18459 | Ruby master | Feature | Assigned | IRB autocomplete dropdown colour options                                                                 | aycabta (aycabta .)              | 01/05/2022 02:15 AM |
| 9507  | Ruby master | Bug     | Open     | Ruby 2.1.0 is broken on ARMv5: tried to create Proc object without a block                               | charliesome (Charlie Somerville) | 01/05/2018 09:00 PM |
| 6351  | Ruby master | Bug     | Assigned | transcode table generator does not support multi characters of Unicode                                   | duerst (Martin Dürst)            | 12/25/2017 06:15 PM |
| 7742  | Ruby master | Bug     | Open     | System encoding (Windows-1258) is not recognized by Ruby to convert back to UTF-8                        | duerst (Martin Dürst)            | 12/25/2017 06:15 PM |
| 17400 | Ruby master | Bug     | Open     | Incorrect character downcase for Greek Sigma                                                             | duerst (Martin Dürst)            | 12/17/2020 06:56 AM |
| 18337 | Ruby master | Bug     | Assigned | Ruby allows zero-width characters in identifiers                                                         | duerst (Martin Dürst)            | 11/24/2021 09:13 AM |
| 13671 | Ruby master | Bug     | Assigned | Regexp with lookbehind and case-insensitivity raises RegexpError only on strings with certain characters | duerst (Martin Dürst)            | 11/30/2021 04:42 AM |
| 18601 | Ruby master | Bug     | Open     | Invalid byte sequences in Big5 encodings                                                                 | duerst (Martin Dürst)            | 02/23/2022 07:59 AM |
| 18639 | Ruby master | Feature | Open     | Update Unicode data to Unicode Version 15.0.0                                                            | duerst (Martin Dürst)            | 03/22/2022 07:38 PM |

| #     | Project     | Tracker | Status   | Subject                                                                                                                                                          | Assignee                       | Updated             |
|-------|-------------|---------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|---------------------|
| 13696 | Ruby master | Feature | Open     | Add exchange and noreplace options to File.rename                                                                                                                | Glass_saga (Masaki Matsushita) | 12/01/2017 04:34 PM |
| 2631  | Ruby master | Feature | Assigned | Allow IO#reopen to take a block                                                                                                                                  | Glass_saga (Masaki Matsushita) | 05/24/2018 01:22 PM |
| 7148  | Ruby master | Feature | Assigned | Improved Tempfile w/o DelegateClass                                                                                                                              | Glass_saga (Masaki Matsushita) | 03/27/2019 09:51 AM |
| 15628 | Ruby master | Feature | Assigned | init_inetsock_internal should fallback to IPv4 if IPv6 is unreachable                                                                                            | Glass_saga (Masaki Matsushita) | 09/25/2020 05:42 AM |
| 16476 | Ruby master | Feature | Open     | Socket.getaddrinfo cannot be interrupted by Timeout.timeout                                                                                                      | Glass_saga (Masaki Matsushita) | 06/16/2022 01:08 AM |
| 17525 | Ruby master | Feature | Open     | Implement Happy Eyeballs Version 2 (RFC8305) in Socket.tcp                                                                                                       | Glass_saga (Masaki Matsushita) | 06/16/2022 01:08 AM |
| 15408 | Ruby master | Feature | Open     | Deprecate object_id and _id2ref                                                                                                                                  | headius (Charles Nutter)       | 03/19/2019 04:02 PM |
| 13508 | Ruby master | Feature | Assigned | How remove/refactor code related mathn library.                                                                                                                  | hsbt (Hiroshi SHIBATA)         | 12/25/2017 06:15 PM |
| 14679 | Ruby master | Bug     | Assigned | StdLib gems should properly specify their dependencies                                                                                                           | hsbt (Hiroshi SHIBATA)         | 04/11/2018 01:14 PM |
| 5617  | Ruby master | Feature | Assigned | Allow install RubyGems into dedicated directory                                                                                                                  | hsbt (Hiroshi SHIBATA)         | 05/16/2018 09:15 AM |
| 12639 | Ruby master | Feature | Assigned | Speed up require in RubyGems by 5x                                                                                                                               | hsbt (Hiroshi SHIBATA)         | 07/26/2018 02:12 AM |
| 9366  | Ruby master | Bug     | Assigned | "make -j32 check TESTS=-j32" occasionally fails on rubygems/specification                                                                                        | hsbt (Hiroshi SHIBATA)         | 07/26/2018 02:13 AM |
| 13534 | Ruby master | Feature | Assigned | Checking installation results of default gems                                                                                                                    | hsbt (Hiroshi SHIBATA)         | 07/26/2018 02:16 AM |
| 15487 | Ruby master | Misc    | Assigned | Clarify default gems maintenance policy                                                                                                                          | hsbt (Hiroshi SHIBATA)         | 12/30/2018 08:42 PM |
| 15550 | Ruby master | Bug     | Assigned | Windows - gem bin files - can't run from bash shell                                                                                                              | hsbt (Hiroshi SHIBATA)         | 03/20/2019 01:05 AM |
| 6590  | Ruby master | Feature | Assigned | Dealing with bigdecimal, etc gems in JRuby                                                                                                                       | hsbt (Hiroshi SHIBATA)         | 05/15/2019 08:33 PM |
| 10919 | Ruby master | Bug     | Assigned | [gem install] installs multiple platforms                                                                                                                        | hsbt (Hiroshi SHIBATA)         | 07/30/2019 07:44 AM |
| 16012 | Ruby master | Feature | Assigned | Add a (small) test-install suite?                                                                                                                                | hsbt (Hiroshi SHIBATA)         | 07/30/2019 08:13 AM |
| 16963 | Ruby master | Feature | Assigned | Remove English.rb from Ruby 2.8/3.0                                                                                                                              | hsbt (Hiroshi SHIBATA)         | 06/19/2020 09:48 AM |
| 14737 | Ruby master | Feature | Assigned | Split default gems into separate directory structure                                                                                                             | hsbt (Hiroshi SHIBATA)         | 09/02/2020 06:00 PM |
| 16951 | Ruby master | Bug     | Assigned | Consistently referer dependencies                                                                                                                                | hsbt (Hiroshi SHIBATA)         | 06/17/2021 06:15 AM |
| 18068 | Ruby master | Misc    | Open     | Silence LoadError only if it is for rubygems itself                                                                                                              | hsbt (Hiroshi SHIBATA)         | 08/08/2021 02:21 PM |
| 18355 | Ruby master | Bug     | Assigned | require("pathname") within rack application changes behaviors of Pathname methods, such as absolute?(), when there are two versions of 'pathname' gem installed. | hsbt (Hiroshi SHIBATA)         | 11/30/2021 08:01 AM |
| 18381 | Ruby master | Bug     | Assigned | Default vs Bundled gems                                                                                                                                          | hsbt (Hiroshi SHIBATA)         | 12/15/2021 11:09 AM |
| 18169 | Ruby master | Bug     | Assigned | Local copies of gemified libraries are being released out of sync with their gems                                                                                | hsbt (Hiroshi SHIBATA)         | 02/25/2022 05:40 PM |
| 18614 | Ruby master | Bug     | Open     | Error (busy loop) in TestGemCommandsSetupCommand#test_dest_dir_flag_does_not_try_to_write_to_the_default_gem_home                                                | hsbt (Hiroshi SHIBATA)         | 03/17/2022 01:03 AM |
| 18571 | Ruby master | Feature | Assigned | Removed the bundled sources from release package after Ruby 3.2                                                                                                  | hsbt (Hiroshi SHIBATA)         | 03/28/2022 06:23 AM |

| #     | Project     | Tracker | Status   | Subject                                                                            | Assignee                    | Updated             |
|-------|-------------|---------|----------|------------------------------------------------------------------------------------|-----------------------------|---------------------|
| 18666 | Ruby master | Bug     | Open     | No rule to make target 'yaml/yaml.h', needed by 'api.o'                            | hsbt (Hiroshi SHIBATA)      | 03/29/2022 11:17 AM |
| 18567 | Ruby master | Bug     | Open     | Depending on default gems in stdlib gems when not needed considered harmful        | hsbt (Hiroshi SHIBATA)      | 04/21/2022 04:45 PM |
| 18790 | Ruby master | Bug     | Assigned | cannot load such file -- digest (LoadError)                                        | hsbt (Hiroshi SHIBATA)      | 06/06/2022 12:41 AM |
| 18888 | Ruby master | Misc    | Assigned | Migrate ruby-lang.org mail services to Google Domains and Google Workspace         | hsbt (Hiroshi SHIBATA)      | 07/22/2022 01:41 AM |
| 18912 | Ruby master | Bug     | Assigned | Build failure with macOS 13 (Ventura) Beta                                         | hsbt (Hiroshi SHIBATA)      | 08/05/2022 03:40 AM |
| 595   | Ruby master | Bug     | Assigned | Fiber ignores ensure clause                                                        | ioquatix (Samuel Williams)  | 12/29/2019 10:37 AM |
| 13383 | Ruby master | Feature | Open     | [PATCH] Module#source_location                                                     | ioquatix (Samuel Williams)  | 01/09/2020 05:16 AM |
| 17664 | Ruby master | Bug     | Assigned | Behavior of sockets changed in Ruby 3.0 to non-blocking                            | ioquatix (Samuel Williams)  | 07/12/2021 10:28 AM |
| 18036 | Ruby master | Bug     | Open     | Pthread fibers become invalid on fork - different from normal fibers.              | ioquatix (Samuel Williams)  | 08/19/2021 07:05 AM |
| 18227 | Ruby master | Feature | Open     | Static class initialization.                                                       | ioquatix (Samuel Williams)  | 09/29/2021 09:21 PM |
| 18818 | Ruby master | Bug     | Open     | SEGV (Fiber scheduler?)                                                            | ioquatix (Samuel Williams)  | 07/09/2022 10:44 PM |
| 18810 | Ruby master | Bug     | Open     | Make `Kernel#p` interruptable.                                                     | ioquatix (Samuel Williams)  | 07/30/2022 11:38 AM |
| 18002 | Ruby master | Bug     | Open     | s390x: Tests failing without LC_ALL env                                            | jaruga (Jun Aruga)          | 07/12/2021 04:30 PM |
| 16492 | Ruby master | Bug     | Open     | TestBugReporter#test_bug_reporter_add test failures                                | jaruga (Jun Aruga)          | 08/24/2021 01:12 PM |
| 17720 | Ruby master | Misc    | Assigned | Cirrus CI to check non-x86_64 architecture cases by own machines                   | jaruga (Jun Aruga)          | 09/26/2021 10:24 AM |
| 16188 | Ruby master | Misc    | Open     | What are the performance implications of the new keyword arguments in 2.7 and 3.0? | jeremyevans0 (Jeremy Evans) | 11/27/2019 04:45 PM |
| 16694 | Ruby master | Bug     | Assigned | JIT vs hardened GCC with PCH                                                       | k0kubun (Takashi Kokubun)   | 02/02/2021 07:38 AM |
| 18058 | Ruby master | Bug     | Open     | 3.1.0-dev with MJIT enabled Zlib::BufError during `gem install`                    | k0kubun (Takashi Kokubun)   | 08/02/2021 08:31 PM |
| 18142 | Ruby master | Bug     | Assigned | Segmentation fault with Ruby 3.0.2                                                 | k0kubun (Takashi Kokubun)   | 09/02/2021 07:43 AM |
| 18277 | Ruby master | Bug     | Open     | buffer error (Zlib::BufError) in Zlib::Deflate#deflate when using MJIT             | k0kubun (Takashi Kokubun)   | 01/05/2022 03:04 PM |
| 17995 | Ruby master | Bug     | Open     | Slow down when mjit and Ractor are being used at same time                         | k0kubun (Takashi Kokubun)   | 06/11/2022 04:02 AM |
| 18808 | Ruby master | Bug     | Assigned | Cannot compile ruby 3.1.2 on powerpc64le-linux without disabling the jit features  | k0kubun (Takashi Kokubun)   | 06/20/2022 10:40 AM |
| 16185 | Ruby master | Bug     | Open     | basicstest failure on AIX 6.1 for 64bit build                                      | kanemoto (Yutaka Kanemoto)  | 10/15/2019 12:05 AM |
| 18761 | Ruby master | Misc    | Open     | provide an example wasm project                                                    | katei (Yuta Saito)          | 05/23/2022 11:01 AM |
| 11710 | Ruby master | Feature | Open     | [PATCH] Replace Set#merge with Set#merge! and make Set#merge non-mutating.         | knu (Akinori MURASHI)       | 11/18/2015 07:28 PM |
| 13610 | Ruby master | Feature | Assigned | IPAddr doesn't provide helpful methods to get the subnet or IP address             | knu (Akinori MURASHI)       | 10/20/2017 01:13 AM |
| 3953  | Ruby master | Feature | Assigned | TCPSocket / UDPSocket do not accept IPAddr objects.                                | knu (Akinori MURASHI)       | 12/25/2017 06:14 PM |
| 8047  | Ruby master | Feature | Assigned | IPAddr makes host address with netmask                                             | knu (Akinori MURASHI)       | 01/05/2018 09:00 PM |
| 11527 | Ruby master | Feature | Assigned | IPAddr#mask_addr isn't a method                                                    | knu (Akinori MURASHI)       | 11/07/2018 04:12 PM |
| 15240 | Ruby master | Feature | Open     | Set operations check for is_a?(Set), rather than allowing duck typing              | knu (Akinori MURASHI)       | 08/27/2019 08:12 PM |
| 11531 | Ruby master | Bug     | Assigned | IPAddr#== implements wrong logic                                                   | knu (Akinori MURASHI)       | 12/29/2019 12:50 PM |
| 15281 | Ruby master | Feature | Assigned | Speed up Set#intersect with size check.                                            | knu (Akinori MURASHI)       | 08/11/2020 02:43 AM |
| 17210 | Ruby master | Feature | Open     | More readable and useful `Set#inspect`                                             | knu (Akinori MURASHI)       | 05/19/2021 10:12 PM |

| #     | Project     | Tracker | Status   | Subject                                                                         | Assignee             | Updated             |
|-------|-------------|---------|----------|---------------------------------------------------------------------------------|----------------------|---------------------|
| 16989 | Ruby master | Feature | Open     | Sets: need ♥                                                                    | knu (Akinori MUSHYA) | 02/18/2022 02:57 AM |
| 9755  | Ruby master | Feature | Assigned | Thread::Backtrace::Location#defined_class                                       | ko1 (Koichi Sasada)  | 04/18/2014 09:22 AM |
| 10009 | Ruby master | Bug     | Open     | IO operation is 10x slower in multi-thread environment                          | ko1 (Koichi Sasada)  | 05/21/2015 07:19 AM |
| 10932 | Ruby master | Feature | Open     | Enabling allocation tracing as early as possible                                | ko1 (Koichi Sasada)  | 06/13/2015 07:54 AM |
| 8960  | Ruby master | Feature | Assigned | Add Exception#backtrace_locations                                               | ko1 (Koichi Sasada)  | 11/25/2016 02:15 PM |
| 13388 | Ruby master | Feature | Assigned | gc.c: Add GC.get_parameters and .set_parameters                                 | ko1 (Koichi Sasada)  | 03/30/2017 10:52 AM |
| 13252 | Ruby master | Feature | Assigned | C API for creating strings without copying                                      | ko1 (Koichi Sasada)  | 04/17/2017 07:22 AM |
| 13512 | Ruby master | Feature | Open     | System Threads                                                                  | ko1 (Koichi Sasada)  | 07/14/2017 07:08 AM |
| 3731  | Ruby master | Feature | Assigned | Easier Embedding API for Ruby                                                   | ko1 (Koichi Sasada)  | 12/25/2017 06:14 PM |
| 4040  | Ruby master | Bug     | Assigned | SystemStackError with Hash[*a] for Large _a_                                    | ko1 (Koichi Sasada)  | 12/25/2017 06:14 PM |
| 6694  | Ruby master | Feature | Assigned | Thread.new without block.                                                       | ko1 (Koichi Sasada)  | 12/25/2017 06:15 PM |
| 6695  | Ruby master | Feature | Assigned | Configuration for Thread/Fiber creation                                         | ko1 (Koichi Sasada)  | 12/25/2017 06:15 PM |
| 8576  | Ruby master | Feature | Assigned | Add optimized method type for constant value methods                            | ko1 (Koichi Sasada)  | 12/25/2017 06:15 PM |
| 2294  | Ruby master | Feature | Assigned | [PATCH] ruby_bind_stack() to embed Ruby in coroutine                            | ko1 (Koichi Sasada)  | 01/05/2018 09:00 PM |
| 7976  | Ruby master | Bug     | Assigned | TracePoint call is at call point, not call site                                 | ko1 (Koichi Sasada)  | 01/05/2018 09:00 PM |
| 10423 | Ruby master | Feature | Open     | [PATCH] opt_str_lit*: avoid literal string allocations                          | ko1 (Koichi Sasada)  | 01/05/2018 09:01 PM |
| 14727 | Ruby master | Bug     | Assigned | TestQueue#test_queue_with_trap always timeout on Windows10                      | ko1 (Koichi Sasada)  | 05/01/2018 02:59 AM |
| 14859 | Ruby master | Feature | Open     | [PATCH] implement Timeout in VM                                                 | ko1 (Koichi Sasada)  | 07/22/2018 07:42 AM |
| 15263 | Ruby master | Bug     | Open     | [PATCH] vm_trace.c (postponed_job_register): only hit main thread               | ko1 (Koichi Sasada)  | 10/27/2018 11:35 PM |
| 15315 | Ruby master | Bug     | Open     | ec_switch can still lose interrupts                                             | ko1 (Koichi Sasada)  | 11/20/2018 09:32 AM |
| 14813 | Ruby master | Feature | Open     | [PATCH] gc.c: make gc_enter+gc_exit pairs dtrace probes, too                    | ko1 (Koichi Sasada)  | 12/17/2018 07:42 AM |
| 13821 | Ruby master | Feature | Assigned | Allow fibers to be resumed across threads                                       | ko1 (Koichi Sasada)  | 02/15/2019 10:09 AM |
| 11174 | Ruby master | Bug     | Open     | threads memory leak                                                             | ko1 (Koichi Sasada)  | 06/17/2019 03:17 PM |
| 15854 | Ruby master | Feature | Open     | Tracing instance variable assignment                                            | ko1 (Koichi Sasada)  | 07/29/2019 07:13 AM |
| 15878 | Ruby master | Feature | Assigned | Make exit faster by not running GC                                              | ko1 (Koichi Sasada)  | 07/29/2019 07:48 AM |
| 15802 | Ruby master | Misc    | Open     | Reduce the minimum string buffer size from 127 to 63 bytes                      | ko1 (Koichi Sasada)  | 07/30/2019 04:04 AM |
| 8444  | Ruby master | Bug     | Open     | Regexp vars \$~ and friends are not thread local                                | ko1 (Koichi Sasada)  | 07/30/2019 07:38 AM |
| 16027 | Ruby master | Feature | Assigned | Update Ruby's dtrace / USDT API to match what is exposed via the TracePoint API | ko1 (Koichi Sasada)  | 08/03/2019 02:41 AM |
| 15939 | Ruby master | Feature | Assigned | Dump symbols reference to their fstr in ObjectSpace.dump()                      | ko1 (Koichi Sasada)  | 08/08/2019 09:38 PM |
| 15778 | Ruby master | Feature | Open     | Expose an API to pry-open the stack frames in Ruby                              | ko1 (Koichi Sasada)  | 08/29/2019 06:24 AM |
| 16124 | Ruby master | Misc    | Assigned | Let the transient heap belong to objspace                                       | ko1 (Koichi Sasada)  | 11/18/2019 08:48 AM |
| 16819 | Ruby master | Bug     | Assigned | Line reporting off by one when reporting line of a hash?                        | ko1 (Koichi Sasada)  | 06/16/2020 05:57 PM |
| 11808 | Ruby master | Bug     | Open     | Different behavior between Enumerable#grep and Array#grep                       | ko1 (Koichi Sasada)  | 10/26/2020 04:36 AM |

| #     | Project     | Tracker | Status   | Subject                                                                                                                        | Assignee            | Updated             |
|-------|-------------|---------|----------|--------------------------------------------------------------------------------------------------------------------------------|---------------------|---------------------|
| 17359 | Ruby master | Bug     | Open     | Ractor copy mode is not Ractor-safe                                                                                            | ko1 (Koichi Sasada) | 12/02/2020 05:42 PM |
| 14492 | Ruby master | Feature | Open     | iseq loading + caching should be in core                                                                                       | ko1 (Koichi Sasada) | 12/10/2020 08:53 AM |
| 10238 | Ruby master | Feature | Open     | todo: remove dependency on malloc_usable_size                                                                                  | ko1 (Koichi Sasada) | 12/10/2020 09:20 AM |
| 17404 | Ruby master | Feature | Open     | Ractor `move:` API to allow shareability check                                                                                 | ko1 (Koichi Sasada) | 12/18/2020 09:17 PM |
| 17414 | Ruby master | Feature | Open     | Ractor should allow access to shareable attributes for Modules/Classes                                                         | ko1 (Koichi Sasada) | 12/21/2020 03:56 PM |
| 17393 | Ruby master | Feature | Open     | `Ractor::Moved#inspect`                                                                                                        | ko1 (Koichi Sasada) | 12/21/2020 05:47 PM |
| 15499 | Ruby master | Bug     | Assigned | Breaking behavior on ruby 2.6: rb_thread_call_without_gvl doesn't invoke unblock_function when used on the main thread         | ko1 (Koichi Sasada) | 01/05/2021 02:24 AM |
| 17513 | Ruby master | Bug     | Open     | Methods of shareable objects and UnboundMethods should be shareable                                                            | ko1 (Koichi Sasada) | 01/06/2021 08:53 PM |
| 17420 | Ruby master | Bug     | Open     | Unsafe mutation of \$" when doing non-RubyGems require in Ractor                                                               | ko1 (Koichi Sasada) | 01/07/2021 01:23 PM |
| 17531 | Ruby master | Bug     | Open     | `did_you_mean` not Ractor friendly                                                                                             | ko1 (Koichi Sasada) | 01/29/2021 08:48 AM |
| 17543 | Ruby master | Bug     | Open     | Ractor isolation broken by `self` in shareable proc                                                                            | ko1 (Koichi Sasada) | 01/29/2021 03:06 PM |
| 17593 | Ruby master | Feature | Assigned | load_iseq_eval should override the ISeq path                                                                                   | ko1 (Koichi Sasada) | 02/16/2021 08:27 AM |
| 17667 | Ruby master | Bug     | Open     | Module#name needs synchronization                                                                                              | ko1 (Koichi Sasada) | 03/02/2021 07:31 AM |
| 17678 | Ruby master | Bug     | Assigned | Ractors do not restart after fork                                                                                              | ko1 (Koichi Sasada) | 03/09/2021 12:42 AM |
| 17677 | Ruby master | Bug     | Assigned | Ractor crashes fork when blocking                                                                                              | ko1 (Koichi Sasada) | 03/09/2021 12:42 AM |
| 17676 | Ruby master | Bug     | Assigned | Accessing ENV from Ractor raises IsolationError                                                                                | ko1 (Koichi Sasada) | 03/09/2021 02:37 AM |
| 17884 | Ruby master | Feature | Open     | locindex for profiling tools                                                                                                   | ko1 (Koichi Sasada) | 05/24/2021 04:17 PM |
| 17617 | Ruby master | Bug     | Open     | When a Ractor's incoming port is closed, Ractor.receive_if does not raise Ractor::ClosedError, but instead blocks indefinitely | ko1 (Koichi Sasada) | 09/14/2021 01:40 AM |
| 17624 | Ruby master | Bug     | Open     | Ractor.receive is not thread-safe                                                                                              | ko1 (Koichi Sasada) | 09/14/2021 01:40 AM |
| 18119 | Ruby master | Bug     | Open     | Ractor crashes when instantiating classes                                                                                      | ko1 (Koichi Sasada) | 09/14/2021 01:42 AM |
| 18258 | Ruby master | Bug     | Open     | Ractor.shareable? can be slow and mutates internal object flags.                                                               | ko1 (Koichi Sasada) | 10/21/2021 08:58 AM |
| 16776 | Ruby master | Bug     | Assigned | Regression in coverage library                                                                                                 | ko1 (Koichi Sasada) | 11/24/2021 07:26 AM |
| 17516 | Ruby master | Bug     | Assigned | forking in a ractor causes Ruby to crash                                                                                       | ko1 (Koichi Sasada) | 11/30/2021 05:26 AM |
| 14090 | Ruby master | Bug     | Assigned | `TestGc#test_interrupt_in_finalizer` fails very rarely                                                                         | ko1 (Koichi Sasada) | 12/02/2021 07:24 PM |
| 17502 | Ruby master | Misc    | Open     | C vs Ruby                                                                                                                      | ko1 (Koichi Sasada) | 12/02/2021 07:53 PM |
| 17998 | Ruby master | Bug     | Assigned | ractor: process hanging (with ractors initialized, but not being used)                                                         | ko1 (Koichi Sasada) | 12/02/2021 08:17 PM |
| 18275 | Ruby master | Feature | Open     | Add an option to define_method to not capture the surrounding environment                                                      | ko1 (Koichi Sasada) | 12/03/2021 02:34 PM |
| 18024 | Ruby master | Bug     | Assigned | Ractor crashes when connections are closed in multiple Ractors                                                                 | ko1 (Koichi Sasada) | 12/14/2021 04:41 PM |
| 17826 | Ruby master | Bug     | Assigned | Ractor#take hangs if used in multiple Threads                                                                                  | ko1 (Koichi Sasada) | 12/15/2021 01:30 PM |
| 8263  | Ruby master | Feature | Assigned | Support discovering yield state of individual Fibers                                                                           | ko1 (Koichi Sasada) | 12/23/2021 11:40 PM |
| 12020 | Ruby master | Feature | Assigned | Documenting Ruby memory model                                                                                                  | ko1 (Koichi Sasada) | 12/23/2021 11:40 PM |
| 14394 | Ruby master | Feature | Open     | Class.descendants                                                                                                              | ko1 (Koichi Sasada) | 01/20/2022 10:46 PM |

| #     | Project     | Tracker | Status   | Subject                                                                                       | Assignee                         | Updated             |
|-------|-------------|---------|----------|-----------------------------------------------------------------------------------------------|----------------------------------|---------------------|
| 18572 | Ruby master | Bug     | Assigned | Performance regression when invoking refined methods                                          | ko1 (Koichi Sasada)              | 02/10/2022 12:48 AM |
| 17196 | Ruby master | Bug     | Assigned | Segmentation Fault with Socket#close in Ractors                                               | ko1 (Koichi Sasada)              | 03/20/2022 01:52 PM |
| 18553 | Ruby master | Bug     | Open     | Memory leak on compiling method call with kwargs                                              | ko1 (Koichi Sasada)              | 03/23/2022 09:34 PM |
| 17363 | Ruby master | Feature | Assigned | Timeouts                                                                                      | ko1 (Koichi Sasada)              | 05/14/2022 09:06 AM |
| 18464 | Ruby master | Bug     | Assigned | RUBY_INTERNAL_EVENT_NEWOBJ tracepoint causes an interpreter crash when combined with Ractors  | ko1 (Koichi Sasada)              | 06/08/2022 08:25 AM |
| 14607 | Ruby master | Bug     | Assigned | Fix use of the rb_profile_frames start parameter                                              | ko1 (Koichi Sasada)              | 06/09/2022 06:12 AM |
| 18886 | Ruby master | Bug     | Open     | Struct aref and aset don't trigger any tracepoints.                                           | ko1 (Koichi Sasada)              | 06/29/2022 06:05 AM |
| 17679 | Ruby master | Bug     | Assigned | Ractor incoming channel can consume unlimited resources                                       | ko1 (Koichi Sasada)              | 06/30/2022 10:49 AM |
| 11269 | Ruby master | Bug     | Assigned | ruby_init_setproctitle() should be called before require_libraries()                          | kosaki (Motohiro KOSAKI)         | 06/17/2015 03:01 AM |
| 4464  | Ruby master | Feature | Assigned | [PATCH] add Fcntl::Flock object for easier use of POSIX file locks                            | kosaki (Motohiro KOSAKI)         | 12/25/2017 06:14 PM |
| 7086  | Ruby master | Feature | Assigned | ConditionVariable#wait has meaningless return value                                           | kosaki (Motohiro KOSAKI)         | 12/25/2017 06:15 PM |
| 13697 | Ruby master | Feature | Open     | [PATCH]: futex based thread primitives                                                        | kosaki (Motohiro KOSAKI)         | 01/28/2018 11:41 PM |
| 17478 | Ruby master | Bug     | Assigned | Ruby3.0 is slower than Ruby2.7.2 when parsing a large CSV file                                | kou (Kouhei Sutou)               | 11/24/2021 05:12 AM |
| 18034 | Ruby master | Bug     | Assigned | Segmentation fault fiddle with `--enable-bundled-libffi` and macOS                            | kou (Kouhei Sutou)               | 11/30/2021 07:39 AM |
| 7859  | Ruby master | Bug     | Assigned | Readline: Incorrect arrow key behavior in vi_editing_mode insert mode with Readline 6.2       | kouji (Kouji Takao)              | 12/25/2017 06:15 PM |
| 8782  | Ruby master | Bug     | Assigned | Don't set rl_getc_function on editline                                                        | kouji (Kouji Takao)              | 01/05/2018 09:00 PM |
| 15918 | Ruby master | Feature | Open     | Pattern matching for Set                                                                      | ktsj (Kazuki Tsujimoto)          | 07/29/2019 08:12 AM |
| 15881 | Ruby master | Feature | Open     | Optimize deconstruct in pattern matching                                                      | ktsj (Kazuki Tsujimoto)          | 12/25/2019 04:28 AM |
| 17355 | Ruby master | Feature | Assigned | Using same set of names in or-patterns (pattern matching with Foo(x)   Bar(x))                | ktsj (Kazuki Tsujimoto)          | 09/13/2021 09:11 AM |
| 18408 | Ruby master | Feature | Assigned | Allow pattern match to set instance variables                                                 | ktsj (Kazuki Tsujimoto)          | 01/26/2022 07:07 PM |
| 18773 | Ruby master | Feature | Assigned | deconstruct to receive a range                                                                | ktsj (Kazuki Tsujimoto)          | 07/22/2022 05:48 PM |
| 4247  | Ruby master | Feature | Assigned | New features for Array#sample, Array#choice                                                   | mame (Yusuke Endoh)              | 12/25/2017 06:14 PM |
| 14244 | Ruby master | Feature | Open     | Better error messages for scripts with non-matching end statements                            | mame (Yusuke Endoh)              | 11/29/2018 08:57 AM |
| 18194 | Ruby master | Feature | Open     | No easy way to format exception messages per thread/fiber scheduler context.                  | mame (Yusuke Endoh)              | 09/29/2021 10:10 AM |
| 18564 | Ruby master | Feature | Open     | Add Exception#detailed_message                                                                | mame (Yusuke Endoh)              | 02/01/2022 08:06 PM |
| 8223  | Ruby master | Feature | Open     | Make Matrix more omnivorous.                                                                  | marcandre (Marc-Andre Lafortune) | 04/09/2013 03:42 AM |
| 12676 | Ruby master | Feature | Assigned | Significant performance increase, and code conciseness, for prime_division method in prime.rb | marcandre (Marc-Andre Lafortune) | 11/18/2016 03:46 PM |
| 9347  | Ruby master | Feature | Open     | Accept non callable argument to detect                                                        | marcandre (Marc-Andre Lafortune) | 01/05/2018 09:00 PM |
| 15815 | Ruby master | Feature | Open     | Add option to raise NoMethodError for OpenStruct                                              | marcandre (Marc-Andre Lafortune) | 09/28/2020 02:11 AM |
| 8232  | Ruby master | Feature | Open     | Rudiments of abstract algebra in Ruby                                                         | matz (Yukihiro Matsumoto)        | 04/09/2013 01:47 AM |

| #     | Project     | Tracker | Status   | Subject                                                                                                                 | Assignee                  | Updated             |
|-------|-------------|---------|----------|-------------------------------------------------------------------------------------------------------------------------|---------------------------|---------------------|
| 8478  | Ruby master | Feature | Open     | The hash returned by Enumerable#group_by should have an empty array for its default value                               | matz (Yukihiro Matsumoto) | 06/04/2013 03:56 PM |
| 8663  | Ruby master | Feature | Open     | Officialy alias ArgumentError to ArgError                                                                               | matz (Yukihiro Matsumoto) | 08/09/2013 07:42 PM |
| 9070  | Ruby master | Feature | Open     | Introduce `---` as synonym of `end` keyword                                                                             | matz (Yukihiro Matsumoto) | 11/02/2013 03:23 AM |
| 9768  | Ruby master | Feature | Assigned | Method that is visible only within a certain module/class                                                               | matz (Yukihiro Matsumoto) | 04/25/2014 06:43 AM |
| 10404 | Ruby master | Feature | Open     | Allow individual finalizers to be removed with ObjectSpace.undefine_finalizer                                           | matz (Yukihiro Matsumoto) | 10/20/2014 08:14 AM |
| 9816  | Ruby master | Feature | Assigned | XXXXXXXXXXXXXXXXXXXXXXXXXXXX                                                                                            | matz (Yukihiro Matsumoto) | 10/28/2014 08:29 AM |
| 10574 | Ruby master | Feature | Open     | Add String#lchomp and String.lchomp!                                                                                    | matz (Yukihiro Matsumoto) | 12/15/2014 04:34 PM |
| 10481 | Ruby master | Feature | Assigned | Add "if" and "unless" clauses to rescue statements                                                                      | matz (Yukihiro Matsumoto) | 01/18/2015 02:46 PM |
| 11028 | Ruby master | Feature | Assigned | standalone running single file ( zipped archives of ruby code) running **without installation** using "gem install ..." | matz (Yukihiro Matsumoto) | 04/04/2015 01:44 AM |
| 11122 | Ruby master | Feature | Open     | exception-free non-blocking Queue/SizedQueue operations                                                                 | matz (Yukihiro Matsumoto) | 05/06/2015 08:53 PM |
| 11307 | Ruby master | Feature | Open     | exception-free non-blocking Queue#pop                                                                                   | matz (Yukihiro Matsumoto) | 06/25/2015 11:06 PM |
| 11390 | Ruby master | Feature | Open     | Allow symbols starting with numbers                                                                                     | matz (Yukihiro Matsumoto) | 08/14/2015 05:23 AM |
| 11518 | Ruby master | Feature | Open     | Queue enhancement - promote! and promote_all!                                                                           | matz (Yukihiro Matsumoto) | 09/17/2015 08:40 PM |
| 11517 | Ruby master | Feature | Open     | Queue enhancement - conditional pop                                                                                     | matz (Yukihiro Matsumoto) | 09/17/2015 09:02 PM |
| 10541 | Ruby master | Misc    | Open     | Remove shorthand string interpolation syntax                                                                            | matz (Yukihiro Matsumoto) | 10/08/2015 05:44 PM |
| 8839  | Ruby master | Feature | Assigned | Class and module should return the class or module that was opened                                                      | matz (Yukihiro Matsumoto) | 12/28/2015 08:36 AM |
| 11181 | Ruby master | Feature | Open     | Add a line directive to Ruby                                                                                            | matz (Yukihiro Matsumoto) | 01/26/2016 02:04 AM |
| 11704 | Ruby master | Bug     | Assigned | Refinements only get "used" once in loop                                                                                | matz (Yukihiro Matsumoto) | 04/14/2016 02:45 AM |
| 12244 | Ruby master | Feature | Open     | Add a way to `integer - integer % num`                                                                                  | matz (Yukihiro Matsumoto) | 05/17/2016 06:05 AM |
| 7314  | Ruby master | Feature | Assigned | Convert Proc to Lambda doesn't work in MRI                                                                              | matz (Yukihiro Matsumoto) | 05/21/2016 09:15 AM |
| 11735 | Ruby master | Feature | Open     | Porting String#squish and String#squish! from Ruby on Rails' Active Support                                             | matz (Yukihiro Matsumoto) | 06/24/2016 08:02 AM |
| 6842  | Ruby master | Feature | Assigned | Add Optional Arguments to String#strip                                                                                  | matz (Yukihiro Matsumoto) | 08/24/2016 05:50 AM |
| 9704  | Ruby master | Feature | Open     | Refinements as files instead of modules                                                                                 | matz (Yukihiro Matsumoto) | 10/11/2016 06:36 PM |
| 12813 | Ruby master | Feature | Assigned | Calling chunk_while, slice_after, slice_before, slice_when with no block                                                | matz (Yukihiro Matsumoto) | 12/06/2016 12:58 PM |
| 14128 | Ruby master | Feature | Open     | Introduce Hash#delete default value                                                                                     | matz (Yukihiro Matsumoto) | 11/25/2017 04:41 PM |
| 4514  | Ruby master | Feature | Assigned | #deep_clone and #deep_dup for Objects                                                                                   | matz (Yukihiro Matsumoto) | 12/25/2017 06:14 PM |
| 4521  | Ruby master | Feature | Assigned | NoMethodError#message may take very long to execute                                                                     | matz (Yukihiro Matsumoto) | 12/25/2017 06:14 PM |
| 4592  | Ruby master | Feature | Assigned | TempfileXXXXXXXXXX                                                                                                      | matz (Yukihiro Matsumoto) | 12/25/2017 06:14 PM |
| 4818  | Ruby master | Feature | Assigned | Add method marshalable?                                                                                                 | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5064  | Ruby master | Feature | Assigned | HTTP user-agent class                                                                                                   | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5389  | Ruby master | Feature | Assigned | New method Enumerator#iterate                                                                                           | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 5445  | Ruby master | Feature | Assigned | Need RUBYOPT -r before ARGV -r                                                                                          | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |



| #    | Project     | Tracker | Status   | Subject                                                                                    | Assignee                  | Updated             |
|------|-------------|---------|----------|--------------------------------------------------------------------------------------------|---------------------------|---------------------|
| 5558 | Ruby master | Feature | Assigned | String#% strange arity errors                                                              | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 5582 | Ruby master | Feature | Assigned | Allow clone of singleton methods on a BasicObject                                          | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 5643 | Ruby master | Feature | Assigned | require/load options and binding option                                                    | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 5741 | Ruby master | Feature | Assigned | Secure Erasure of Passwords                                                                | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 5749 | Ruby master | Feature | Assigned | new method String#match_all needed                                                         | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 5970 | Ruby master | Feature | Assigned | Add Enumerable#join with same semantics as Array#join                                      | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6277 | Ruby master | Feature | Assigned | Hash#convert_key                                                                           | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6293 | Ruby master | Feature | Assigned | new queue / blocking queues                                                                | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6317 | Ruby master | Feature | Assigned | Range#cover? Range                                                                         | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6337 | Ruby master | Feature | Assigned | FileUtils#sync                                                                             | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6354 | Ruby master | Feature | Assigned | Remove escape (break/return/redo/next support) from class/module scope                     | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6376 | Ruby master | Feature | Assigned | Feature lookup and checking if feature is loaded                                           | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6413 | Ruby master | Feature | Assigned | Make Dir.entries default to Dir.entries(Dir.pwd)                                           | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6445 | Ruby master | Feature | Assigned | request for default length/position on string index                                        | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6611 | Ruby master | Feature | Assigned | Comments requested on implementation of set_parse_func                                     | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6641 | Ruby master | Feature | Open     | Hash.auto constructor                                                                      | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6648 | Ruby master | Feature | Assigned | Provide a standard API for retrieving all command-line flags passed to Ruby                | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6671 | Ruby master | Feature | Assigned | File.split_all and File.split_root                                                         | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6802 | Ruby master | Feature | Assigned | String#scan should have equivalent yielding MatchData                                      | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6811 | Ruby master | Feature | Assigned | File, Dir and FileUtils should have bang-versions of singleton methods that fails silently | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 6817 | Ruby master | Feature | Open     | Partial application                                                                        | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7087 | Ruby master | Feature | Assigned | ::ConditionVariable#wait does not work with Monitor because Monitor#sleep does not exist   | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7121 | Ruby master | Feature | Assigned | Extending the use of `require`                                                             | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7132 | Ruby master | Feature | Assigned | Alternation between named / ordered method arguments and aliases for method arguments.     | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7149 | Ruby master | Feature | Open     | Constant magic for everyone.                                                               | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7349 | Ruby master | Feature | Assigned | Struct#inspect needs more meaningful output                                                | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7377 | Ruby master | Feature | Open     | #indetical? as an alias for #equal?                                                        | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7436 | Ruby master | Feature | Assigned | Allow for a "granularity" flag for backtrace_locations                                     | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7444 | Ruby master | Feature | Open     | Array#product_set                                                                          | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7503 | Ruby master | Feature | Assigned | make timeout.rb async-interrupt safe by default                                            | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7548 | Ruby master | Feature | Open     | Load and Require Callbacks                                                                 | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7604 | Ruby master | Feature | Open     | Make === comparison operator ability to delegate comparison to an argument                 | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |
| 7611 | Ruby master | Feature | Open     | Focal method for all loads/requires                                                        | matz (Yukihiko Matsumoto) | 12/25/2017 06:15 PM |

| #     | Project     | Tracker | Status   | Subject                                                                            | Assignee                  | Updated             |
|-------|-------------|---------|----------|------------------------------------------------------------------------------------|---------------------------|---------------------|
| 7614  | Ruby master | Feature | Open     | alias_accessor                                                                     | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7654  | Ruby master | Feature | Open     | Add optional code block to IO::readlines                                           | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7657  | Ruby master | Feature | Open     | Array#& doesn't accept Enumerables                                                 | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7704  | Ruby master | Feature | Open     | Add a list of enabled (experimental) language features.                            | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7739  | Ruby master | Feature | Assigned | Define Hash#  as Hash#reverse_merge in Rails                                       | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7795  | Ruby master | Feature | Open     | Symbol.defined? and/or to_existing_symbol                                          | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7848  | Ruby master | Feature | Open     | Restore default state for core ruby objects                                        | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7876  | Ruby master | Feature | Open     | Add method for accessing Class from within Singleton Class                         | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7883  | Ruby master | Feature | Open     | Add Regexp#to_proc                                                                 | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 7914  | Ruby master | Feature | Open     | Case for local class methods                                                       | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 8016  | Ruby master | Feature | Assigned | Alias __FILE__ and __LINE__ as methods                                             | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 8042  | Ruby master | Feature | Assigned | Add Addrinfo#socket to create a socket that is not connected or bound              | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 8061  | Ruby master | Feature | Open     | □□□□□□□□□□□□□□□□                                                                   | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 8536  | Ruby master | Feature | Assigned | Implement is_numeric? family of methods                                            | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 8850  | Ruby master | Feature | Assigned | Convert Rational to decimal string                                                 | matz (Yukihiro Matsumoto) | 12/25/2017 06:15 PM |
| 9043  | Ruby master | Feature | Open     | Add String#f method as shortcut for #freeze                                        | matz (Yukihiro Matsumoto) | 01/05/2018 09:00 PM |
| 9614  | Ruby master | Feature | Open     | ordering of non-Hash items which use st_ internally                                | matz (Yukihiro Matsumoto) | 01/05/2018 09:00 PM |
| 8678  | Ruby master | Feature | Assigned | Allow invalid string to work with regexp                                           | matz (Yukihiro Matsumoto) | 01/05/2018 09:00 PM |
| 10498 | Ruby master | Feature | Open     | Make `loop` yield a counter                                                        | matz (Yukihiro Matsumoto) | 01/05/2018 09:01 PM |
| 5129  | Ruby master | Feature | Assigned | Create a core class "FileArray" and make "ARGF" its instance                       | matz (Yukihiro Matsumoto) | 01/23/2018 02:02 PM |
| 4824  | Ruby master | Feature | Assigned | Provide method Kernel#executed?                                                    | matz (Yukihiro Matsumoto) | 03/05/2018 04:57 AM |
| 5007  | Ruby master | Feature | Assigned | Proc#call_under: Unifying instance_eval and instance_exec                          | matz (Yukihiro Matsumoto) | 04/19/2018 07:57 AM |
| 14760 | Ruby master | Misc    | Open     | cross-thread IO#close semantics                                                    | matz (Yukihiro Matsumoto) | 05/17/2018 08:21 AM |
| 14724 | Ruby master | Feature | Open     | chains of inequalities                                                             | matz (Yukihiro Matsumoto) | 05/19/2018 01:06 AM |
| 14546 | Ruby master | Feature | Open     | Hash#delete!                                                                       | matz (Yukihiro Matsumoto) | 05/30/2018 08:24 PM |
| 7580  | Ruby master | Feature | Assigned | Range translation                                                                  | matz (Yukihiro Matsumoto) | 06/11/2018 09:51 AM |
| 12306 | Ruby master | Feature | Open     | Implement String #blank? #present? and improve #strip and family to handle unicode | matz (Yukihiro Matsumoto) | 07/22/2018 10:55 PM |
| 14927 | Ruby master | Feature | Open     | Loading multiple files at once                                                     | matz (Yukihiro Matsumoto) | 09/18/2018 12:38 AM |
| 5945  | Ruby master | Feature | Assigned | Add the ability to mark a at_exit as process-local.                                | matz (Yukihiro Matsumoto) | 10/10/2018 08:29 AM |
| 15112 | Ruby master | Feature | Open     | Introducing the short form of `STDERR.puts expr.inspect`.                          | matz (Yukihiro Matsumoto) | 10/12/2018 02:02 AM |
| 14397 | Ruby master | Feature | Assigned | public, protected and private should return their arguments instead of self        | matz (Yukihiro Matsumoto) | 12/10/2018 07:08 AM |
| 15445 | Ruby master | Feature | Open     | Reject '.123' in Float() method                                                    | matz (Yukihiro Matsumoto) | 01/10/2019 07:59 AM |
| 15764 | Ruby master | Bug     | Open     | Whitespace and control characters should not be permitted in tokens                | matz (Yukihiro Matsumoto) | 04/22/2019 07:48 AM |

| #     | Project     | Tracker | Status   | Subject                                                                                                        | Assignee                  | Updated             |
|-------|-------------|---------|----------|----------------------------------------------------------------------------------------------------------------|---------------------------|---------------------|
| 15837 | Ruby master | Feature | Open     | Module#name_components                                                                                         | matz (Yukihiro Matsumoto) | 05/08/2019 10:29 AM |
| 9123  | Ruby master | Feature | Open     | Make Numeric#nonzero? behavior consistent with Numeric#zero?                                                   | matz (Yukihiro Matsumoto) | 06/11/2019 12:55 PM |
| 7702  | Ruby master | Feature | Open     | Remove Proc#binding                                                                                            | matz (Yukihiro Matsumoto) | 07/15/2019 07:39 PM |
| 15991 | Ruby master | Feature | Open     | Allow questionmarks in variable names                                                                          | matz (Yukihiro Matsumoto) | 07/30/2019 03:57 AM |
| 4539  | Ruby master | Feature | Assigned | Array#zip_with                                                                                                 | matz (Yukihiro Matsumoto) | 11/28/2019 08:23 AM |
| 8804  | Ruby master | Feature | Open     | ONCE syntax                                                                                                    | matz (Yukihiro Matsumoto) | 01/04/2020 08:26 PM |
| 5781  | Ruby master | Feature | Assigned | Query attributes (attribute methods ending in `?` mark)                                                        | matz (Yukihiro Matsumoto) | 01/10/2020 06:34 AM |
| 14609 | Ruby master | Feature | Open     | Let `Kernel#p` without an argument print the receiver                                                          | matz (Yukihiro Matsumoto) | 02/08/2020 08:43 PM |
| 16630 | Ruby master | Misc    | Assigned | Deprecate pub/ruby/*snapshot* and use pub/ruby/snapshot/* instead                                              | matz (Yukihiro Matsumoto) | 02/27/2020 09:52 AM |
| 11816 | Ruby master | Feature | Assigned | Partial safe navigation operator                                                                               | matz (Yukihiro Matsumoto) | 04/14/2020 08:02 AM |
| 16894 | Ruby master | Feature | Open     | Integer division for Ruby 3                                                                                    | matz (Yukihiro Matsumoto) | 05/18/2020 03:41 PM |
| 15277 | Ruby master | Feature | Open     | at_exec                                                                                                        | matz (Yukihiro Matsumoto) | 05/25/2020 01:09 AM |
| 6596  | Ruby master | Feature | Assigned | New method `Array#indexes`                                                                                     | matz (Yukihiro Matsumoto) | 07/29/2020 01:41 AM |
| 6309  | Ruby master | Feature | Assigned | Add a reference queue for weak references                                                                      | matz (Yukihiro Matsumoto) | 08/23/2020 09:07 PM |
| 16992 | Ruby master | Feature | Open     | Sets: officially ordered                                                                                       | matz (Yukihiro Matsumoto) | 09/03/2020 02:08 PM |
| 17279 | Ruby master | Feature | Open     | Allow a negative step in Range#step with a block                                                               | matz (Yukihiro Matsumoto) | 10/22/2020 02:23 AM |
| 17288 | Ruby master | Feature | Open     | Optimize __send__ call with a literal method name                                                              | matz (Yukihiro Matsumoto) | 10/30/2020 12:17 AM |
| 5456  | Ruby master | Feature | Assigned | kernel#syscall() should be removed.                                                                            | matz (Yukihiro Matsumoto) | 12/10/2020 08:46 AM |
| 7546  | Ruby master | Feature | Open     | Change behavior of `Array#slice` for an argument of `Range` class                                              | matz (Yukihiro Matsumoto) | 12/10/2020 08:49 AM |
| 7644  | Ruby master | Feature | Assigned | In refinements, change "using" keyword to a less generic word.                                                 | matz (Yukihiro Matsumoto) | 12/10/2020 08:49 AM |
| 8164  | Ruby master | Feature | Assigned | Public/Private                                                                                                 | matz (Yukihiro Matsumoto) | 12/10/2020 08:50 AM |
| 5825  | Ruby master | Feature | Assigned | Sweet instance var assignment in the object initializer                                                        | matz (Yukihiro Matsumoto) | 12/10/2020 08:53 AM |
| 6452  | Ruby master | Feature | Assigned | Allow extend to override class methods                                                                         | matz (Yukihiro Matsumoto) | 12/10/2020 08:53 AM |
| 6594  | Ruby master | Feature | Assigned | Integrated Functor                                                                                             | matz (Yukihiro Matsumoto) | 12/10/2020 08:53 AM |
| 6841  | Ruby master | Feature | Assigned | Shorthand for Assigning Return Value of Method to Self                                                         | matz (Yukihiro Matsumoto) | 12/10/2020 08:53 AM |
| 7748  | Ruby master | Feature | Open     | Contextual send                                                                                                | matz (Yukihiro Matsumoto) | 12/10/2020 08:53 AM |
| 8229  | Ruby master | Feature | Open     | extend Hash.include?                                                                                           | matz (Yukihiro Matsumoto) | 12/10/2020 08:53 AM |
| 10489 | Ruby master | Feature | Open     | Add inherit method for clearer and multiple inheritance                                                        | matz (Yukihiro Matsumoto) | 12/10/2020 08:53 AM |
| 6869  | Ruby master | Feature | Open     | Do not treat `__` parameter exceptionally                                                                      | matz (Yukihiro Matsumoto) | 12/10/2020 08:58 AM |
| 16461 | Ruby master | Feature | Assigned | Proc#using                                                                                                     | matz (Yukihiro Matsumoto) | 12/10/2020 09:10 AM |
| 6810  | Ruby master | Feature | Assigned | `module A::B; end` is not equivalent to `module A; module B; end; end` with respect to constant lookup (scope) | matz (Yukihiro Matsumoto) | 12/10/2020 09:22 AM |
| 8948  | Ruby master | Feature | Assigned | Frozen regex                                                                                                   | matz (Yukihiro Matsumoto) | 12/20/2020 07:15 PM |



| #     | Project     | Tracker | Status   | Subject                                                                                                   | Assignee                | Updated             |
|-------|-------------|---------|----------|-----------------------------------------------------------------------------------------------------------|-------------------------|---------------------|
| 17339 | Ruby master | Feature | Assigned | Semantic grouping with BigDecimal#to_s                                                                    | mrkn (Kenta Murata)     | 12/20/2021 12:39 PM |
| 18677 | Ruby master | Bug     | Assigned | BigDecimal#power (**) returns FloatDomainError when passing an infinite parameter                         | mrkn (Kenta Murata)     | 04/20/2022 02:04 AM |
| 5654  | Ruby master | Feature | Assigned | Introduce global lock to avoid concurrent require                                                         | nahi (Hiroshi Nakamura) | 12/25/2017 06:15 PM |
| 10628 | Ruby master | Misc    | Open     | Peformance of URI module                                                                                  | naruse (Yui NARUSE)     | 12/26/2014 04:08 PM |
| 6265  | Ruby master | Feature | Assigned | Remove 'useless' 'concatenation' syntax                                                                   | naruse (Yui NARUSE)     | 08/10/2016 02:36 AM |
| 13221 | Ruby master | Feature | Assigned | [PATCH] gems/bundled_gems: add "curses" RubyGem                                                           | naruse (Yui NARUSE)     | 09/25/2017 06:32 PM |
| 5461  | Ruby master | Feature | Assigned | Add pipelining to Net::HTTP                                                                               | naruse (Yui NARUSE)     | 12/25/2017 06:15 PM |
| 7892  | Ruby master | Bug     | Open     | MIME encoding bug of NKF.nkf                                                                              | naruse (Yui NARUSE)     | 12/25/2017 06:15 PM |
| 9020  | Ruby master | Feature | Assigned | Net::HTTPResponse predicate/query methods                                                                 | naruse (Yui NARUSE)     | 12/25/2017 06:15 PM |
| 15007 | Ruby master | Misc    | Open     | Let all Init_XXX and extension APIs frequently called from init code paths be considered cold             | naruse (Yui NARUSE)     | 12/06/2018 11:05 AM |
| 11526 | Ruby master | Bug     | Assigned | Streaming HTTP requests are not idempotent and should not be retried                                      | naruse (Yui NARUSE)     | 07/01/2019 09:16 PM |
| 5764  | Ruby master | Feature | Assigned | Net::HTTP should assume HTTP/0.9 on unexpected responses                                                  | naruse (Yui NARUSE)     | 07/15/2019 05:06 PM |
| 15940 | Ruby master | Feature | Open     | Coerce symbols internal fstrings in UTF8 rather than ASCII to better share memory with string literals    | naruse (Yui NARUSE)     | 07/30/2019 04:17 AM |
| 15931 | Ruby master | Feature | Open     | encoding for CESU-8                                                                                       | naruse (Yui NARUSE)     | 12/20/2019 05:42 AM |
| 16559 | Ruby master | Feature | Open     | Net::HTTP#request injects "Connection: close" header if #started? is false, wasting HTTP server resources | naruse (Yui NARUSE)     | 05/28/2020 07:37 PM |
| 17111 | Ruby master | Feature | Assigned | Improve performance of Net::HTTPHeader#set_form by 40%                                                    | naruse (Yui NARUSE)     | 08/10/2020 05:36 AM |
| 17638 | Ruby master | Feature | Assigned | Support backtracing with the libbacktrace library                                                         | naruse (Yui NARUSE)     | 03/05/2021 03:40 PM |
| 18371 | Ruby master | Misc    | Assigned | Release branches (release information in general)                                                         | naruse (Yui NARUSE)     | 03/23/2022 10:32 PM |
| 8449  | Ruby master | Feature | Open     | Array#ary_plus always returns an array                                                                    | nobu (Nobuyoshi Nakada) | 06/02/2013 04:23 PM |
| 8959  | Ruby master | Feature | Assigned | Allow top level prepend                                                                                   | nobu (Nobuyoshi Nakada) | 10/16/2013 03:22 AM |
| 6769  | Ruby master | Feature | Assigned | rbinstall.rb: install both src and batch files separately                                                 | nobu (Nobuyoshi Nakada) | 10/30/2015 12:38 PM |
| 11670 | Ruby master | Feature | Open     | Show warning to make nested def obsolete                                                                  | nobu (Nobuyoshi Nakada) | 11/09/2015 07:40 AM |
| 12064 | Ruby master | Feature | Open     | Make creation of enc/unicode/casfold.h automatic again                                                    | nobu (Nobuyoshi Nakada) | 02/12/2016 06:13 AM |
| 13269 | Ruby master | Bug     | Assigned | test/readline/test_readline.rb and mingw                                                                  | nobu (Nobuyoshi Nakada) | 03/13/2017 08:56 AM |
| 12473 | Ruby master | Bug     | Assigned | Test failure on fedora with TestTimeExtension#test_huge_precision                                         | nobu (Nobuyoshi Nakada) | 04/28/2017 01:45 PM |
| 12725 | Ruby master | Bug     | Assigned | Trying to use ./miniruby before it exists                                                                 | nobu (Nobuyoshi Nakada) | 04/28/2017 01:45 PM |
| 13577 | Ruby master | Feature | Assigned | Digest.file accidentally receives File object but uses file path                                          | nobu (Nobuyoshi Nakada) | 05/20/2017 06:50 PM |
| 13378 | Ruby master | Feature | Open     | Eliminate 4 of 8 syscalls when requiring file by absolute path                                            | nobu (Nobuyoshi Nakada) | 06/16/2017 07:57 AM |
| 13516 | Ruby master | Feature | Assigned | Improve the text of the circular require warning                                                          | nobu (Nobuyoshi Nakada) | 08/31/2017 05:49 AM |
| 2324  | Ruby master | Feature | Assigned | Dir instance methods for relative path                                                                    | nobu (Nobuyoshi Nakada) | 12/25/2017 05:58 PM |
| 4924  | Ruby master | Feature | Assigned | mkmf have_header fails with C++ headers                                                                   | nobu (Nobuyoshi Nakada) | 12/25/2017 06:15 PM |
| 7532  | Ruby master | Feature | Assigned | Hardcoded compiler location                                                                               | nobu (Nobuyoshi Nakada) | 12/25/2017 06:15 PM |

| #     | Project     | Tracker | Status   | Subject                                                                                                                             | Assignee                 | Updated             |
|-------|-------------|---------|----------|-------------------------------------------------------------------------------------------------------------------------------------|--------------------------|---------------------|
| 7745  | Ruby master | Feature | Open     | lib/observer.rb: Observers are compared by identity                                                                                 | nobu (Nobuyoshi Nakada)  | 12/25/2017 06:15 PM |
| 9955  | Ruby master | Bug     | Assigned | issue building dll on mingw, library not found                                                                                      | nobu (Nobuyoshi Nakada)  | 01/05/2018 09:00 PM |
| 5317  | Ruby master | Bug     | Assigned | ruby off_t                                                                                                                          | nobu (Nobuyoshi Nakada)  | 01/05/2018 09:00 PM |
| 6360  | Ruby master | Bug     | Assigned | Debug information build even without requesting it                                                                                  | nobu (Nobuyoshi Nakada)  | 01/05/2018 09:00 PM |
| 7964  | Ruby master | Bug     | Assigned | Writing an ASCII-8BIT String to a StringIO created from a UTF-8 String                                                              | nobu (Nobuyoshi Nakada)  | 01/05/2018 09:00 PM |
| 14692 | Ruby master | Misc    | Open     | Question: Ruby stdlib's Option Parser                                                                                               | nobu (Nobuyoshi Nakada)  | 04/22/2018 05:53 AM |
| 14543 | Ruby master | Bug     | Assigned | `make commit` show error of `common-srcs`                                                                                           | nobu (Nobuyoshi Nakada)  | 06/02/2018 04:17 AM |
| 14971 | Ruby master | Bug     | Open     | error: implicit declaration of function `rb_vm_call0`                                                                               | nobu (Nobuyoshi Nakada)  | 09/06/2018 03:53 AM |
| 6012  | Ruby master | Feature | Assigned | Proc#source_location also return the column                                                                                         | nobu (Nobuyoshi Nakada)  | 02/12/2019 07:49 AM |
| 16025 | Ruby master | Misc    | Assigned | 'st_check_for_sizeof_st_index_t' declared as array with a negative size (emscripten)                                                | nobu (Nobuyoshi Nakada)  | 07/30/2019 11:20 AM |
| 15806 | Ruby master | Misc    | Assigned | Explicitly initialise encodings on init to remove branches on encoding lookup                                                       | nobu (Nobuyoshi Nakada)  | 08/29/2019 04:29 AM |
| 8299  | Ruby master | Bug     | Assigned | Minor error in float parsing                                                                                                        | nobu (Nobuyoshi Nakada)  | 12/30/2019 03:00 AM |
| 16747 | Ruby master | Misc    | Assigned | Repository reorganization request                                                                                                   | nobu (Nobuyoshi Nakada)  | 05/22/2020 01:30 PM |
| 7840  | Ruby master | Bug     | Open     | -Wdeclaration-after-statement is valid for C/ObjC but not for C++                                                                   | nobu (Nobuyoshi Nakada)  | 06/02/2020 04:41 PM |
| 8270  | Ruby master | Feature | Open     | Ruby should build without thread support (aka minix)                                                                                | nobu (Nobuyoshi Nakada)  | 12/10/2020 08:53 AM |
| 16291 | Ruby master | Feature | Open     | Introduce support for resize in rb_ary_freeze and prefer internal use of rb_ary_freeze and rb_str_freeze for String and Array types | nobu (Nobuyoshi Nakada)  | 12/25/2020 02:43 AM |
| 17578 | Ruby master | Bug     | Assigned | mkmf experimental C++ Support                                                                                                       | nobu (Nobuyoshi Nakada)  | 01/27/2021 03:51 AM |
| 7394  | Ruby master | Feature | Assigned | Enumerable#find ifnone parameter could be non-callable                                                                              | nobu (Nobuyoshi Nakada)  | 02/10/2021 09:32 AM |
| 9010  | Ruby master | Bug     | Assigned | ./configure --prefix= cannot handle directories with spaces                                                                         | nobu (Nobuyoshi Nakada)  | 04/26/2021 10:38 PM |
| 8460  | Ruby master | Feature | Assigned | PATCH: optparse: add keep_unknown option                                                                                            | nobu (Nobuyoshi Nakada)  | 05/27/2021 10:07 PM |
| 13298 | Ruby master | Bug     | Assigned | mingw SEGV TestEnumerable#test_callcc                                                                                               | nobu (Nobuyoshi Nakada)  | 06/04/2021 03:41 AM |
| 17662 | Ruby master | Misc    | Assigned | The heredoc pattern used in tests does not syntax highlight correctly in many editors                                               | nobu (Nobuyoshi Nakada)  | 06/30/2021 12:54 PM |
| 15305 | Ruby master | Feature | Open     | [PATCH] include/ruby/ruby.h (RB_ALLOCV*): remove GC guard                                                                           | nobu (Nobuyoshi Nakada)  | 07/27/2021 11:39 AM |
| 16836 | Ruby master | Bug     | Assigned | configure-time LDFLAGS leak into ruby pkg-config file                                                                               | nobu (Nobuyoshi Nakada)  | 08/14/2021 09:10 AM |
| 10416 | Ruby master | Bug     | Open     | Create mechanism for updating of Unicode data files downstreams when we want                                                        | nobu (Nobuyoshi Nakada)  | 10/08/2021 06:40 AM |
| 12436 | Ruby master | Bug     | Assigned | newline argument of File.open seems not respected on Windows                                                                        | nobu (Nobuyoshi Nakada)  | 10/25/2021 09:07 AM |
| 16497 | Ruby master | Bug     | Assigned | StringIO#internal_encoding is broken (more severely in 2.7)                                                                         | nobu (Nobuyoshi Nakada)  | 10/26/2021 04:31 PM |
| 18623 | Ruby master | Bug     | Open     | `make runnable` does not work                                                                                                       | nobu (Nobuyoshi Nakada)  | 03/16/2022 01:28 AM |
| 16978 | Ruby master | Feature | Open     | Ruby should not use realpath for __FILE__                                                                                           | nobu (Nobuyoshi Nakada)  | 04/01/2022 11:30 AM |
| 11299 | Ruby master | Feature | Open     | [PATCH] use Array instead of custom struct for generic ivars                                                                        | normalperson (Eric Wong) | 06/24/2015 12:38 AM |
| 13721 | Ruby master | Feature | Assigned | [PATCH] net/imap: dedupe attr keys in Net::IMAP::FetchData                                                                          | normalperson (Eric Wong) | 07/27/2017 09:51 AM |
| 10328 | Ruby master | Feature | Open     | [PATCH] make OPT_SUPPORT_JOKE a proper VM option                                                                                    | normalperson (Eric Wong) | 01/05/2018 09:01 PM |

| #     | Project     | Tracker | Status   | Subject                                                                       | Assignee                          | Updated             |
|-------|-------------|---------|----------|-------------------------------------------------------------------------------|-----------------------------------|---------------------|
| 15072 | Ruby master | Bug     | Open     | thread.c:4356:5: error: implicit declaration of function 'ubf_list_atfork'    | normalperson (Eric Wong)          | 09/20/2018 03:32 AM |
| 14901 | Ruby master | Feature | Assigned | [PATCH] do not block SIGCHLD in normal Ruby Threads                           | normalperson (Eric Wong)          | 07/19/2021 05:23 AM |
| 16805 | Ruby master | Misc    | Assigned | Coroutine's license is unclear                                                | ReiOdaira (Rei Odaira)            | 07/01/2021 10:09 PM |
| 12582 | Ruby master | Bug     | Assigned | OpenSSL Authenticated Encryption should check for tag length                  | rhenium (Kazuki Yamaguchi)        | 04/28/2017 01:45 PM |
| 12354 | Ruby master | Feature | Assigned | PKKey::EC Can't output public key pem when private key exists                 | rhenium (Kazuki Yamaguchi)        | 07/24/2019 10:57 PM |
| 8126  | Ruby master | Feature | Assigned | OpenSSL::SSL::SSLSocket does not define #recv and #send messages              | rhenium (Kazuki Yamaguchi)        | 08/08/2019 11:05 PM |
| 18658 | Ruby master | Bug     | Open     | Need openssl 3 support for Ubuntu 22.04 (Ruby 2.7.x and 3.0.x)                | rhenium (Kazuki Yamaguchi)        | 07/10/2022 12:07 PM |
| 5434  | Ruby master | Feature | Assigned | Allow per-class whitelisting of methods safe to expose through DRb            | seki (Masatoshi Seki)             | 12/25/2017 06:15 PM |
| 14412 | Ruby master | Feature | Assigned | DRb UNIX on local machine: add support for getpeerid()                        | seki (Masatoshi Seki)             | 01/28/2018 12:51 PM |
| 13864 | Ruby master | Bug     | Assigned | Rinda multicast test failures due to missing default route                    | seki (Masatoshi Seki)             | 08/17/2021 07:16 AM |
| 12281 | Ruby master | Feature | Assigned | Allow lexically scoped use of refinements with `using {}` block syntax        | shugo (Shugo Maeda)               | 06/13/2016 07:44 AM |
| 6682  | Ruby master | Feature | Assigned | Add a method to return an instance attached by a singleton class              | shyouhei (Shyouhei Urabe)         | 12/25/2017 06:15 PM |
| 17289 | Ruby master | Bug     | Assigned | Time#strftime occurs Segmentation Fault on ruby-2.7.2p137                     | shyouhei (Shyouhei Urabe)         | 11/05/2020 07:57 AM |
| 17376 | Ruby master | Misc    | Assigned | Reduce number of GitHub Actions                                               | shyouhei (Shyouhei Urabe)         | 12/10/2020 11:50 AM |
| 18726 | Ruby master | Misc    | Open     | CI Error on c99 and c2x                                                       | shyouhei (Shyouhei Urabe)         | 04/19/2022 09:05 AM |
| 11955 | Ruby master | Feature | Assigned | Expose Object that Receives logs in Logger                                    | sonots (Naotoshi Seo)             | 11/09/2017 11:35 AM |
| 9115  | Ruby master | Bug     | Assigned | Logger traps all exceptions; breaks Timeout                                   | sonots (Naotoshi Seo)             | 08/20/2019 12:47 PM |
| 13622 | Ruby master | Misc    | Assigned | Documentation missing                                                         | stomar (Marcus Stollsteimer)      | 06/03/2017 07:27 AM |
| 6613  | Ruby master | Feature | Assigned | VT_RECORD, IRecordInfo Support in WIN32OLE                                    | suke (Masaki Suketa)              | 12/25/2017 06:15 PM |
| 15239 | Ruby master | Feature | Assigned | [patch] test-spec win32ole                                                    | suke (Masaki Suketa)              | 12/29/2019 01:04 PM |
| 5334  | Ruby master | Bug     | Assigned | Segmentation fault in InternetExplorer IServiceProvider interface             | suke (Masaki Suketa)              | 12/30/2019 03:00 AM |
| 9590  | Ruby master | Feature | Open     | introduce st_foreach_update and st_foreach_update_check for performance.      | tarui (Masaya Tarui)              | 01/05/2018 09:00 PM |
| 7518  | Ruby master | Feature | Assigned | Fiddle::Pointer#to_str and Fiddle::Pointer#to_int should be removed           | tenderlovmaking (Aaron Patterson) | 08/15/2013 04:56 AM |
| 7488  | Ruby master | Feature | Assigned | Receiving object_id in object creation probes                                 | tenderlovmaking (Aaron Patterson) | 12/25/2017 06:15 PM |
| 7788  | Ruby master | Feature | Open     | YAML Tag Schema Support                                                       | tenderlovmaking (Aaron Patterson) | 12/25/2017 06:15 PM |
| 11292 | Ruby master | Feature | Open     | objspace: Dump type of special consts                                         | tmm1 (Aman Karmani)               | 06/22/2015 04:22 AM |
| 11599 | Ruby master | Feature | Open     | Dump entries of hash in ObjectSpace                                           | tmm1 (Aman Karmani)               | 11/24/2015 05:52 PM |
| 10038 | Ruby master | Feature | Assigned | Extend ObjectSpace.dump to expose buffer addresses for String and Array       | tmm1 (Aman Karmani)               | 01/05/2018 09:01 PM |
| 11142 | Ruby master | Bug     | Open     | Command line argument parser on windows handles double quotes inconsistently. | usa (Usaku NAKAMURA)              | 05/12/2015 04:09 PM |
| 12653 | Ruby master | Feature | Assigned | Use wide WinAPI for rb_w32_getcwd                                             | usa (Usaku NAKAMURA)              | 09/12/2016 06:35 AM |
| 15166 | Ruby master | Feature | Assigned | 2.5 times faster implementation than current gcd implementation               | watson1978 (Shizuo Fujita)        | 04/26/2019 09:12 PM |

| #     | Project     | Tracker | Status   | Subject                                                                                 | Assignee                  | Updated             |
|-------|-------------|---------|----------|-----------------------------------------------------------------------------------------|---------------------------|---------------------|
| 4831  | Ruby master | Feature | Assigned | Integer#prime_factors                                                                   | yugui (Yuki Sonoda)       | 01/23/2018 08:09 AM |
| 14844 | Ruby master | Feature | Open     | Future of RubyVM::AST?                                                                  | yui-knk (Kaneko Yuichiro) | 08/31/2020 08:22 AM |
| 16512 | Ruby master | Misc    | Assigned | Improving `www.ruby-lang.org` reference by merging with `rubyreferences.github.io`      | zverok (Victor Shepelev)  | 02/01/2022 12:28 PM |
| 9136  | Ruby master | Misc    | Assigned | Deprecated Enumerator.new(object, method) bad for BasicObject                           | zzak (Zachary Scott)      | 11/23/2013 03:58 AM |
| 10513 | Ruby master | Misc    | Open     | instance_eval yields the receiver, but is documented to yield no arguments              | zzak (Zachary Scott)      | 11/14/2014 10:29 PM |
| 10560 | Ruby master | Misc    | Assigned | confusion between x=x+y, x+=y, x.concat(y) and y.each{ z  x<<z}                         | zzak (Zachary Scott)      | 01/05/2018 09:02 PM |
| 9235  | Ruby master | Feature | Assigned | Documentation for commercial support                                                    | zzak (Zachary Scott)      | 08/10/2019 02:55 PM |
| 7981  | Ruby master | Feature | Open     | ruby does not respect --                                                                |                           | 02/28/2013 02:49 PM |
| 8184  | Ruby master | Feature | Open     | Avoid the creation of meaningless ranges (nil, false, true)                             |                           | 03/29/2013 11:16 PM |
| 8321  | Ruby master | Feature | Open     | Ripper: I would like coordinates for keywords                                           |                           | 05/10/2013 07:01 PM |
| 8404  | Ruby master | Feature | Open     | virtual, hooked or read only global variabels for ruby only code too                    |                           | 05/14/2013 09:19 PM |
| 8452  | Ruby master | Feature | Open     | Kernel#otherwise to rewrite code like (obj    default_obj).do_smth                      |                           | 05/26/2013 08:41 PM |
| 8494  | Ruby master | Feature | Open     | Safe method for defensive copies. alternative to 'dup'                                  |                           | 06/05/2013 04:26 PM |
| 8506  | Ruby master | Feature | Open     | Object#iter_for / Object#to_iter                                                        |                           | 06/10/2013 05:21 PM |
| 8598  | Ruby master | Feature | Open     | Expose information whether a timezone offset has been explicitly set on DateTime object |                           | 07/03/2013 08:27 PM |
| 8614  | Ruby master | Feature | Open     | Object#singleton_class with a block                                                     |                           | 07/12/2013 10:14 AM |
| 8688  | Ruby master | Feature | Open     | #sprintf should accept strings as keys                                                  |                           | 07/26/2013 02:33 AM |
| 8714  | Ruby master | Feature | Open     | Non-interpolated regular expression literal                                             |                           | 08/02/2013 08:00 PM |
| 8786  | Ruby master | Feature | Open     | Process.clock_gettime(:realtime)                                                        |                           | 08/15/2013 10:33 PM |
| 8827  | Ruby master | Feature | Open     | A method that flips the receiver and the first argument                                 |                           | 08/29/2013 05:59 AM |
| 8862  | Ruby master | Feature | Open     | getoptlong to accept user-provided commandline                                          |                           | 09/04/2013 09:53 PM |
| 8967  | Ruby master | Feature | Open     | add uninclude and unextend method                                                       |                           | 09/30/2013 02:18 PM |
| 9095  | Ruby master | Feature | Open     | Allow `Symbol#to_proc` to take arguments                                                |                           | 11/10/2013 04:25 AM |
| 9111  | Ruby master | Feature | Open     | Encoding-free String comparison                                                         |                           | 11/21/2013 04:35 PM |
| 9174  | Ruby master | Feature | Open     | value receiving block for Hash#has_key?                                                 |                           | 11/29/2013 06:33 AM |
| 9260  | Ruby master | Feature | Open     | make FileUtils.rm_rf raise on errors                                                    |                           | 12/19/2013 12:27 AM |

...