

CommonRuby - Feature #10508

Return enumerator in TSort iterators

11/13/2014 09:08 PM - ptico (Andrey Savchenko)

Status:	Closed	
Priority:	Normal	
Assignee:	akr (Akira Tanaka)	
Target version:	Ruby 2.2.0	
Description Return an Enumerator if no block is given for: <ul style="list-style-type: none">• TSort.tsort_each• TSort.each_strongly_connected_component• TSort.each_strongly_connected_component_from		

History

#1 - 11/14/2014 12:27 AM - marcandre (Marc-Andre Lafortune)

- Assignee set to akr (Akira Tanaka)

Looks good.

#2 - 11/14/2014 02:07 AM - nobu (Nobuyoshi Nakada)

Unnecessary Enumerator slows the performance down.

#3 - 11/14/2014 12:42 PM - ptico (Andrey Savchenko)

If you mean these .to_a calls, i have created dummy benchmark: <https://gist.github.com/Ptico/a16a5fe221de91166c31> and it looks good

#4 - 11/26/2014 10:47 AM - akr (Akira Tanaka)

- Status changed from Open to Closed

- % Done changed from 0 to 100

Applied in changeset ruby-trunk:r48584.

-
- lib/tsort.rb: Returns an enumerator if no block is given. [ruby-core:66270] [Feature #10508] Proposed by Andrey Savchenko.

Files

0001-Return-enumerator-in-TSort-each_-methods.patch	3.27 KB	11/13/2014	ptico (Andrey Savchenko)
---	---------	------------	--------------------------