

## Ruby trunk - Feature #11358

### [PATCH] ARGF.read\_nonblock should support `exception: false`

07/16/2015 10:02 AM - normalperson (Eric Wong)

<b>Status:</b>	Closed
<b>Priority:</b>	Normal
<b>Assignee:</b>	
<b>Target version:</b>	
<b>Description</b>	
<code>io.c (argf_read_nonblock): support `exception: false`</code>	
<p>This is a preparation for [ruby-core:69892] ("io.c: avoid kwarg parsing in C API") since I noticed ARGF.read_nonblock did not properly catch up to the `exception: false` change.</p>	
<pre>* io.c (argf_read_nonblock): support `exception: false`   (io_nonblock_eof): new function   (io_read_nonblock): use io_nonblock_eof   (argf_getpartial): accept kwargs hash for `exception: false`</pre>	
<pre>* test/ruby/test_argf.rb (test_read_nonblock): new test</pre>	
<p>Seems like a no brainer, will commit soon</p>	

#### Associated revisions

##### Revision d4454d01 - 07/17/2015 06:02 PM - normal

`io.c (argf_read_nonblock): support `exception: false``

This is a preparation for [ruby-core:69892]  
("io.c: avoid kwarg parsing in C API")  
since I noticed ARGF.read\_nonblock did not properly catch up to  
the `exception: false` change.

- `io.c (argf_read_nonblock): support exception: false' (io_nonblock_eof): new function (io_read_nonblock): use io_nonblock_eof (argf_getpartial): accept kwargs hash forexception: false'`
- `test/ruby/test_argf.rb (test_read_nonblock): new test [ruby-core:70000] [Feature #11358]`
- NEWS: add item for ARGF.read\_nonblock

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@51285 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

##### Revision 51285 - 07/17/2015 06:02 PM - normalperson (Eric Wong)

`io.c (argf_read_nonblock): support `exception: false``

This is a preparation for [ruby-core:69892]  
("io.c: avoid kwarg parsing in C API")  
since I noticed ARGF.read\_nonblock did not properly catch up to  
the `exception: false` change.

- `io.c (argf_read_nonblock): support exception: false' (io_nonblock_eof): new function (io_read_nonblock): use io_nonblock_eof (argf_getpartial): accept kwargs hash forexception: false'`
- `test/ruby/test_argf.rb (test_read_nonblock): new test [ruby-core:70000] [Feature #11358]`
- NEWS: add item for ARGF.read\_nonblock

##### Revision 51285 - 07/17/2015 06:02 PM - normal

`io.c (argf_read_nonblock): support `exception: false``

This is a preparation for [ruby-core:69892]  
("io.c: avoid kwarg parsing in C API")  
since I noticed ARGF.read\_nonblock did not properly catch up to  
the `exception: false` change.

- `io.c (argf_read_nonblock): support exception: false' (io_nonblock_eof): new function (io_read_nonblock): use io_nonblock_eof (argf_getpartial): accept kwargs hash forexception: false'`

- test/ruby/test\_argf.rb (test\_read\_nonblock): new test [ruby-core:70000] [Feature #11358]
- NEWS: add item for ARGF.read\_nonblock

**Revision 51285 - 07/17/2015 06:02 PM - normal**

io.c (argf\_read\_nonblock): support `exception: false`

This is a preparation for [ruby-core:69892]  
 ("io.c: avoid kwarg parsing in C API")

since I noticed ARGF.read\_nonblock did not properly catch up to  
 the `exception: false` change.

- io.c (argf\_read\_nonblock): support exception: false' (io\_nonblock\_eof): new function (io\_read\_nonblock): use io\_nonblock\_eof (argf\_getpartial): accept kwargs hash forexception: false'
- test/ruby/test\_argf.rb (test\_read\_nonblock): new test [ruby-core:70000] [Feature #11358]
- NEWS: add item for ARGF.read\_nonblock

**Revision 51285 - 07/17/2015 06:02 PM - normal**

io.c (argf\_read\_nonblock): support `exception: false`

This is a preparation for [ruby-core:69892]  
 ("io.c: avoid kwarg parsing in C API")

since I noticed ARGF.read\_nonblock did not properly catch up to  
 the `exception: false` change.

- io.c (argf\_read\_nonblock): support exception: false' (io\_nonblock\_eof): new function (io\_read\_nonblock): use io\_nonblock\_eof (argf\_getpartial): accept kwargs hash forexception: false'
- test/ruby/test\_argf.rb (test\_read\_nonblock): new test [ruby-core:70000] [Feature #11358]
- NEWS: add item for ARGF.read\_nonblock

**Revision 51285 - 07/17/2015 06:02 PM - normal**

io.c (argf\_read\_nonblock): support `exception: false`

This is a preparation for [ruby-core:69892]  
 ("io.c: avoid kwarg parsing in C API")

since I noticed ARGF.read\_nonblock did not properly catch up to  
 the `exception: false` change.

- io.c (argf\_read\_nonblock): support exception: false' (io\_nonblock\_eof): new function (io\_read\_nonblock): use io\_nonblock\_eof (argf\_getpartial): accept kwargs hash forexception: false'
- test/ruby/test\_argf.rb (test\_read\_nonblock): new test [ruby-core:70000] [Feature #11358]
- NEWS: add item for ARGF.read\_nonblock

**Revision 9885c1c7 - 10/24/2017 12:10 PM - znz (Kazuhiro NISHIYAMA)**

Update call-seq of ARGF.read\_nonblock

ARGF.read\_nonblock supports `exception: false` like IO#read\_nonblock  
 since 2.3.0.  
 [Feature #11358]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@60401 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

**Revision 60401 - 10/24/2017 12:10 PM - znz (Kazuhiro NISHIYAMA)**

Update call-seq of ARGF.read\_nonblock

ARGF.read\_nonblock supports `exception: false` like IO#read\_nonblock  
 since 2.3.0.  
 [Feature #11358]

**Revision 60401 - 10/24/2017 12:10 PM - kazu**

Update call-seq of ARGF.read\_nonblock

ARGF.read\_nonblock supports `exception: false` like IO#read\_nonblock  
 since 2.3.0.  
 [Feature #11358]

**Revision 60401 - 10/24/2017 12:10 PM - kazu**

Update call-seq of ARGF.read\_nonblock

ARGF.read\_nonblock supports `exception: false` like IO#read\_nonblock since 2.3.0.  
[Feature #11358]

## History

---

**#1 - 07/17/2015 06:03 PM - Anonymous**

- Status changed from Open to Closed

Applied in changeset [r51285](#).

---

io.c (argf\_read\_nonblock): support `exception: false`

This is a preparation for [ruby-core:69892]  
("io.c: avoid kwarg parsing in C API")  
since I noticed ARGF.read\_nonblock did not properly catch up to  
the `exception: false` change.

- io.c (argf\_read\_nonblock): support exception: false' (io\_nonblock\_eof): new function (io\_read\_nonblock): use io\_nonblock\_eof (argf\_getpartial): accept kwargs hash for exception: false'
- test/ruby/test\_argf.rb (test\_read\_nonblock): new test [ruby-core:70000] [Feature [#11358](#)]
- NEWS: add item for ARGF.read\_nonblock

## Files

---

0001-io.c-argf_read_nonblock-support-exception-false.patch	4.9 KB	07/16/2015	normalperson (Eric Wong)
--	--------	------------	--------------------------