

## Ruby master - Bug #12007

### Newly added Unicode data file doesn't get downloaded

01/19/2016 08:10 AM - duerst (Martin Dürst)

<b>Status:</b>	Closed	
<b>Priority:</b>	Normal	
<b>Assignee:</b>	duerst (Martin Dürst)	
<b>Target version:</b>		
<b>ruby -v:</b>	ruby 2.4.0dev (2016-01-19 trunk 53589) [x86_64-cygwin]	<b>Backport:</b> 2.0.0: UNKNOWN, 2.1: UNKNOWN, 2.2: UNKNOWN, 2.3: UNKNOWN
<b>Description</b>		
I added a new Unicode data file that should be downloaded to enc/unicode/8.0.0 in revision 53590, but despite repeated 'make up; make install' commands, the file wasn't downloaded.		
<b>Related issues:</b>		
Related to Ruby master - Bug #12433: uncommon.mk:614: recipe for target 'yes-...		<b>Closed</b>

#### Associated revisions

##### Revision 387e838c - 01/23/2016 09:38 AM - duerst (Martin Dürst)

ChangeLog: Fixing wrong time on previous commit, and adding previous commit message to svn [ci skip]

The message on the previous commit should have read:  
common.mk: Simplifying Unicode data file download logic to make it more reliable [Bug #12007]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@53634 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

##### Revision 53634 - 01/23/2016 09:38 AM - duerst (Martin Dürst)

ChangeLog: Fixing wrong time on previous commit, and adding previous commit message to svn [ci skip]

The message on the previous commit should have read:  
common.mk: Simplifying Unicode data file download logic to make it more reliable [Bug #12007]

##### Revision 53634 - 01/23/2016 09:38 AM - duerst (Martin Dürst)

ChangeLog: Fixing wrong time on previous commit, and adding previous commit message to svn [ci skip]

The message on the previous commit should have read:  
common.mk: Simplifying Unicode data file download logic to make it more reliable [Bug #12007]

##### Revision 53634 - 01/23/2016 09:38 AM - duerst (Martin Dürst)

ChangeLog: Fixing wrong time on previous commit, and adding previous commit message to svn [ci skip]

The message on the previous commit should have read:  
common.mk: Simplifying Unicode data file download logic to make it more reliable [Bug #12007]

##### Revision 53634 - 01/23/2016 09:38 AM - duerst (Martin Dürst)

ChangeLog: Fixing wrong time on previous commit, and adding previous commit message to svn [ci skip]

The message on the previous commit should have read:  
common.mk: Simplifying Unicode data file download logic to make it more reliable [Bug #12007]

##### Revision 615d99b7 - 01/24/2016 09:13 AM - duerst (Martin Dürst)

- common.mk: Simplifying Unicode data file download logic to make it more reliable (including additional fix not in r53633) [Bug #12007]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@53643 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

#### Revision 53643 - 01/24/2016 09:13 AM - duerst (Martin Dürst)

- common.mk: Simplifying Unicode data file download logic to make it more reliable (including additional fix not in r53633) [Bug #12007]

#### Revision 53643 - 01/24/2016 09:13 AM - duerst (Martin Dürst)

- common.mk: Simplifying Unicode data file download logic to make it more reliable (including additional fix not in r53633) [Bug #12007]

#### Revision 53643 - 01/24/2016 09:13 AM - duerst (Martin Dürst)

- common.mk: Simplifying Unicode data file download logic to make it more reliable (including additional fix not in r53633) [Bug #12007]

#### Revision 53643 - 01/24/2016 09:13 AM - duerst (Martin Dürst)

- common.mk: Simplifying Unicode data file download logic to make it more reliable (including additional fix not in r53633) [Bug #12007]

## History

---

### #1 - 01/19/2016 12:38 PM - nobu (Nobuyoshi Nakada)

- Status changed from Open to Feedback

Remove .unicode-8.0.0.time file.  
Adding/removing data file should be rare, and not worth to add more rules, I think.

### #2 - 01/23/2016 09:38 AM - duerst (Martin Dürst)

- Status changed from Feedback to Closed

Applied in changeset r53634.

---

ChangeLog: Fixing wrong time on previous commit, and adding previous commit message to svn [ci skip]

The message on the previous commit should have read:  
common.mk: Simplifying Unicode data file download logic to make it more reliable [Bug [#12007](#)]

### #3 - 01/23/2016 09:44 AM - duerst (Martin Dürst)

- Assignee changed from nobu (Nobuyoshi Nakada) to duerst (Martin Dürst)

Nobuyoshi Nakada wrote:

Remove .unicode-8.0.0.time file.

I know. If it were only about me, I could just download the file by hand, or copy it from another directory. But I want to make sure that everybody who e.g. does testing gets the necessary files.

Adding/removing data file should be rare, and not worth to add more rules, I think.

I agree that adding/removing data files is rare. But we have 'make' to automate things for us. And I was actually able to simplify some rules :-).

P.S.: Sorry about the confusion with the commit; I accidentally pressed the wrong button at the wrong time. It should actually be "applied in changeset r53633".

### #4 - 01/23/2016 11:57 AM - shugo (Shugo Maeda)

- Status changed from Closed to Open

It seems that RubyCI was broken by this change.

from <http://rubyci.s3.amazonaws.com/tk2-243-31075/ruby-trunk/log/20160123T094902Z.fail.html.gz>:

```

== make # 2016-01-23T18:51:51+09:00 (full)
...(snip 380 lines)...
converter for from_UTF_8
done. (0.06user 0.00system 0.03elapsed)
make[1]: Leaving directory `/home/chkbuild/build/20160123T094902Z/ruby'
generating transdb.h
transdb.h updated
compiling dln.c
compiling localeinit.c
creating verconf.h
verconf.h updated
compiling loadpath.c
/home/chkbuild/build/20160123T094902Z/ruby/tool/vpath.rb:18:in `initialize': No such file or directory @ rb_sy
sopen - enc/unicode/data/8.0.0/CompositionExclusions.txt (Errno::ENOENT)
  from /home/chkbuild/build/20160123T094902Z/ruby/tool/vpath.rb:18:in `open'
  from /home/chkbuild/build/20160123T094902Z/ruby/tool/vpath.rb:18:in `call'
  from /home/chkbuild/build/20160123T094902Z/ruby/tool/vpath.rb:18:in `search'
  from /home/chkbuild/build/20160123T094902Z/ruby/tool/vpath.rb:35:in `open'
  from ./template/unicode_norm_gen.tmpl:69:in `'
  from /home/naruse/.rbenv/versions/2.2.3/lib/ruby/2.2.0/erb.rb:863:in `eval'
  from /home/naruse/.rbenv/versions/2.2.3/lib/ruby/2.2.0/erb.rb:863:in `result'
  from ./tool/generic_erb.rb:38:in `'
make: *** [.unicode-tables.time] Error 1
exit 2
failed(make)

```

#### #5 - 01/23/2016 12:24 PM - hsbt (Hiroshi SHIBATA)

I reverted r53634 at r53637.

#### #6 - 01/24/2016 02:51 AM - duerst (Martin Dürst)

Hiroshi, Shugo, thanks for catching this!

I tested with all kinds of cases, such as only some files missing, all files missing, even the directory not yet existing, and all these worked.

But I did not check on a completely fresh checkout. I have now been able to reproduce the problem on a completely fresh checkout, and will investigate further.

Regards, Martin.

On 2016/01/23 21:10, SHIBATA Hiroshi wrote:

I reverted r53637.

Please investigate and retry this.

On Sat, Jan 23, 2016 at 8:57 PM, [shugo@ruby-lang.org](mailto:shugo@ruby-lang.org) wrote:

Issue [#12007](#) has been updated by Shugo Maeda.

Status changed from Closed to Open

It seems that RubyCI was broken by this change.

from <http://rubyci.s3.amazonaws.com/tk2-243-31075/ruby-trunk/log/20160123T094902Z.fail.html.gz>:

```

== make # 2016-01-23T18:51:51+09:00 (full)
...(snip 380 lines)...
converter for from_UTF_8
done. (0.06user 0.00system 0.03elapsed)
make[1]: Leaving directory `/home/chkbuild/build/20160123T094902Z/ruby'
generating transdb.h
transdb.h updated
compiling dln.c
compiling localeinit.c
creating verconf.h
verconf.h updated
compiling loadpath.c
/home/chkbuild/build/20160123T094902Z/ruby/tool/vpath.rb:18:in `initialize': No such file or directory
@ rb_sysopen - enc/unicode/data/8.0.0/CompositionExclusions.txt (Errno::ENOENT)
  from /home/chkbuild/build/20160123T094902Z/ruby/tool/vpath.rb:18:in `open'
  from /home/chkbuild/build/20160123T094902Z/ruby/tool/vpath.rb:18:in `call'

```

```
from /home/chkbuild/build/20160123T094902Z/ruby/tool/vpath.rb:18:in `search'  
from /home/chkbuild/build/20160123T094902Z/ruby/tool/vpath.rb:35:in `open'  
from ./template/unicode_norm_gen.tpl:69:in `'  
from /home/naruse/.rbenv/versions/2.2.3/lib/ruby/2.2.0/erb.rb:863:in `eval'  
from /home/naruse/.rbenv/versions/2.2.3/lib/ruby/2.2.0/erb.rb:863:in `result'  
from ./tool/generic_erb.rb:38:in `'  
make: *** [.unicode-tables.time] Error 1  
exit 2  
failed(make)
```

---

Bug [#12007](https://bugs.ruby-lang.org/issues/12007#change-56543): Newly added Unicode data file doesn't get downloaded  
<https://bugs.ruby-lang.org/issues/12007#change-56543>

- Author: Martin Dürst
- Status: Open
- Priority: Normal
- Assignee: Martin Dürst
- ruby -v: ruby 2.4.0dev (2016-01-19 trunk 53589) [x86\_64-cygwin]

### \* Backport: 2.0.0: UNKNOWN, 2.1: UNKNOWN, 2.2: UNKNOWN, 2.3: UNKNOWN

I added a new Unicode data file that should be downloaded to enc/unicode/8.0.0 in revision 53590, but despite repeated 'make up; make install' commands, the file wasn't downloaded.

--

<https://bugs.ruby-lang.org/>

#### #7 - 01/24/2016 09:12 AM - duerst (Martin Dürst)

- Status changed from Open to Closed

Applied in changeset r53643.

---

- common.mk: Simplifying Unicode data file download logic to make it more reliable (including additional fix not in r53633) [Bug [#12007](https://bugs.ruby-lang.org/issues/12007)]

#### #8 - 05/28/2016 01:21 AM - duerst (Martin Dürst)

- Related to Bug [#12433](https://bugs.ruby-lang.org/issues/12433): uncommon.mk:614: recipe for target 'yes-test-almost' failed - missing UnicodeData.txt added