

Ruby 1.8 - Backport #1226

File.dirname should return full paths after a chdir

03/01/2009 12:29 AM - rogerdpack (Roger Pack)

Status:	Open
Priority:	Normal
Assignee:	
Description	
<pre>=begin with these files: ./in_root.rb: Dir.chdir 'subdir' require 'in_subdir' subdir/ in_subdir.rb: puts File.dirname(FILE) with 1.8.7/1.9: \$ ~/installs/ruby_1_8_7_svn_installed/bin/ruby -v top.rb ruby 1.8.7 (2009-01-14 revision 21505) [x86_64-linux] /home/rdp/dev/file__bug/subdir/config/boot with 1.8.6: \$ ~/installs/ruby_1_8_6_svn_installed/bin/ruby -v top.rb ruby 1.8.6 (2009-02-25 patchlevel 355) [x86_64-linux] ./config/boot which I believe is unexpected. Thanks! =end</pre>	

History

#1 - 03/01/2009 08:00 PM - nobu (Nobuyoshi Nakada)

```
=begin
Hi,
```

At Sun, 1 Mar 2009 00:30:37 +0900,
Roger Pack wrote in [ruby-core:22593]:

which I believe is unexpected.

It was expected. The change is a side effect of changeset
from [r18197](#) through 18253.

```
--
Nobu Nakada
```

```
=end
```

#2 - 05/18/2010 08:03 AM - rogerdpack (Roger Pack)

```
=begin
```

It was expected. The change is a side effect of changeset
from [r18197](#) through 18253.

```
Is this behavior desired then?
=end
```