

## Ruby master - Bug #12286

### Segfault on ruby 2.3.0p0 (2015-12-25 revision 53290) [armv7l-linux-eabi]

04/15/2016 02:23 AM - rickcarlino (Rick Carlino)

<b>Status:</b>	Third Party's Issue		
<b>Priority:</b>	Normal		
<b>Assignee:</b>			
<b>Target version:</b>			
<b>ruby -v:</b>	ruby 2.3.0p0 (2015-12-25 revision 53290) [armv7l-linux-eabi]	<b>Backport:</b>	2.1: UNKNOWN, 2.2: UNKNOWN, 2.3: UNKNOWN
<b>Description</b>			
Hi everyone,			
I am running Ruby 2.3.0 on an ARM device (A Raspberry Pi v3, to be exact).			
I keep hitting the segfault listed below. Source code for the application is available at: <a href="https://github.com/FarmBot/farmbot-raspberry-pi-controller">https://github.com/FarmBot/farmbot-raspberry-pi-controller</a>			
/home/pi/.rvm/gems/ruby-2.3.0/gems/eventmachine-1.0.8/lib/eventmachine.rb:202: [BUG] Segmentation fault at 0x000000 ruby 2.3.0p0 (2015-12-25 revision 53290) [armv7l-linux-eabi]			
-- Control frame information -----			
c:0008 p:---- s:0039 e:000038 CFUNC :release_machine			
c:0007 p:0038 s:0036 e:000035 RESCUE /home/pi/.rvm/gems/ruby-2.3.0/gems/eventmachine-1.0.8/lib/eventmachine.rb:202			
c:0006 p:0432 s:0033 E:000c90 METHOD /home/pi/.rvm/gems/ruby-2.3.0/gems/eventmachine-1.0.8/lib/eventmachine.rb:226			
c:0005 p:0015 s:0026 E:002088 METHOD /home/pi/farmbot-raspberry-pi-controller/lib/farmbot-pi.rb:30			
c:0004 p:0035 s:0023 e:000022 TOP farmbot.rb:4 [FINISH]			
c:0003 p:---- s:0020 e:000019 CFUNC :load			
c:0002 p:0481 s:0016 E:0004d0 EVAL setup.rb:63 [FINISH]			
c:0001 p:0000 s:0002 E:000e78 (none) [FINISH]			
-- Ruby level backtrace information -----			
setup.rb:63:in <main>'			
setup.rb:63:inload'			
farmbot.rb:4:in <top (required)>'			
/home/pi/farmbot-raspberry-pi-controller/lib/farmbot-pi.rb:30:instart'			
/home/pi/.rvm/gems/ruby-2.3.0/gems/eventmachine-1.0.8/lib/eventmachine.rb:226:in run'			
/home/pi/.rvm/gems/ruby-2.3.0/gems/eventmachine-1.0.8/lib/eventmachine.rb:202:inensure in run'			
/home/pi/.rvm/gems/ruby-2.3.0/gems/eventmachine-1.0.8/lib/eventmachine.rb:202:in `release_machine'			
-- Other runtime information -----			
• Loaded script: setup.rb			
• Loaded features:			
0 enumerator.so			
1 thread.rb			
2 rational.so			
3 complex.so			
4 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/enc/encdb.so			
5 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/enc/trans/transdb.so			
6 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/unicode_normalize.rb			
7 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/rbconfig.rb			
8 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/rubygems/compatibility.rb			
9 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/rubygems/defaults.rb			
10 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/rubygems/deprecate.rb			
11 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/rubygems/errors.rb			
12 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/rubygems/version.rb			
13 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/rubygems/requirement.rb			
14 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/rubygems/platform.rb			
15 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/rubygems/basic_specification.rb			

16 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/rubygems/stub\_specification.rb  
17 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/rubygems/util/list.rb  
18 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/stringio.so  
19 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/rubygems/specification.rb  
20 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/rubygems/exceptions.rb  
21 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/rubygems/core\_ext/kernel\_gem.rb  
22 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/monitor.rb  
23 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/rubygems/core\_ext/kernel\_require.rb  
24 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/rubygems.rb  
25 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/rubygems/path\_support.rb  
26 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/rubygems/dependency.rb  
27 /home/pi/.rvm/gems/ruby-2.3.0@global/gems/did\_you\_mean-1.0.0/lib/did\_you\_mean/version.rb  
28 /home/pi/.rvm/gems/ruby-2.3.0@global/gems/did\_you\_mean-1.0.0/lib/did\_you\_mean/core\_ext/name\_error.rb  
29 /home/pi/.rvm/gems/ruby-2.3.0@global/gems/did\_you\_mean-1.0.0/lib/did\_you\_mean/levenshtein.rb  
30 /home/pi/.rvm/gems/ruby-2.3.0@global/gems/did\_you\_mean-1.0.0/lib/did\_you\_mean/jaro\_winkler.rb  
31 /home/pi/.rvm/gems/ruby-2.3.0@global/gems/did\_you\_mean-1.0.0/lib/did\_you\_mean/spell\_checkable.rb  
32 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/delegate.rb  
33  
/home/pi/.rvm/gems/ruby-2.3.0@global/gems/did\_you\_mean-1.0.0/lib/did\_you\_mean/spell\_checkers/name\_error\_checkers/class\_name\_checker.rb  
34  
/home/pi/.rvm/gems/ruby-2.3.0@global/gems/did\_you\_mean-1.0.0/lib/did\_you\_mean/spell\_checkers/name\_error\_checkers/variable\_name\_checker.rb  
35  
/home/pi/.rvm/gems/ruby-2.3.0@global/gems/did\_you\_mean-1.0.0/lib/did\_you\_mean/spell\_checkers/name\_error\_checkers.rb  
36  
/home/pi/.rvm/gems/ruby-2.3.0@global/gems/did\_you\_mean-1.0.0/lib/did\_you\_mean/spell\_checkers/method\_name\_checker.rb  
37 /home/pi/.rvm/gems/ruby-2.3.0@global/gems/did\_you\_mean-1.0.0/lib/did\_you\_mean/spell\_checkers/null\_checker.rb  
38 /home/pi/.rvm/gems/ruby-2.3.0@global/gems/did\_you\_mean-1.0.0/lib/did\_you\_mean/formatter.rb  
39 /home/pi/.rvm/gems/ruby-2.3.0@global/gems/did\_you\_mean-1.0.0/lib/did\_you\_mean.rb  
40 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/cgi/escape.so  
41 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/cgi/util.rb  
42 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/strscan.so  
43 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/erb.rb  
44 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/optparse.rb  
45 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/abbrev.rb  
46 /home/pi/.rvm/gems/ruby-2.3.0/gems/highline-1.7.8/lib/highline/compatibility.rb  
47 /home/pi/.rvm/gems/ruby-2.3.0/gems/highline-1.7.8/lib/highline/system\_extensions.rb  
48 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/date\_core.so  
49 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/date.rb  
50 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/pathname.so  
51 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/pathname.rb  
52 /home/pi/.rvm/gems/ruby-2.3.0/gems/highline-1.7.8/lib/highline/question.rb  
53 /home/pi/.rvm/gems/ruby-2.3.0/gems/highline-1.7.8/lib/highline/menu.rb  
54 /home/pi/.rvm/gems/ruby-2.3.0/gems/highline-1.7.8/lib/highline/color\_scheme.rb  
55 /home/pi/.rvm/gems/ruby-2.3.0/gems/highline-1.7.8/lib/highline/style.rb  
56 /home/pi/.rvm/gems/ruby-2.3.0/gems/highline-1.7.8/lib/highline/version.rb  
57 /home/pi/.rvm/gems/ruby-2.3.0/gems/highline-1.7.8/lib/highline/string\_extensions.rb  
58 /home/pi/.rvm/gems/ruby-2.3.0/gems/highline-1.7.8/lib/highline.rb  
59 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/prettyprint.rb  
60 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/pp.rb  
61 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/input\_lock.rb  
62 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/exceptions.rb  
63 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/helpers/base\_helpers.rb  
64 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/hooks.rb  
65 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/forwardable.rb  
66 /home/pi/.rvm/gems/ruby-2.3.0/gems/method\_source-0.8.2/lib/method\_source/version.rb  
67 /home/pi/.rvm/gems/ruby-2.3.0/gems/method\_source-0.8.2/lib/method\_source/source\_location.rb  
68 /home/pi/.rvm/gems/ruby-2.3.0/gems/method\_source-0.8.2/lib/method\_source/code\_helpers.rb  
69 /home/pi/.rvm/gems/ruby-2.3.0/gems/method\_source-0.8.2/lib/method\_source.rb  
70 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/shellwords.rb  
71 /home/pi/.rvm/gems/ruby-2.3.0/gems/coderay-1.1.0/lib/coderay/version.rb  
72 /home/pi/.rvm/gems/ruby-2.3.0/gems/coderay-1.1.0/lib/coderay.rb  
73 /home/pi/.rvm/gems/ruby-2.3.0/gems/slop-3.6.0/lib/slop/option.rb  
74 /home/pi/.rvm/gems/ruby-2.3.0/gems/slop-3.6.0/lib/slop/commands.rb  
75 /home/pi/.rvm/gems/ruby-2.3.0/gems/slop-3.6.0/lib/slop.rb  
76 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/etc.so

77 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/fileutils.rb  
78 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/tmpdir.rb  
79 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/tempfile.rb  
80 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/version.rb  
81 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/repl.rb  
82 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/rbx\_path.rb  
83 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/code/loc.rb  
84 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/code/code\_range.rb  
85 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/code/code\_file.rb  
86 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/code.rb  
87 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/history\_array.rb  
88 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/helpers/options\_helpers.rb  
89 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/helpers/command\_helpers.rb  
90 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/helpers/text.rb  
91 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/helpers/table.rb  
92 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/helpers.rb  
93 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/code\_object.rb  
94 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/helpers/documentation\_helpers.rb  
95 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/method/weird\_method\_locator.rb  
96 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/method/disowned.rb  
97 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/method/patcher.rb  
98 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/method.rb  
99 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/module\_candidate.rb  
100 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/wrapped\_module.rb  
101 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/history.rb  
102 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/command.rb  
103 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/command\_set.rb  
104 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/shell\_mode.rb  
105 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/cat/abstract\_formatter.rb  
106 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/cat/input\_expression\_formatter.rb  
107 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/cat/exception\_formatter.rb  
108 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/cat/file\_formatter.rb  
109 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/cat.rb  
110 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/install\_command.rb  
111 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/show\_input.rb  
112 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/gist.rb  
113 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/hist.rb  
114 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/easter\_eggs.rb  
115 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/list\_prompts.rb  
116 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/code\_collector.rb  
117 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/save\_file.rb  
118 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/shell\_command.rb  
119 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/watch\_expression/expression.rb  
120 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/watch\_expression.rb  
121 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/reset.rb  
122 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/edit/exception\_patcher.rb  
123 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/edit/file\_and\_line\_locator.rb  
124 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/edit.rb  
125 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/change\_inspector.rb  
126 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/toggle\_color.rb  
127 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/disabled\_commands.rb  
128 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/jump\_to.rb  
129 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/exit\_all.rb  
130 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/change\_prompt.rb  
131 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/disable\_pry.rb  
132 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/exit.rb  
133 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/gem\_install.rb  
134 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/fix\_indent.rb  
135 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/pry\_backtrace.rb  
136 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/raise\_up.rb  
137 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/play.rb  
138 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/find\_method.rb  
139 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/reload\_code.rb  
140 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/list\_inspectors.rb  
141 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/ri.rb  
142 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/import\_set.rb  
143 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/simple\_prompt.rb

144 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/gem\_cd.rb  
145 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/amend\_line.rb  
146 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/pry\_version.rb  
147 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/exit\_program.rb  
148 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/cd.rb  
149 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/whereami.rb  
150 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/show\_info.rb  
151 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/show\_doc.rb  
152 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/wtf.rb  
153 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/nesting.rb  
154 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/switch\_to.rb  
155 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/gem\_list.rb  
156 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/bang.rb  
157 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/help.rb  
158 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/show\_source.rb  
159 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/gem\_open.rb  
160 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/ls/grep.rb  
161 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/ls/formatter.rb  
162 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/ls/globals.rb  
163 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/ls/interrogatable.rb  
164 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/ls/constants.rb  
165 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/ls/jruby\_hacks.rb  
166 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/ls/methods\_helper.rb  
167 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/ls/methods.rb  
168 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/ls/self\_methods.rb  
169 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/ls/instance\_vars.rb  
170 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/ls/local\_names.rb  
171 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/ls/local\_vars.rb  
172 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/ls/\_entity.rb  
173 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/ls.rb  
174 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/stat.rb  
175 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands/bang\_pry.rb  
176 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/commands.rb  
177 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/plugins.rb  
178 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/core\_extensions.rb  
179 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/config/behavior.rb  
180 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/config/default.rb  
181 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/config/convenience.rb  
182 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/config.rb  
183 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/pry\_class.rb  
184 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/pry\_instance.rb  
185 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-byebug-3.2.0/lib/pry-byebug/base.rb  
186 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/byebug.so  
187 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/version.rb  
188 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/context.rb  
189 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/breakpoint.rb  
190 /home/pi/.rvm/gems/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/readline.so  
191 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/history.rb  
192 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/helpers/file.rb  
193 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/interfaces/local\_interface.rb  
194 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/interfaces/script\_interface.rb  
195 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/interfaces/remote\_interface.rb  
196 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/interface.rb  
197 /home/pi/.rvm/gems/ruby-2.3.0/gems/columnize-0.9.0/lib/columnize/opts.rb  
198 /home/pi/.rvm/gems/ruby-2.3.0/gems/columnize-0.9.0/lib/columnize/columnize.rb  
199 /home/pi/.rvm/gems/ruby-2.3.0/gems/columnize-0.9.0/lib/columnize/version.rb  
200 /home/pi/.rvm/gems/ruby-2.3.0/gems/columnize-0.9.0/lib/columnize.rb  
201 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/helpers/string.rb  
202 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/command.rb  
203 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/helpers/frame.rb  
204 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/helpers/parse.rb  
205 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/frame.rb  
206 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/down.rb  
207 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/continue.rb  
208 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/subcommand\_list.rb  
209 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/subcommands.rb  
210 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/helpers/thread.rb

211 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/thread/current.rb  
212 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/thread/list.rb  
213 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/thread/resume.rb  
214 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/thread/stop.rb  
215 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/thread/switch.rb  
216 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/thread.rb  
217 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/helpers/eval.rb  
218 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/putl.rb  
219 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/catch.rb  
220 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/history.rb  
221 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/show.rb  
222 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/helpers/var.rb  
223 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/var/all.rb  
224 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/var/const.rb  
225 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/var/instance.rb  
226 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/var/local.rb  
227 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/var/global.rb  
228 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/var.rb  
229 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/set.rb  
230 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/English.rb  
231 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/pp.rb  
232 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/edit.rb  
233 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/finish.rb  
234 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/condition.rb  
235 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/ps.rb  
236 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/where.rb  
237 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/step.rb  
238 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/up.rb  
239 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/e2mmap.rb  
240 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/irb/init.rb  
241 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/irb/workspace.rb  
242 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/irb/inspector.rb  
243 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/irb/context.rb  
244 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/irb/extend-command.rb  
245 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/irb/output-method.rb  
246 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/irb/notifier.rb  
247 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/irb/slex.rb  
248 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/irb/ruby-token.rb  
249 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/irb/ruby-lex.rb  
250 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/irb/src\_encoding.rb  
251 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/irb/magic-file.rb  
252 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/irb/input-method.rb  
253 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/irb/locale.rb  
254 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/irb.rb  
255 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/irb.rb  
256 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/helpers/toggle.rb  
257 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/disable/breakpoints.rb  
258 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/disable/display.rb  
259 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/disable.rb  
260 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/next.rb  
261 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/save.rb  
262 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/list.rb  
263 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/info/args.rb  
264 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/info/breakpoints.rb  
265 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/info/catch.rb  
266 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/info/display.rb  
267 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/info/file.rb  
268 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/info/line.rb  
269 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/info/program.rb  
270 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/info.rb  
271 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/source.rb  
272 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/pry.rb  
273 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/break.rb  
274 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/display.rb  
275 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/untracevar.rb  
276 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/enable/breakpoints.rb  
277 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/enable/display.rb

278 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/enable.rb  
279 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/delete.rb  
280 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/restart.rb  
281 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/kill.rb  
282 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/undisplay.rb  
283 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/method.rb  
284 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/tracevar.rb  
285 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/help.rb  
286 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/interrupt.rb  
287 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/quit.rb  
288 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/commands/eval.rb  
289 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/setting.rb  
290 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/settings/width.rb  
291 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/settings/histsize.rb  
292 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/settings/linetrace.rb  
293 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/settings/autosave.rb  
294 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/settings/callstyle.rb  
295 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/settings/savefile.rb  
296 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/settings/histfile.rb  
297 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/settings/stack\_on\_error.rb  
298 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/settings/post\_mortem.rb  
299 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/settings/fullpath.rb  
300 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/settings/autoirb.rb  
301 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/settings/basename.rb  
302 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/settings/autolist.rb  
303 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/settings/listsizesize.rb  
304 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/settings/verbose.rb  
305 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/settings/autoeval.rb  
306 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/state.rb  
307 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/states/regular\_state.rb  
308 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/processors/command\_processor.rb  
309 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/states/control\_state.rb  
310 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/processors/control\_command\_processor.rb  
311 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/processor.rb  
312 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/socket.so  
313 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/io/wait.so  
314 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/socket.rb  
315 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/remote.rb  
316 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/exception.rb  
317 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/syntax\_error.rb  
318 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/psych.so  
319 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/omap.rb  
320 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/set.rb  
321 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/class\_loader.rb  
322 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/scalar\_scanner.rb  
323 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/nodes/node.rb  
324 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/nodes/stream.rb  
325 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/nodes/document.rb  
326 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/nodes/sequence.rb  
327 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/nodes/scalar.rb  
328 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/nodes/mapping.rb  
329 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/nodes/alias.rb  
330 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/nodes.rb  
331 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/streaming.rb  
332 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/visitors/visitor.rb  
333 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/visitors/to\_ruby.rb  
334 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/visitors/emitter.rb  
335 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/handler.rb  
336 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/tree\_builder.rb  
337 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/visitors/yaml\_tree.rb  
338 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/json/ruby\_events.rb  
339 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/visitors/json\_tree.rb  
340 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/visitors/depth\_first.rb  
341 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/visitors.rb  
342 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/parser.rb  
343 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/coder.rb  
344 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/y.rb

345 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/core\_ext.rb  
346 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/deprecated.rb  
347 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/stream.rb  
348 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/json/yaml\_events.rb  
349 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/json/tree\_builder.rb  
350 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/json/stream.rb  
351 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych/handlers/document\_stream.rb  
352 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/psych.rb  
353 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/yaml.rb  
354 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/printers/base.rb  
355 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/printers/plain.rb  
356 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/core.rb  
357 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/attacher.rb  
358 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug.rb  
359 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-byebug-3.2.0/lib/byebug/processors/pry\_processor.rb  
360 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-byebug-3.2.0/lib/pry-byebug/pry\_ext.rb  
361 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-byebug-3.2.0/lib/pry-byebug/helpers/navigation.rb  
362 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-byebug-3.2.0/lib/pry-byebug/helpers/multiline.rb  
363 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-byebug-3.2.0/lib/pry-byebug/commands/next.rb  
364 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-byebug-3.2.0/lib/pry-byebug/commands/step.rb  
365 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-byebug-3.2.0/lib/pry-byebug/helpers/breakpoints.rb  
366 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-byebug-3.2.0/lib/pry-byebug/commands/continue.rb  
367 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-byebug-3.2.0/lib/pry-byebug/commands/finish.rb  
368 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-byebug-3.2.0/lib/pry-byebug/commands/up.rb  
369 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-byebug-3.2.0/lib/pry-byebug/commands/down.rb  
370 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-byebug-3.2.0/lib/pry-byebug/commands/frame.rb  
371 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-byebug-3.2.0/lib/pry-byebug/breakpoints.rb  
372 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-byebug-3.2.0/lib/pry-byebug/commands/breakpoint.rb  
373 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-byebug-3.2.0/lib/pry-byebug/commands.rb  
374 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-byebug-3.2.0/lib/pry-byebug/cli.rb  
375 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/cli.rb  
376 /home/pi/.rvm/gems/ruby-2.3.0/gems/coderay-1.1.0/lib/coderay/helpers/plugin.rb  
377 /home/pi/.rvm/gems/ruby-2.3.0/gems/coderay-1.1.0/lib/coderay/encoder.rb  
378 /home/pi/.rvm/gems/ruby-2.3.0/gems/coderay-1.1.0/lib/coderay/encoders/\_map.rb  
379 /home/pi/.rvm/gems/ruby-2.3.0/gems/coderay-1.1.0/lib/coderay/encoders/terminal.rb  
380 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/color\_printer.rb  
381 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/terminal.rb  
382 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/pager.rb  
383 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/editor.rb  
384 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/rubygem.rb  
385 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/indent.rb  
386 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/last\_exception.rb  
387 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/prompt.rb  
388 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/inspector.rb  
389 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/object\_path.rb  
390 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry/output.rb  
391 /home/pi/.rvm/gems/ruby-2.3.0/gems/pry-0.10.1/lib/pry.rb  
392 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/uri/rfc2396\_parser.rb  
393 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/uri/rfc3986\_parser.rb  
394 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/uri/common.rb  
395 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/uri/generic.rb  
396 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/uri/ftp.rb  
397 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/uri/http.rb  
398 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/uri/https.rb  
399 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/uri/ldap.rb  
400 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/uri/ldaps.rb  
401 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/uri/mailto.rb  
402 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/uri.rb  
403 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/time.rb  
404 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/open-uri.rb  
405 /home/pi/.rvm/gems/ruby-2.3.0/gems/settingslogic-2.0.9/lib/settingslogic.rb  
406 /home/pi/farmbot-raspberry-pi-controller/lib/settings.rb  
407 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/timeout.rb  
408 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/net/protocol.rb  
409 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/h/zlib.so  
410 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/net/http/exceptions.rb  
411 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/net/http/header.rb

412 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/enc/windows\_31j.so  
413 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/net/http/generic\_request.rb  
414 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/net/http/request.rb  
415 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/net/http/requests.rb  
416 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/net/http/response.rb  
417 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/net/http/responses.rb  
418 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/net/http/proxy\_delta.rb  
419 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/net/http/backward.rb  
420 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/net/http.rb  
421 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/enc/digest.so  
422 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/digest.rb  
423 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/enc/openssl.so  
424 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/openssl/bn.rb  
425 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/openssl/pkey.rb  
426 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/openssl/cipher.rb  
427 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/openssl/config.rb  
428 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/openssl/digest.rb  
429 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/openssl/x509.rb  
430 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/openssl/buffering.rb  
431 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/io/nonblock.so  
432 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/openssl/ssl.rb  
433 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/openssl.rb  
434 /home/pi/.rvm/gems/ruby-2.3.0/gems/rest-client-1.8.0/lib/restclient/version.rb  
435 /home/pi/.rvm/gems/ruby-2.3.0/gems/rest-client-1.8.0/lib/restclient/platform.rb  
436 /home/pi/.rvm/gems/ruby-2.3.0/gems/rest-client-1.8.0/lib/restclient/exceptions.rb  
437 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/logger.rb  
438 /home/pi/.rvm/gems/ruby-2.3.0/gems/mime-types-2.99.1/lib/mime/types/logger.rb  
439 /home/pi/.rvm/gems/ruby-2.3.0/gems/mime-types-2.99.1/lib/mime/types/deprecations.rb  
440 /home/pi/.rvm/gems/ruby-2.3.0/gems/mime-types-2.99.1/lib/mime/type.rb  
441 /home/pi/.rvm/gems/ruby-2.3.0/gems/mime-types-2.99.1/lib/mime/types/cache.rb  
442 /home/pi/.rvm/gems/ruby-2.3.0/gems/mime-types-2.99.1/lib/mime/types/loader\_path.rb  
443 /home/pi/.rvm/gems/ruby-2.3.0/gems/mime-types-2.99.1/lib/mime/types/loader.rb  
444 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/json/version.rb  
445 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/ostruct.rb  
446 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/json/generic\_object.rb  
447 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/json/common.rb  
448 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/enc/utf\_16be.so  
449 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/enc/utf\_16le.so  
450 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/enc/utf\_32be.so  
451 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/enc/utf\_32le.so  
452 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/enc/json/ext/parser.so  
453 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/enc/json/ext/generator.so  
454 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/json/ext.rb  
455 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/json.rb  
456 /home/pi/.rvm/gems/ruby-2.3.0/gems/mime-types-2.99.1/lib/mime/types.rb  
457 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/cgi/core.rb  
458 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/cgi/cookie.rb  
459 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/cgi.rb  
460 /home/pi/.rvm/gems/ruby-2.3.0/gems/netrc-0.11.0/lib/netrc.rb  
461 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/set.rb  
462 /home/pi/.rvm/gems/ruby-2.3.0/gems/rest-client-1.8.0/lib/restclient/request.rb  
463 /home/pi/.rvm/gems/ruby-2.3.0/gems/http-cookie-1.0.2/lib/http/cookie/version.rb  
464 /home/pi/.rvm/gems/ruby-2.3.0/gems/domain\_name-0.5.20160310/lib/domain\_name/version.rb  
465 /home/pi/.rvm/gems/ruby-2.3.0/gems/domain\_name-0.5.20160310/lib/domain\_name/punycode.rb  
466 /home/pi/.rvm/gems/ruby-2.3.0/gems/domain\_name-0.5.20160310/lib/domain\_name/etld\_data.rb  
467 /home/pi/.rvm/gems/ruby-2.3.0/gems/unf-0.1.4/lib/unf/version.rb  
468 /home/pi/.rvm/gems/ruby-2.3.0/gems/unf-0.1.4/lib/unf.rb  
469 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/ipaddr.rb  
470 /home/pi/.rvm/gems/ruby-2.3.0/gems/domain\_name-0.5.20160310/lib/domain\_name.rb  
471 /home/pi/.rvm/gems/ruby-2.3.0/gems/http-cookie-1.0.2/lib/http/cookie/ruby\_compat.rb  
472 /home/pi/.rvm/gems/ruby-2.3.0/gems/http-cookie-1.0.2/lib/http/cookie.rb  
473 /home/pi/.rvm/gems/ruby-2.3.0/gems/http-cookie-1.0.2/lib/http-cookie.rb  
474 /home/pi/.rvm/gems/ruby-2.3.0/gems/rest-client-1.8.0/lib/restclient/abstract\_response.rb  
475 /home/pi/.rvm/gems/ruby-2.3.0/gems/rest-client-1.8.0/lib/restclient/response.rb  
476 /home/pi/.rvm/gems/ruby-2.3.0/gems/rest-client-1.8.0/lib/restclient/raw\_response.rb  
477 /home/pi/.rvm/gems/ruby-2.3.0/gems/rest-client-1.8.0/lib/restclient/resource.rb  
478 /home/pi/.rvm/gems/ruby-2.3.0/gems/rest-client-1.8.0/lib/restclient/payload.rb



479 /home/pi/.rvm/gems/ruby-2.3.0/gems/rest-client-1.8.0/lib/restclient/windows.rb  
480 /home/pi/.rvm/gems/ruby-2.3.0/gems/rest-client-1.8.0/lib/restclient.rb  
481 /home/pi/.rvm/gems/ruby-2.3.0/gems/rest-client-1.8.0/lib/rest-client.rb  
482 /home/pi/.rvm/gems/ruby-2.3.0/gems/farbot-resource-0.6.0/lib/http/abstract\_resp.rb  
483 /home/pi/.rvm/gems/ruby-2.3.0/gems/farbot-resource-0.6.0/lib/http/bad\_http\_resp.rb  
484 /home/pi/.rvm/gems/ruby-2.3.0/gems/farbot-resource-0.6.0/lib/http/good\_http\_resp.rb  
485 /home/pi/.rvm/gems/ruby-2.3.0/gems/farbot-resource-0.6.0/lib/http/http.rb  
486 /home/pi/.rvm/gems/ruby-2.3.0/gems/farbot-resource-0.6.0/lib/resources/abstract\_resource.rb  
487 /home/pi/.rvm/gems/ruby-2.3.0/gems/farbot-resource-0.6.0/lib/resources/schedules.rb  
488 /home/pi/.rvm/gems/ruby-2.3.0/gems/farbot-resource-0.6.0/lib/resources/sequences.rb  
489 /home/pi/.rvm/gems/ruby-2.3.0/gems/farbot-resource-0.6.0/lib/resources/plants.rb  
490 /home/pi/.rvm/gems/ruby-2.3.0/gems/farbot-resource-0.6.0/lib/resources/device.rb  
491 /home/pi/.rvm/gems/ruby-2.3.0/gems/farbot-resource-0.6.0/lib/config.rb  
492 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/base64.rb  
493 /home/pi/.rvm/gems/ruby-2.3.0/gems/farbot-resource-0.6.0/lib/client.rb  
494 /home/pi/.rvm/gems/ruby-2.3.0/gems/farbot-resource-0.6.0/lib/farbot-resource.rb  
495 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/securerandom.rb  
496 /home/pi/farbot-raspberry-pi-controller/lib/secret\_file.rb  
497 /home/pi/farbot-raspberry-pi-controller/lib/rest\_client.rb  
498 /home/pi/.rvm/gems/ruby-2.3.0/gems/farbot-serial-0.7.6/lib/gcode.rb  
499 /home/pi/.rvm/gems/ruby-2.3.0/gems/serialport-1.3.1/lib/serialport.so  
500 /home/pi/.rvm/gems/ruby-2.3.0/gems/serialport-1.3.1/lib/serialport/version.rb  
501 /home/pi/.rvm/gems/ruby-2.3.0/gems/serialport-1.3.1/lib/serialport.rb  
502 /home/pi/.rvm/gems/ruby-2.3.0/gems/farbot-serial-0.7.6/lib/default\_serial\_port.rb  
503 /home/pi/.rvm/gems/ruby-2.3.0/gems/farbot-serial-0.7.6/lib/arduino/incoming\_handler.rb  
504 /home/pi/.rvm/gems/ruby-2.3.0/gems/farbot-serial-0.7.6/lib/arduino/outgoing\_handler.rb  
505 /home/pi/.rvm/gems/ruby-2.3.0/gems/eventmachine-1.0.8/lib/rubyeventmachine.so  
506 /home/pi/.rvm/gems/ruby-2.3.0/gems/eventmachine-1.0.8/lib/em/version.rb  
507 /home/pi/.rvm/gems/ruby-2.3.0/gems/eventmachine-1.0.8/lib/em/pool.rb  
508 /home/pi/.rvm/gems/ruby-2.3.0/gems/eventmachine-1.0.8/lib/em/deferrable.rb  
509 /home/pi/.rvm/gems/ruby-2.3.0/gems/eventmachine-1.0.8/lib/em/future.rb  
510 /home/pi/.rvm/gems/ruby-2.3.0/gems/eventmachine-1.0.8/lib/em/streamer.rb  
511 /home/pi/.rvm/gems/ruby-2.3.0/gems/eventmachine-1.0.8/lib/em/spawnable.rb  
512 /home/pi/.rvm/gems/ruby-2.3.0/gems/eventmachine-1.0.8/lib/em/processes.rb  
513 /home/pi/.rvm/gems/ruby-2.3.0/gems/eventmachine-1.0.8/lib/em/iterator.rb  
514 /home/pi/.rvm/gems/ruby-2.3.0/gems/eventmachine-1.0.8/lib/em/buftok.rb  
515 /home/pi/.rvm/gems/ruby-2.3.0/gems/eventmachine-1.0.8/lib/em/timers.rb  
516 /home/pi/.rvm/gems/ruby-2.3.0/gems/eventmachine-1.0.8/lib/em/protocols.rb  
517 /home/pi/.rvm/gems/ruby-2.3.0/gems/eventmachine-1.0.8/lib/em/connection.rb  
518 /home/pi/.rvm/gems/ruby-2.3.0/gems/eventmachine-1.0.8/lib/em/callback.rb  
519 /home/pi/.rvm/gems/ruby-2.3.0/gems/eventmachine-1.0.8/lib/em/queue.rb  
520 /home/pi/.rvm/gems/ruby-2.3.0/gems/eventmachine-1.0.8/lib/em/channel.rb  
521 /home/pi/.rvm/gems/ruby-2.3.0/gems/eventmachine-1.0.8/lib/em/file\_watch.rb  
522 /home/pi/.rvm/gems/ruby-2.3.0/gems/eventmachine-1.0.8/lib/em/process\_watch.rb  
523 /home/pi/.rvm/gems/ruby-2.3.0/gems/eventmachine-1.0.8/lib/em/tick\_loop.rb  
524 /home/pi/.rvm/gems/ruby-2.3.0/gems/eventmachine-1.0.8/lib/em/resolver.rb  
525 /home/pi/.rvm/gems/ruby-2.3.0/gems/eventmachine-1.0.8/lib/em/completion.rb  
526 /home/pi/.rvm/gems/ruby-2.3.0/gems/eventmachine-1.0.8/lib/em/threaded\_resource.rb  
527 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/resolv.rb  
528 /home/pi/.rvm/gems/ruby-2.3.0/gems/eventmachine-1.0.8/lib/eventmachine.rb  
529 /home/pi/.rvm/gems/ruby-2.3.0/gems/farbot-serial-0.7.6/lib/arduino/event\_machine.rb  
530 /home/pi/.rvm/gems/ruby-2.3.0/gems/farbot-serial-0.7.6/lib/arduino/status.rb  
531 /home/pi/.rvm/gems/ruby-2.3.0/gems/farbot-serial-0.7.6/lib/arduino.rb  
532 /home/pi/.rvm/gems/ruby-2.3.0/gems/farbot-serial-0.7.6/lib/farbot-serial.rb  
533 /home/pi/.rvm/gems/ruby-2.3.0/gems/mqtt-0.3.1/lib/mqtt/version.rb  
534 /home/pi/.rvm/gems/ruby-2.3.0/gems/mqtt-0.3.1/lib/mqtt.rb  
535 /home/pi/.rvm/gems/ruby-2.3.0/gems/em-mqtt-0.0.4/lib/em/mqtt/version.rb  
536 /home/pi/.rvm/gems/ruby-2.3.0/gems/em-mqtt-0.0.4/lib/em/mqtt.rb  
537 /home/pi/farbot-raspberry-pi-controller/lib/messaging/mqtt.rb  
538 /home/pi/farbot-raspberry-pi-controller/lib/messaging/mesh\_message.rb  
539 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/hash/keys.rb  
540 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/hash/reverse\_merge.rb  
541 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/hash/with\_indifferent\_access.rb  
542 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/hash/indifferent\_access.rb  
543 /home/pi/.rvm/gems/ruby-2.3.0/gems/thread\_safe-0.3.5/lib/thread\_safe/version.rb  
544 /home/pi/.rvm/gems/ruby-2.3.0/gems/thread\_safe-0.3.5/lib/thread\_safe/synchronized\_delegator.rb  
545 /home/pi/.rvm/gems/ruby-2.3.0/gems/thread\_safe-0.3.5/lib/thread\_safe.rb

546 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/array/prepend\_and\_append.rb  
547 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/hash/deep\_merge.rb  
548 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/hash/except.rb  
549 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/hash/slice.rb  
550 /home/pi/.rvm/gems/ruby-2.3.0/gems/i18n-0.7.0/lib/i18n/version.rb  
551 /home/pi/.rvm/gems/ruby-2.3.0/gems/i18n-0.7.0/lib/i18n/exceptions.rb  
552 /home/pi/.rvm/gems/ruby-2.3.0/gems/i18n-0.7.0/lib/i18n/interpolate/ruby.rb  
553 /home/pi/.rvm/gems/ruby-2.3.0/gems/i18n-0.7.0/lib/i18n.rb  
554 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/lazy\_load\_hooks.rb  
555 /home/pi/.rvm/gems/ruby-2.3.0/gems/i18n-0.7.0/lib/i18n/config.rb  
556 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/i18n.rb  
557 /home/pi/.rvm/gems/ruby-2.3.0/gems/thread\_safe-0.3.5/lib/thread\_safe/non\_concurrent\_cache\_backend.rb  
558 /home/pi/.rvm/gems/ruby-2.3.0/gems/thread\_safe-0.3.5/lib/thread\_safe/mri\_cache\_backend.rb  
559 /home/pi/.rvm/gems/ruby-2.3.0/gems/thread\_safe-0.3.5/lib/thread\_safe/cache.rb  
560 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/inflector/inflections.rb  
561 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/inflections.rb  
562 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/inflector/methods.rb  
563 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/multibyte.rb  
564 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/string/multibyte.rb  
565 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/inflector/transliterate.rb  
566 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/string/inflections.rb  
567 /home/pi/.rvm/gems/ruby-2.3.0/gems/mutations-0.7.2/lib/mutations/version.rb  
568 /home/pi/.rvm/gems/ruby-2.3.0/gems/mutations-0.7.2/lib/mutations/exception.rb  
569 /home/pi/.rvm/gems/ruby-2.3.0/gems/mutations-0.7.2/lib/mutations/errors.rb  
570 /home/pi/.rvm/gems/ruby-2.3.0/gems/mutations-0.7.2/lib/mutations/input\_filter.rb  
571 /home/pi/.rvm/gems/ruby-2.3.0/gems/mutations-0.7.2/lib/mutations/hash\_filter.rb  
572 /home/pi/.rvm/gems/ruby-2.3.0/gems/mutations-0.7.2/lib/mutations/array\_filter.rb  
573 /home/pi/.rvm/gems/ruby-2.3.0/gems/mutations-0.7.2/lib/mutations/additional\_filter.rb  
574 /home/pi/.rvm/gems/ruby-2.3.0/gems/mutations-0.7.2/lib/mutations/string\_filter.rb  
575 /home/pi/.rvm/gems/ruby-2.3.0/gems/mutations-0.7.2/lib/mutations/integer\_filter.rb  
576 /home/pi/.rvm/gems/ruby-2.3.0/gems/mutations-0.7.2/lib/mutations/float\_filter.rb  
577 /home/pi/.rvm/gems/ruby-2.3.0/gems/mutations-0.7.2/lib/mutations/boolean\_filter.rb  
578 /home/pi/.rvm/gems/ruby-2.3.0/gems/mutations-0.7.2/lib/mutations/duck\_filter.rb  
579 /home/pi/.rvm/gems/ruby-2.3.0/gems/mutations-0.7.2/lib/mutations/date\_filter.rb  
580 /home/pi/.rvm/gems/ruby-2.3.0/gems/mutations-0.7.2/lib/mutations/file\_filter.rb  
581 /home/pi/.rvm/gems/ruby-2.3.0/gems/mutations-0.7.2/lib/mutations/model\_filter.rb  
582 /home/pi/.rvm/gems/ruby-2.3.0/gems/mutations-0.7.2/lib/mutations/outcome.rb  
583 /home/pi/.rvm/gems/ruby-2.3.0/gems/mutations-0.7.2/lib/mutations/command.rb  
584 /home/pi/.rvm/gems/ruby-2.3.0/gems/mutations-0.7.2/lib/mutations.rb  
585 /home/pi/farmbot-raspberry-pi-controller/lib/command\_objects/build\_mesh\_message.rb  
586 /home/pi/farmbot-raspberry-pi-controller/lib/command\_objects/dispose\_trash\_message.rb  
587 /home/pi/farmbot-raspberry-pi-controller/lib/command\_objects/send\_mesh\_response.rb  
588 /home/pi/farmbot-raspberry-pi-controller/lib/controllers/abstract\_controller.rb  
589 /home/pi/farmbot-raspberry-pi-controller/lib/command\_objects/update\_calibration.rb  
590 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/dependencies/autoload.rb  
591 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/gem\_version.rb  
592 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/version.rb  
593 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/array/extract\_options.rb  
594 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/module/attribute\_accessors.rb  
595 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/concern.rb  
596 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/logger\_silence.rb  
597 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/logger.rb  
598 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support.rb  
599 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/object/blank.rb  
600 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/kernel singleton\_class.rb  
601 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/module/remove\_method.rb  
602 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/class/attribute.rb  
603 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/module/delegation.rb  
604 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/singleton.rb  
605 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/deprecation/instance\_delegator.rb  
606 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/notifications/instrumenter.rb  
607 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/mutex\_m.rb  
608 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/notifications/fanout.rb  
609 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/per\_thread\_registry.rb  
610 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/notifications.rb  
611 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/deprecation/behaviors.rb  
612 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/deprecation/reporting.rb

613 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/module/aliasing.rb  
614 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/deprecation/method\_wrappers.rb  
615 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/deprecation/proxy\_wrappers.rb  
616 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/module/deprecation.rb  
617 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/deprecation.rb  
618 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/rails.rb  
619 /home/pi/.rvm/gems/ruby-2.3.0/gems/activemodel-4.2.3/lib/active\_model/gem\_version.rb  
620 /home/pi/.rvm/gems/ruby-2.3.0/gems/activemodel-4.2.3/lib/active\_model/version.rb  
621 /home/pi/.rvm/gems/ruby-2.3.0/gems/activemodel-4.2.3/lib/active\_model.rb  
622 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/crud.rb  
623 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/factory\_methods.rb  
624 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/expressions.rb  
625 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/predications.rb  
626 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/window\_predications.rb  
627 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/math.rb  
628 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/alias\_predication.rb  
629 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/order\_predications.rb  
630 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/table.rb  
631 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/attributes/attribute.rb  
632 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/attributes.rb  
633 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/compatibility/wheres.rb  
634 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/visitors/visitor.rb  
635 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/visitors/depth\_first.rb  
636 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/visitors/reduce.rb  
637 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/visitors/to\_sql.rb  
638 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/visitors/to\_sql.rb  
639 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/visitors/sqlite.rb  
640 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/visitors/postgresql.rb  
641 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/visitors/mysql.rb  
642 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/visitors/mssql.rb  
643 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/visitors/oracle.rb  
644 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/visitors/where\_sql.rb  
645 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/visitors/dot.rb  
646 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/visitors/ibm\_db.rb  
647 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/visitors/informix.rb  
648 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/visitors.rb  
649 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/collectors/plain\_string.rb  
650 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/collectors/sql\_string.rb  
651 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/tree\_manager.rb  
652 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/insert\_manager.rb  
653 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/select\_manager.rb  
654 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/update\_manager.rb  
655 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/delete\_manager.rb  
656 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/node.rb  
657 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/select\_statement.rb  
658 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/select\_core.rb  
659 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/insert\_statement.rb  
660 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/update\_statement.rb  
661 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/bind\_param.rb  
662 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/terminal.rb  
663 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/true.rb  
664 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/false.rb  
665 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/unary.rb  
666 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/grouping.rb  
667 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/ascending.rb  
668 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/descending.rb  
669 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/unqualified\_column.rb  
670 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/with.rb  
671 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/binary.rb  
672 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/equality.rb  
673 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/in.rb  
674 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/join\_source.rb  
675 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/delete\_statement.rb  
676 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/table\_alias.rb  
677 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/infix\_operation.rb  
678 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/over.rb  
679 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/matches.rb

680 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/and.rb  
681 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/function.rb  
682 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/count.rb  
683 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/extract.rb  
684 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/values.rb  
685 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/named\_function.rb  
686 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/window.rb  
687 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/full\_outer\_join.rb  
688 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/inner\_join.rb  
689 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/outer\_join.rb  
690 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/right\_outer\_join.rb  
691 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/string\_join.rb  
692 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes/sql\_literal.rb  
693 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/nodes.rb  
694 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel.rb  
695 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/gem\_version.rb  
696 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/version.rb  
697 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/attribute\_set/builder.rb  
698 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/attribute\_set.rb  
699 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/enumerable.rb  
700 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/string/filters.rb  
701 /home/pi/.rvm/gems/ruby-2.3.0/gems/activemodel-4.2.3/lib/active\_model/attribute\_methods.rb  
702 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/attribute\_methods.rb  
703 /home/pi/.rvm/gems/ruby-2.3.0/lib/ruby/2.3.0/bigdecimal/util.rb  
704 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/type/decorator.rb  
705 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/type/mutable.rb  
706 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/type/numeric.rb  
707 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/type/time\_value.rb  
708 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/type/value.rb  
709 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/type/integer.rb  
710 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/type/big\_integer.rb  
711 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/type/binary.rb  
712 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/type/boolean.rb  
713 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/type/date.rb  
714 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/type/date\_time.rb  
715 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/type/decimal.rb  
716 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/type/decimal\_without\_scale.rb  
717 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/type/float.rb  
718 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/type/serialized.rb  
719 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/type/string.rb  
720 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/type/text.rb  
721 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/type/time.rb  
722 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/type/unsigned\_integer.rb  
723 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/type/type\_map.rb  
724 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/type/hash\_lookup\_type\_map.rb  
725 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/type.rb  
726 /home/pi/.rvm/gems/ruby-2.3.0/lib/ruby/2.3.0/benchmark.rb  
727 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/benchmark.rb  
728 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/connection\_adapters/schema\_cache.rb  
729 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/connection\_adapters/abstract/schema\_dumper.rb  
730 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/object/try.rb  
731 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/string/strip.rb  
732 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/connection\_adapters/abstract/schema\_creation.rb  
733 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/collectors/bind.rb  
734 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/big\_decimal/conversions.rb  
735 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/connection\_adapters/abstract/quotings.rb  
736  
/home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/connection\_adapters/abstract/database\_statements.rb  
737 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/errors.rb  
738 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/migration.rb  
739 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/migration/join\_table.rb  
740 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/string/access.rb  
741  
/home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/connection\_adapters/abstract/schema\_definitions.rb  
742  
/home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/connection\_adapters/abstract/schema\_statements.rb  
743 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/connection\_adapters/abstract/database\_limits.rb

744 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/connection\_adapters/abstract/query\_cache.rb  
745 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/descendants\_tracker.rb  
746 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/kernel/reporting.rb  
747 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/callbacks.rb  
748 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/connection\_adapters/abstract\_adapter.rb  
749 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/scoping.rb  
750 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record.rb  
751 /home/pi/farmbot-raspberry-pi-controller/lib/command\_objects/exec\_step.rb  
752 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/benchmarkable.rb  
753 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/inflector.rb  
754 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/module/introspection.rb  
755 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/module/anonymous.rb  
756 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/module/qualified\_const.rb  
757 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/load\_error.rb  
758 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/name\_error.rb  
759 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/string/starts\_ends\_with.rb  
760 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/dependencies.rb  
761 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/object/acts\_like.rb  
762 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/time/acts\_like.rb  
763 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/date\_time/calculations.rb  
764 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/xml\_mini/rexml.rb  
765 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/xml\_mini.rb  
766 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/object/to\_query.rb  
767 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/object/to\_param.rb  
768 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/array/conversions.rb  
769 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/duration.rb  
770 /home/pi/.rvm/gems/ruby-2.3.0/gems/tzinfo-1.2.2/lib/tzinfo/ruby\_core\_support.rb  
771 /home/pi/.rvm/gems/ruby-2.3.0/gems/tzinfo-1.2.2/lib/tzinfo/offset\_rationals.rb  
772 /home/pi/.rvm/gems/ruby-2.3.0/gems/tzinfo-1.2.2/lib/tzinfo/time\_or\_datetime.rb  
773 /home/pi/.rvm/gems/ruby-2.3.0/gems/tzinfo-1.2.2/lib/tzinfo/timezone\_definition.rb  
774 /home/pi/.rvm/gems/ruby-2.3.0/gems/tzinfo-1.2.2/lib/tzinfo/timezone\_offset.rb  
775 /home/pi/.rvm/gems/ruby-2.3.0/gems/tzinfo-1.2.2/lib/tzinfo/timezone\_transition.rb  
776 /home/pi/.rvm/gems/ruby-2.3.0/gems/tzinfo-1.2.2/lib/tzinfo/timezone\_transition\_definition.rb  
777 /home/pi/.rvm/gems/ruby-2.3.0/gems/tzinfo-1.2.2/lib/tzinfo/timezone\_index\_definition.rb  
778 /home/pi/.rvm/gems/ruby-2.3.0/gems/tzinfo-1.2.2/lib/tzinfo/timezone\_info.rb  
779 /home/pi/.rvm/gems/ruby-2.3.0/gems/tzinfo-1.2.2/lib/tzinfo/data\_timezone\_info.rb  
780 /home/pi/.rvm/gems/ruby-2.3.0/gems/tzinfo-1.2.2/lib/tzinfo/linked\_timezone\_info.rb  
781 /home/pi/.rvm/gems/ruby-2.3.0/gems/tzinfo-1.2.2/lib/tzinfo/transition\_data\_timezone\_info.rb  
782 /home/pi/.rvm/gems/ruby-2.3.0/gems/tzinfo-1.2.2/lib/tzinfo/zoneinfo\_timezone\_info.rb  
783 /home/pi/.rvm/gems/ruby-2.3.0/gems/tzinfo-1.2.2/lib/tzinfo/data\_source.rb  
784 /home/pi/.rvm/gems/ruby-2.3.0/gems/tzinfo-1.2.2/lib/tzinfo/ruby\_data\_source.rb  
785 /home/pi/.rvm/gems/ruby-2.3.0/gems/tzinfo-1.2.2/lib/tzinfo/zoneinfo\_data\_source.rb  
786 /home/pi/.rvm/gems/ruby-2.3.0/gems/tzinfo-1.2.2/lib/tzinfo/timezone\_period.rb  
787 /home/pi/.rvm/gems/ruby-2.3.0/gems/tzinfo-1.2.2/lib/tzinfo/timezone.rb  
788 /home/pi/.rvm/gems/ruby-2.3.0/gems/tzinfo-1.2.2/lib/tzinfo/info\_timezone.rb  
789 /home/pi/.rvm/gems/ruby-2.3.0/gems/tzinfo-1.2.2/lib/tzinfo/data\_timezone.rb  
790 /home/pi/.rvm/gems/ruby-2.3.0/gems/tzinfo-1.2.2/lib/tzinfo/linked\_timezone.rb  
791 /home/pi/.rvm/gems/ruby-2.3.0/gems/tzinfo-1.2.2/lib/tzinfo/timezone\_proxy.rb  
792 /home/pi/.rvm/gems/ruby-2.3.0/gems/tzinfo-1.2.2/lib/tzinfo/country\_index\_definition.rb  
793 /home/pi/.rvm/gems/ruby-2.3.0/gems/tzinfo-1.2.2/lib/tzinfo/country\_info.rb  
794 /home/pi/.rvm/gems/ruby-2.3.0/gems/tzinfo-1.2.2/lib/tzinfo/ruby\_country\_info.rb  
795 /home/pi/.rvm/gems/ruby-2.3.0/gems/tzinfo-1.2.2/lib/tzinfo/zoneinfo\_country\_info.rb  
796 /home/pi/.rvm/gems/ruby-2.3.0/gems/tzinfo-1.2.2/lib/tzinfo/country.rb  
797 /home/pi/.rvm/gems/ruby-2.3.0/gems/tzinfo-1.2.2/lib/tzinfo/country\_timezone.rb  
798 /home/pi/.rvm/gems/ruby-2.3.0/gems/tzinfo-1.2.2/lib/tzinfo.rb  
799 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/values/time\_zone.rb  
800 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/time/conversions.rb  
801 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/time\_with\_zone.rb  
802 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/date\_and\_time/zones.rb  
803 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/time/zones.rb  
804 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/date\_and\_time/calculations.rb  
805 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/time/calculations.rb  
806 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/time/marshal.rb  
807 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/time.rb  
808 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/date/acts\_like.rb  
809 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/date/zones.rb  
810 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/date/calculations.rb

811 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_support/core\_ext/date/conversions.rb  
812 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_support/core\_ext/date.rb  
813 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_support/core\_ext/date\_time/acts\_like.rb  
814 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_support/core\_ext/date\_time/conversions.rb  
815 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_support/core\_ext/date\_time/zones.rb  
816 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_support/core\_ext/date\_time.rb  
817 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_support/core\_ext/numeric/time.rb  
818 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_support/core\_ext/integer/time.rb  
819 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_support/core\_ext/string/conversions.rb  
820 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_support/core\_ext/string/zones.rb  
821 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_support/time.rb  
822 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_support/core\_ext/class/delegating\_attributes.rb  
823 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_support/core\_ext/hash/transform\_values.rb  
824 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_support/core\_ext/string/behavior.rb  
825 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_support/core\_ext/object/duplicable.rb  
826 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_support/core\_ext/module/reachable.rb  
827 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_support/core\_ext/class/subclasses.rb  
828 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/attribute\_decorators.rb  
829 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_support/subscriber.rb  
830 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_support/log\_subscriber.rb  
831 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/log\_subscriber.rb  
832 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/explain\_registry.rb  
833 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/explain\_subscriber.rb  
834 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/relation/delegation.rb  
835 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/attributes.rb  
836 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_model/naming.rb  
837 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/connection\_handling.rb  
838 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/query\_cache.rb  
839 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/querying.rb  
840 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_model/translation.rb  
841 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/translation.rb  
842 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/dynamic\_matchers.rb  
843 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/explain.rb  
844 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_support/core\_ext/object/deep\_dup.rb  
845 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/enum.rb  
846 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/core.rb  
847 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/connection\_adapters/connection\_specification.rb  
848 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/connection\_adapters/abstract/connection\_pool.rb  
849 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/persistence.rb  
850 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/readonly\_attributes.rb  
851 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/model\_schema.rb  
852 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/inheritance.rb  
853 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/scoping/default.rb  
854 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_support/core\_ext/array/wrap.rb  
855 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_support/core\_ext/array/access.rb  
856 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_support/core\_ext/array/grouping.rb  
857 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_support/core\_ext/array.rb  
858 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/scoping/named.rb  
859 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/sanitization.rb  
860 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_model/forbidden\_attributes\_protection.rb  
861 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/attribute\_assignment.rb  
862 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_model/conversion.rb  
863 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/integration.rb  
864 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_support/core\_ext/range/conversions.rb  
865 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_support/core\_ext/range/include\_range.rb  
866 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_support/core\_ext/range/overlaps.rb  
867 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_support/core\_ext/range/each.rb  
868 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_support/core\_ext/range.rb  
869 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_model/validations/clusivity.rb  
870 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_model/validator.rb  
871 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_model/validations/exclusion.rb  
872 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_model/validations/validates.rb  
873 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_model/validations/absence.rb  
874 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_model/validations/length.rb  
875 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_model/validations/format.rb  
876 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_model/validations/numericality.rb  
877 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_model/validations/presence.rb

878 /home/pi/.rvm/gems/ruby-2.3.0/gems/activemodel-4.2.3/lib/active\_model/validations/inclusion.rb  
879 /home/pi/.rvm/gems/ruby-2.3.0/gems/activemodel-4.2.3/lib/active\_model/validations/confirmation.rb  
880 /home/pi/.rvm/gems/ruby-2.3.0/gems/activemodel-4.2.3/lib/active\_model/validations/with.rb  
881 /home/pi/.rvm/gems/ruby-2.3.0/gems/activemodel-4.2.3/lib/active\_model/validations/acceptance.rb  
882 /home/pi/.rvm/gems/ruby-2.3.0/gems/activemodel-4.2.3/lib/active\_model/validations/callbacks.rb  
883 /home/pi/.rvm/gems/ruby-2.3.0/gems/activemodel-4.2.3/lib/active\_model/validations.rb  
884 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/validations/associated.rb  
885 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/validations/uniqueness.rb  
886 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/validations/presence.rb  
887 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/validations.rb  
888 /home/pi/.rvm/gems/ruby-2.3.0/gems/activemodel-4.2.3/lib/active\_model/callbacks.rb  
889 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/counter\_cache.rb  
890 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/locking/optimistic.rb  
891 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/locking/pessimistic.rb  
892 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/module/method\_transplanting.rb  
893 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/attribute\_methods/read.rb  
894 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/attribute\_methods/write.rb  
895 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/attribute\_methods/before\_type\_cast.rb  
896 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/attribute\_methods/query.rb  
897 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/attribute\_methods/primary\_key.rb  
898 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/attribute\_methods/time\_zone\_conversion.rb  
899 /home/pi/.rvm/gems/ruby-2.3.0/gems/activemodel-4.2.3/lib/active\_model/dirty.rb  
900 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/attribute\_methods/dirty.rb  
901 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/timestamp.rb  
902 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/attribute\_methods/serialization.rb  
903 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/callbacks.rb  
904 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/associations.rb  
905 /home/pi/.rvm/gems/ruby-2.3.0/gems/activemodel-4.2.3/lib/active\_model/secure\_password.rb  
906 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/autosave\_association.rb  
907 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/associations/builder/association.rb  
908 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/nested\_attributes.rb  
909 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/aggregations.rb  
910 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/transactions.rb  
911 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/no\_touching.rb  
912 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/reflection.rb  
913 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/json/decoding.rb  
914 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/object/instance\_variables.rb  
915 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/object/json.rb  
916 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/json/encoding.rb  
917 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/json.rb  
918 /home/pi/.rvm/gems/ruby-2.3.0/gems/activemodel-4.2.3/lib/active\_model/serialization.rb  
919 /home/pi/.rvm/gems/ruby-2.3.0/gems/activemodel-4.2.3/lib/active\_model/serializers/json.rb  
920 /home/pi/.rvm/gems/ruby-2.3.0/gems/activesupport-4.2.3/lib/active\_support/core\_ext/hash/conversions.rb  
921 /home/pi/.rvm/gems/ruby-2.3.0/gems/activemodel-4.2.3/lib/active\_model/serializers/xml.rb  
922 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/serializers/xml\_serializer.rb  
923 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/serialization.rb  
924 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/store.rb  
925 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/base.rb  
926 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/relation/finder\_methods.rb  
927 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/relation/calculations.rb  
928 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/relation/merger.rb  
929 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/relation/spawn\_methods.rb  
930 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/relation/query\_methods.rb  
931 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/relation/batches.rb  
932 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/relation.rb  
933 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/associations/collection\_proxy.rb  
934 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/association\_relation.rb  
935 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/associations/builder/singular\_association.rb  
936 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/associations/builder/belongs\_to.rb  
937 /home/pi/farmbot-raspberry-pi-controller/lib/models/step.rb  
938 /home/pi/farmbot-raspberry-pi-controller/lib/command\_objects/create\_step.rb  
939 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/associations/builder/collection\_association.rb  
940 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/associations/builder/has\_many.rb  
941 /home/pi/farmbot-raspberry-pi-controller/lib/models/sequence.rb  
942 /home/pi/farmbot-raspberry-pi-controller/lib/command\_objects/create\_sequence.rb  
943 /home/pi/farmbot-raspberry-pi-controller/lib/models/schedule.rb  
944 /home/pi/farmbot-raspberry-pi-controller/lib/command\_objects/create\_schedule.rb

945 /home/pi/farmbot-raspberry-pi-controller/lib/models/plant.rb  
946 /home/pi/farmbot-raspberry-pi-controller/lib/command\_objects/create\_plant.rb  
947 /home/pi/farmbot-raspberry-pi-controller/lib/command\_objects/report\_bot\_status.rb  
948 /home/pi/farmbot-raspberry-pi-controller/lib/command\_objects/fetch\_bot\_status.rb  
949 /home/pi/farmbot-raspberry-pi-controller/lib/command\_objects/if\_statement.rb  
950 /home/pi/farmbot-raspberry-pi-controller/lib/command\_objects/sync\_bot.rb  
951 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/version.rb  
952 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/lexer.rb  
953 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/parser.rb  
954 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/i18n.rb  
955 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/drop.rb  
956 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/extensions.rb  
957 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/errors.rb  
958 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/interrupts.rb  
959 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/strainer.rb  
960 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/expression.rb  
961 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/context.rb  
962 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/parser\_switching.rb  
963 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/tag.rb  
964 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/block.rb  
965 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/document.rb  
966 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/variable.rb  
967 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/variable\_lookup.rb  
968 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/range\_lookup.rb  
969 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/file\_system.rb  
970 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/template.rb  
971 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/standardfilters.rb  
972 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/condition.rb  
973 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/module\_ex.rb  
974 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/utils.rb  
975 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/token.rb  
976 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/tags/continue.rb  
977 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/tags/capture.rb  
978 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/tags/increment.rb  
979 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/tags/comment.rb  
980 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/tags/table\_row.rb  
981 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/tags/case.rb  
982 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/tags/cycle.rb  
983 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/tags/assign.rb  
984 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/tags/if.rb  
985 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/tags/unless.rb  
986 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/tags/ifchanged.rb  
987 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/tags/for.rb  
988 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/tags/raw.rb  
989 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/tags/break.rb  
990 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/tags/include.rb  
991 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/tags/decrement.rb  
992 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/profiler.rb  
993 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid/profiler/hooks.rb  
994 /home/pi/.rvm/gems/ruby-2.3.0/gems/liquid-3.0.6/lib/liquid.rb  
995 /home/pi/farmbot-raspberry-pi-controller/lib/telemetry\_message.rb  
996 /home/pi/farmbot-raspberry-pi-controller/lib/command\_objects/send\_message.rb  
997 /home/pi/farmbot-raspberry-pi-controller/lib/command\_objects/read\_pin.rb  
998 /home/pi/farmbot-raspberry-pi-controller/lib/command\_objects/cold\_start.rb  
999 /home/pi/farmbot-raspberry-pi-controller/lib/command\_objects/commands.rb  
1000 /home/pi/farmbot-raspberry-pi-controller/lib/command\_objects/resolve\_controller.rb  
1001 /home/pi/farmbot-raspberry-pi-controller/lib/messaging/message\_handler.rb  
1002 /home/pi/.rvm/gems/ruby-2.3.0/gems/ice\_cube-0.13.0/lib/ice\_cube/deprecated.rb  
1003 /home/pi/.rvm/gems/ruby-2.3.0/gems/ice\_cube-0.13.0/lib/ice\_cube.rb  
1004 /home/pi/farmbot-raspberry-pi-controller/lib/chores/schedule\_chore.rb  
1005 /home/pi/farmbot-raspberry-pi-controller/lib/chores/chore\_runner.rb  
1006 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/digest/md5.so  
1007 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/pstore.rb  
1008 /home/pi/farmbot-raspberry-pi-controller/lib/models/status\_storage.rb  
1009 /home/pi/farmbot-raspberry-pi-controller/lib/bot\_decorator.rb  
1010 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/connection\_adapters/statement\_pool.rb  
1011 /home/pi/.rvm/gems/ruby-2.3.0/gems/arel-6.0.3/lib/arel/visitors/bind\_visitor.rb



1012 /home/pi/.rvm/gems/ruby-2.3.0/gems/sqlite3-1.3.10/lib/sqlite3/sqlite3\_native.so  
 1013 /home/pi/.rvm/gems/ruby-2.3.0/gems/sqlite3-1.3.10/lib/sqlite3/constants.rb  
 1014 /home/pi/.rvm/gems/ruby-2.3.0/gems/sqlite3-1.3.10/lib/sqlite3/errors.rb  
 1015 /home/pi/.rvm/gems/ruby-2.3.0/gems/sqlite3-1.3.10/lib/sqlite3/pragmas.rb  
 1016 /home/pi/.rvm/gems/ruby-2.3.0/gems/sqlite3-1.3.10/lib/sqlite3/resultset.rb  
 1017 /home/pi/.rvm/gems/ruby-2.3.0/gems/sqlite3-1.3.10/lib/sqlite3/statement.rb  
 1018 /home/pi/.rvm/gems/ruby-2.3.0/gems/sqlite3-1.3.10/lib/sqlite3/translator.rb  
 1019 /home/pi/.rvm/gems/ruby-2.3.0/gems/sqlite3-1.3.10/lib/sqlite3/value.rb  
 1020 /home/pi/.rvm/gems/ruby-2.3.0/gems/sqlite3-1.3.10/lib/sqlite3/database.rb  
 1021 /home/pi/.rvm/gems/ruby-2.3.0/gems/sqlite3-1.3.10/lib/sqlite3/version.rb  
 1022 /home/pi/.rvm/gems/ruby-2.3.0/gems/sqlite3-1.3.10/lib/sqlite3.rb  
 1023 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/connection\_adapters/abstract/savepoints.rb  
 1024 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/connection\_adapters/sqlite3\_adapter.rb  
 1025 /home/pi/.rvm/gems/ruby-2.3.0/gems/activerecord-4.2.3/lib/active\_record/runtime\_registry.rb  
 1026 /home/pi/farmbot-raspberry-pi-controller/lib/farmbot-pi.rb  
 1027 /home/pi/.rvm/gems/ruby-2.3.0/gems/em-mqtt-0.0.4/lib/em/mqtt/connection.rb  
 1028 /home/pi/.rvm/gems/ruby-2.3.0/gems/em-mqtt-0.0.4/lib/em/mqtt/client\_connection.rb  
 1029 /home/pi/.rvm/gems/ruby-2.3.0/gems/mqtt-0.3.1/lib/mqtt/client.rb

- Process memory map:

```
00010000-00011000 r-xp 00000000 b3:02 253649 /home/pi/.rvm/rubies/ruby-2.3.0/bin/ruby
00020000-00021000 rw-p 00000000 b3:02 253649 /home/pi/.rvm/rubies/ruby-2.3.0/bin/ruby
0146c000-0338f000 rw-p 00000000 00:00 0 [heap]
75e3d000-75ee4000 r-xp 00000000 b3:02 9956 /usr/lib/arm-linux-gnueabi/libsqlite3.so.0.8.6
75ee4000-75ef3000 ---p 000a7000 b3:02 9956 /usr/lib/arm-linux-gnueabi/libsqlite3.so.0.8.6
75ef3000-75ef5000 r--p 000a6000 b3:02 9956 /usr/lib/arm-linux-gnueabi/libsqlite3.so.0.8.6
75ef5000-75ef6000 rw-p 000a8000 b3:02 9956 /usr/lib/arm-linux-gnueabi/libsqlite3.so.0.8.6
75ef6000-75ef7000 rw-p 00000000 00:00 0
75ef7000-75f14000 r-xp 00000000 b3:02 1929 /lib/arm-linux-gnueabi/libgcc_s.so.1
75f14000-75f23000 ---p 0001d000 b3:02 1929 /lib/arm-linux-gnueabi/libgcc_s.so.1
75f23000-75f24000 rw-p 0001c000 b3:02 1929 /lib/arm-linux-gnueabi/libgcc_s.so.1
75f24000-75fe5000 r-xp 00000000 b3:02 9959 /usr/lib/arm-linux-gnueabi/libstdc++.so.6.0.20
75fe5000-75ff4000 ---p 000c1000 b3:02 9959 /usr/lib/arm-linux-gnueabi/libstdc++.so.6.0.20
75ff4000-75ff8000 r--p 000c0000 b3:02 9959 /usr/lib/arm-linux-gnueabi/libstdc++.so.6.0.20
75ff8000-75ffa000 rw-p 000c4000 b3:02 9959 /usr/lib/arm-linux-gnueabi/libstdc++.so.6.0.20
75ffa000-76000000 rw-p 00000000 00:00 0
76000000-76021000 rw-p 00000000 00:00 0
76021000-76100000 ---p 00000000 00:00 0
76115000-76136000 r-xp 00000000 b3:02 507230
/home/pi/.rvm/gems/ruby-2.3.0/gems/eventmachine-1.0.8/lib/rubyeventmachine.so
76136000-76145000 ---p 00021000 b3:02 507230
/home/pi/.rvm/gems/ruby-2.3.0/gems/eventmachine-1.0.8/lib/rubyeventmachine.so
76145000-76147000 rw-p 00020000 b3:02 507230
/home/pi/.rvm/gems/ruby-2.3.0/gems/eventmachine-1.0.8/lib/rubyeventmachine.so
76147000-76159000 r-xp 00000000 b3:02 9566 /lib/arm-linux-gnueabi/libresolv-2.19.so
76159000-76168000 ---p 00012000 b3:02 9566 /lib/arm-linux-gnueabi/libresolv-2.19.so
76168000-76169000 r--p 00011000 b3:02 9566 /lib/arm-linux-gnueabi/libresolv-2.19.so
76169000-7616a000 rw-p 00012000 b3:02 9566 /lib/arm-linux-gnueabi/libresolv-2.19.so
7616a000-7616c000 rw-p 00000000 00:00 0
7616c000-7616d000 ---p 00000000 00:00 0
7616d000-761ec000 rwxp 00000000 00:00 0
761ec000-7626d000 rw-p 00000000 00:00 0
76281000-76288000 r-xp 00000000 b3:02 508004 /home/pi/.rvm/gems/ruby-2.3.0/gems/sqlite3-1.3.10/lib/sqlite3/sqlite3_native.so
76288000-76297000 ---p 00007000 b3:02 508004 /home/pi/.rvm/gems/ruby-2.3.0/gems/sqlite3-1.3.10/lib/sqlite3/sqlite3_native.so
76297000-76298000 rw-p 00006000 b3:02 508004 /home/pi/.rvm/gems/ruby-2.3.0/gems/sqlite3-1.3.10/lib/sqlite3/sqlite3_native.so
76298000-76299000 r-xp 00000000 b3:02 254510 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/digest/md5.so
76299000-762a8000 ---p 00001000 b3:02 254510 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/digest/md5.so
762a8000-762a9000 rw-p 00000000 b3:02 254510
/home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/digest/md5.so
762a9000-762bb000 r-xp 00000000 b3:02 254493 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/bigdecimal.so
762bb000-762ca000 ---p 00012000 b3:02 254493 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/bigdecimal.so
762ca000-762cb000 rw-p 00011000 b3:02 254493 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/bigdecimal.so
762cb000-762cf000 r-xp 00000000 b3:02 507375 /home/pi/.rvm/gems/ruby-2.3.0/gems/serialport-1.3.1/lib/serialport.so
762cf000-762de000 ---p 00004000 b3:02 507375 /home/pi/.rvm/gems/ruby-2.3.0/gems/serialport-1.3.1/lib/serialport.so
762de000-762df000 rw-p 00003000 b3:02 507375 /home/pi/.rvm/gems/ruby-2.3.0/gems/serialport-1.3.1/lib/serialport.so
```

762df000-762e3000 r-xp 00000000 b3:02 9557 /lib/arm-linux-gnueabi/libnss\_dns-2.19.so  
762e3000-762f2000 ---p 00004000 b3:02 9557 /lib/arm-linux-gnueabi/libnss\_dns-2.19.so  
762f2000-762f3000 r--p 00003000 b3:02 9557 /lib/arm-linux-gnueabi/libnss\_dns-2.19.so  
762f3000-762f4000 rw-p 00004000 b3:02 9557 /lib/arm-linux-gnueabi/libnss\_dns-2.19.so  
762f4000-762f6000 r-xp 00000000 b3:02 1957 /lib/arm-linux-gnueabi/libnss\_mdns4\_minimal.so.2  
762f6000-762fd000 ---p 00002000 b3:02 1957 /lib/arm-linux-gnueabi/libnss\_mdns4\_minimal.so.2  
762fd000-762fe000 r--p 00001000 b3:02 1957 /lib/arm-linux-gnueabi/libnss\_mdns4\_minimal.so.2  
762fe000-762ff000 rw-p 00002000 b3:02 1957 /lib/arm-linux-gnueabi/libnss\_mdns4\_minimal.so.2  
762ff000-7630a000 r-xp 00000000 b3:02 9559 /lib/arm-linux-gnueabi/libnss\_files-2.19.so  
7630a000-76319000 ---p 0000b000 b3:02 9559 /lib/arm-linux-gnueabi/libnss\_files-2.19.so  
76319000-7631a000 r--p 0000a000 b3:02 9559 /lib/arm-linux-gnueabi/libnss\_files-2.19.so  
7631a000-7631b000 rw-p 0000b000 b3:02 9559 /lib/arm-linux-gnueabi/libnss\_files-2.19.so  
7631b000-76323000 r-xp 00000000 b3:02 254520  
/home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/json/ext/generator.so  
76323000-76333000 ---p 00008000 b3:02 254520  
/home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/json/ext/generator.so  
76333000-76334000 rw-p 00008000 b3:02 254520  
/home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/json/ext/generator.so  
76334000-76335000 r-xp 00000000 b3:02 254436  
/home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/enc/utf\_32le.so  
76335000-76344000 ---p 00001000 b3:02 254436  
/home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/enc/utf\_32le.so  
76344000-76345000 rw-p 00000000 b3:02 254436  
/home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/enc/utf\_32le.so  
76345000-76346000 r-xp 00000000 b3:02 254479  
/home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/enc/utf\_32be.so  
76346000-76355000 ---p 00001000 b3:02 254479  
/home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/enc/utf\_32be.so  
76355000-76356000 rw-p 00000000 b3:02 254479  
/home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/enc/utf\_32be.so  
76356000-76357000 r-xp 00000000 b3:02 254437  
/home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/enc/utf\_16le.so  
76357000-76366000 ---p 00001000 b3:02 254437  
/home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/enc/utf\_16le.so  
76366000-76367000 rw-p 00000000 b3:02 254437  
/home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/enc/utf\_16le.so  
76367000-76368000 r-xp 00000000 b3:02 254434  
/home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/enc/utf\_16be.so  
76368000-76377000 ---p 00001000 b3:02 254434  
/home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/enc/utf\_16be.so  
76377000-76378000 rw-p 00000000 b3:02 254434  
/home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/enc/utf\_16be.so  
76378000-7637d000 r-xp 00000000 b3:02 254521  
/home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/json/ext/parser.so  
7637d000-7638c000 ---p 00005000 b3:02 254521  
/home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/json/ext/parser.so  
7638c000-7638d000 rw-p 00004000 b3:02 254521  
/home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/json/ext/parser.so  
7638d000-7638e000 r-xp 00000000 b3:02 254495  
/home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/io/nonblock.so  
7638e000-7639d000 ---p 00001000 b3:02 254495 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/io/nonblock.so  
7639d000-7639e000 rw-p 00000000 b3:02 254495  
/home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/io/nonblock.so  
7639e000-763a1000 r-xp 00000000 b3:02 254505 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/digest.so  
763a1000-763b0000 ---p 00003000 b3:02 254505 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/digest.so  
763b0000-763b1000 rw-p 00002000 b3:02 254505 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/digest.so  
763b1000-764f5000 r-xp 00000000 b3:02 9873 /usr/lib/arm-linux-gnueabi/libcrypto.so.1.0.0  
764f5000-76505000 ---p 00144000 b3:02 9873 /usr/lib/arm-linux-gnueabi/libcrypto.so.1.0.0  
76505000-76512000 r--p 00144000 b3:02 9873 /usr/lib/arm-linux-gnueabi/libcrypto.so.1.0.0  
76512000-7651a000 rw-p 00151000 b3:02 9873 /usr/lib/arm-linux-gnueabi/libcrypto.so.1.0.0  
7651a000-7651e000 rw-p 00000000 00:00 0  
7651e000-76562000 r-xp 00000000 b3:02 9958 /usr/lib/arm-linux-gnueabi/libssl.so.1.0.0  
76562000-76571000 ---p 00044000 b3:02 9958 /usr/lib/arm-linux-gnueabi/libssl.so.1.0.0  
76571000-76573000 r--p 00043000 b3:02 9958 /usr/lib/arm-linux-gnueabi/libssl.so.1.0.0  
76573000-76577000 rw-p 00045000 b3:02 9958 /usr/lib/arm-linux-gnueabi/libssl.so.1.0.0  
76577000-765bc000 r-xp 00000000 b3:02 254500 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/openssl.so  
765bc000-765cc000 ---p 00045000 b3:02 254500 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/hf/openssl.so

765cc000-765ce000 rw-p 00045000 b3:02 254500 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/openssl.so  
765ce000-765d0000 r-xp 00000000 b3:02 254454 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/enc/windows\_31j.so  
765d0000-765df000 ---p 00002000 b3:02 254454 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/enc/windows\_31j.so  
765df000-765e0000 rw-p 00001000 b3:02 254454 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/enc/windows\_31j.so  
765e0000-765f6000 r-xp 00000000 b3:02 1997 /lib/arm-linux-gnueabi/libz.so.1.2.8  
765f6000-76605000 ---p 00016000 b3:02 1997 /lib/arm-linux-gnueabi/libz.so.1.2.8  
76605000-76606000 r--p 00015000 b3:02 1997 /lib/arm-linux-gnueabi/libz.so.1.2.8  
76606000-76607000 rw-p 00016000 b3:02 1997 /lib/arm-linux-gnueabi/libz.so.1.2.8  
76607000-76614000 r-xp 00000000 b3:02 254428 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/zlib.so  
76614000-76623000 ---p 0000d000 b3:02 254428 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/zlib.so  
76623000-76624000 rw-p 0000c000 b3:02 254428 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/zlib.so  
76624000-7663d000 r-xp 00000000 b3:02 17355 /usr/lib/arm-linux-gnueabi/libyaml-0.so.2.0.4  
7663d000-7664d000 ---p 00019000 b3:02 17355 /usr/lib/arm-linux-gnueabi/libyaml-0.so.2.0.4  
7664d000-7664e000 r--p 00019000 b3:02 17355 /usr/lib/arm-linux-gnueabi/libyaml-0.so.2.0.4  
7664e000-7664f000 rw-p 0001a000 b3:02 17355 /usr/lib/arm-linux-gnueabi/libyaml-0.so.2.0.4  
7664f000-76654000 r-xp 00000000 b3:02 254429 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/psych.so  
76654000-76663000 ---p 00005000 b3:02 254429 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/psych.so  
76663000-76664000 rw-p 00004000 b3:02 254429 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/psych.so  
76664000-76665000 r-xp 00000000 b3:02 254496 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/io/wait.so  
76665000-76674000 ---p 00001000 b3:02 254496 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/io/wait.so  
76674000-76675000 rw-p 00000000 b3:02 254496 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/io/wait.so  
76675000-7669c000 r-xp 00000000 b3:02 254498 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/socket.so  
7669c000-766ab000 ---p 00027000 b3:02 254498 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/socket.so  
766ab000-766ac000 rw-p 00026000 b3:02 254498 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/socket.so  
766ac000-766c8000 r-xp 00000000 b3:02 1988 /lib/arm-linux-gnueabi/libtinfo.so.5.9  
766c8000-766d7000 ---p 0001c000 b3:02 1988 /lib/arm-linux-gnueabi/libtinfo.so.5.9  
766d7000-766d9000 r--p 0001b000 b3:02 1988 /lib/arm-linux-gnueabi/libtinfo.so.5.9  
766d9000-766da000 rw-p 0001d000 b3:02 1988 /lib/arm-linux-gnueabi/libtinfo.so.5.9  
766da000-766f6000 r-xp 00000000 b3:02 1945 /lib/arm-linux-gnueabi/libncurses.so.5.9  
766f6000-76705000 ---p 0001c000 b3:02 1945 /lib/arm-linux-gnueabi/libncurses.so.5.9  
76705000-76706000 r--p 0001b000 b3:02 1945 /lib/arm-linux-gnueabi/libncurses.so.5.9  
76706000-76707000 rw-p 0001c000 b3:02 1945 /lib/arm-linux-gnueabi/libncurses.so.5.9  
76707000-7673a000 r-xp 00000000 b3:02 1977 /lib/arm-linux-gnueabi/libreadline.so.6.3  
7673a000-76742000 ---p 00033000 b3:02 1977 /lib/arm-linux-gnueabi/libreadline.so.6.3  
76742000-76743000 r--p 00033000 b3:02 1977 /lib/arm-linux-gnueabi/libreadline.so.6.3  
76743000-76747000 rw-p 00034000 b3:02 1977 /lib/arm-linux-gnueabi/libreadline.so.6.3  
76747000-76748000 rw-p 00000000 00:00 0  
76751000-76757000 r-xp 00000000 b3:02 254423 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/readline.so  
76757000-76766000 ---p 00006000 b3:02 254423 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/readline.so  
76766000-76767000 rw-p 00005000 b3:02 254423 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/readline.so  
76767000-7676e000 r-xp 00000000 b3:02 508633 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/byebug.so  
7676e000-7677d000 ---p 00007000 b3:02 508633 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/byebug.so  
7677d000-7677e000 rw-p 00006000 b3:02 508633 /home/pi/.rvm/gems/ruby-2.3.0/gems/byebug-5.0.0/lib/byebug/byebug.so  
7677e000-76784000 r-xp 00000000 b3:02 254504 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/etc.so  
76784000-76793000 ---p 00006000 b3:02 254504 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/etc.so  
76793000-76794000 rw-p 00005000 b3:02 254504 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/etc.so  
76794000-7679a000 r-xp 00000000 b3:02 254430 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/pathname.so  
7679a000-767a9000 ---p 00006000 b3:02 254430 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/pathname.so  
767a9000-767aa000 rw-p 00005000 b3:02 254430 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/pathname.so  
767aa000-767d7000 r-xp 00000000 b3:02 254507 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/date\_core.so  
767d7000-767e7000 ---p 0002d000 b3:02 254507 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/date\_core.so  
767e7000-767e8000 rw-p 0002d000 b3:02 254507 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/date\_core.so  
767e8000-767e9000 rw-p 00000000 00:00 0  
767e9000-767ee000 r-xp 00000000 b3:02 254517 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/strscan.so  
767ee000-767fe000 ---p 00005000 b3:02 254517 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/strscan.so  
767fe000-767ff000 rw-p 00005000 b3:02 254517 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/strscan.so  
767ff000-76800000 r-xp 00000000 b3:02 254426 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/cgi/escape.so  
76800000-7680f000 ---p 00001000 b3:02 254426 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/cgi/escape.so  
7680f000-76810000 rw-p 00000000 b3:02 254426 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/cgi/escape.so  
76810000-76816000 r-xp 00000000 b3:02 254427 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/stringio.so  
76816000-76825000 ---p 00006000 b3:02 254427 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/stringio.so  
76825000-76826000 rw-p 00005000 b3:02 254427 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/stringio.so  
76826000-76828000 r-xp 00000000 b3:02 254471 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/enc/trans/transdb.so

```

76828000-76837000 ---p 00002000 b3:02 254471
/home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/enc/trans/transdb.so
76837000-76838000 rw-p 00001000 b3:02 254471
/home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/enc/trans/transdb.so
76838000-7683a000 r-xp 00000000 b3:02 254438 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/enc/encdb.so
7683a000-76849000 ---p 00002000 b3:02 254438 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/enc/encdb.so
76849000-7684a000 rw-p 00001000 b3:02 254438 /home/pi/.rvm/rubies/ruby-2.3.0/lib/ruby/2.3.0/armv7l-linux-eabi/enc/encdb.so
7684a000-768cb000 rw-p 00000000 00:00 0
768cb000-76a54000 r--p 00000000 b3:02 17980 /usr/lib/locale/locale-archive
76a54000-76b7f000 r-xp 00000000 b3:02 8707 /lib/arm-linux-gnueabi/libc-2.19.so
76b7f000-76b8f000 ---p 0012b000 b3:02 8707 /lib/arm-linux-gnueabi/libc-2.19.so
76b8f000-76b91000 r--p 0012b000 b3:02 8707 /lib/arm-linux-gnueabi/libc-2.19.so
76b91000-76b92000 rw-p 0012d000 b3:02 8707 /lib/arm-linux-gnueabi/libc-2.19.so
76b92000-76b95000 rw-p 00000000 00:00 0
76b95000-76bfe000 r-xp 00000000 b3:02 9552 /lib/arm-linux-gnueabi/libm-2.19.so
76bfe000-76c0e000 ---p 00069000 b3:02 9552 /lib/arm-linux-gnueabi/libm-2.19.so
76c0e000-76c0f000 r--p 00069000 b3:02 9552 /lib/arm-linux-gnueabi/libm-2.19.so
76c0f000-76c10000 rw-p 0006a000 b3:02 9552 /lib/arm-linux-gnueabi/libm-2.19.so
76c10000-76c17000 r-xp 00000000 b3:02 9548 /lib/arm-linux-gnueabi/libcrypt-2.19.so
76c17000-76c26000 ---p 00007000 b3:02 9548 /lib/arm-linux-gnueabi/libcrypt-2.19.so
76c26000-76c27000 r--p 00006000 b3:02 9548 /lib/arm-linux-gnueabi/libcrypt-2.19.so
76c27000-76c28000 rw-p 00007000 b3:02 9548 /lib/arm-linux-gnueabi/libcrypt-2.19.so
76c28000-76c4f000 rw-p 00000000 00:00 0
76c4f000-76c51000 r-xp 00000000 b3:02 9551 /lib/arm-linux-gnueabi/libdl-2.19.so
76c51000-76c60000 ---p 00002000 b3:02 9551 /lib/arm-linux-gnueabi/libdl-2.19.so
76c60000-76c61000 r--p 00001000 b3:02 9551 /lib/arm-linux-gnueabi/libdl-2.19.so
76c61000-76c62000 rw-p 00002000 b3:02 9551 /lib/arm-linux-gnueabi/libdl-2.19.so
76c62000-76cc3000 r-xp 00000000 b3:02 9896 /usr/lib/arm-linux-gnueabi/libgmp.so.10.2.0
76cc3000-76cd2000 ---p 00061000 b3:02 9896 /usr/lib/arm-linux-gnueabi/libgmp.so.10.2.0
76cd2000-76cd3000 r--p 00060000 b3:02 9896 /usr/lib/arm-linux-gnueabi/libgmp.so.10.2.0
76cd3000-76cd4000 rw-p 00061000 b3:02 9896 /usr/lib/arm-linux-gnueabi/libgmp.so.10.2.0
76cd4000-76ce8000 r-xp 00000000 b3:02 9573 /lib/arm-linux-gnueabi/libpthread-2.19.so
76ce8000-76cf8000 ---p 00014000 b3:02 9573 /lib/arm-linux-gnueabi/libpthread-2.19.so
76cf8000-76cf9000 r--p 00014000 b3:02 9573 /lib/arm-linux-gnueabi/libpthread-2.19.so
76cf9000-76cfa000 rw-p 00015000 b3:02 9573 /lib/arm-linux-gnueabi/libpthread-2.19.so
76cfa000-76cfc000 rw-p 00000000 00:00 0
76cfc000-76f6e000 r-xp 00000000 b3:02 253651 /home/pi/.rvm/rubies/ruby-2.3.0/lib/libruby.so.2.3.0
76f6e000-76f7d000 ---p 00272000 b3:02 253651 /home/pi/.rvm/rubies/ruby-2.3.0/lib/libruby.so.2.3.0
76f7d000-76f82000 rw-p 00271000 b3:02 253651 /home/pi/.rvm/rubies/ruby-2.3.0/lib/libruby.so.2.3.0
76f82000-76f88000 rw-p 00000000 00:00 0
76f88000-76f8d000 r-xp 00000000 b3:02 9859 /usr/lib/arm-linux-gnueabi/libarmmem.so
76f8d000-76f9c000 ---p 00005000 b3:02 9859 /usr/lib/arm-linux-gnueabi/libarmmem.so
76f9c000-76f9d000 rw-p 00004000 b3:02 9859 /usr/lib/arm-linux-gnueabi/libarmmem.so
76f9d000-76fbd000 r-xp 00000000 b3:02 8679 /lib/arm-linux-gnueabi/ld-2.19.so
76fbe000-76fc0000 rw-p 00000000 00:00 0
76fc0000-76fc5000 rw-p 00000000 00:00 0
76fc5000-76fc6000 ---p 00000000 00:00 0
76fc6000-76fc9000 rwxp 00000000 00:00 0 [stack:1787]
76fc9000-76fcc000 rw-p 00000000 00:00 0
76fcc000-76fcd000 r--p 0001f000 b3:02 8679 /lib/arm-linux-gnueabi/ld-2.19.so
76fcd000-76fce000 rw-p 00020000 b3:02 8679 /lib/arm-linux-gnueabi/ld-2.19.so
7e0f1000-7e8f0000 rwxp 00000000 00:00 0
7e8f0000-7e8fb000 r-xp 00000000 00:00 0 [sigpage]
7e8fb000-7e8fc000 r--p 00000000 00:00 0 [vvar]
7e8fc000-7e8fd000 r-xp 00000000 00:00 0 [vdso]
ffff0000-ffff1000 r-xp 00000000 00:00 0 [vectors]

```

[NOTE]

You may have encountered a bug in the Ruby interpreter or extension libraries.

Bug reports are welcome.

For details: <http://www.ruby-lang.org/bugreport.html>

Aborted

History

#1 - 04/24/2016 06:44 PM - avsej (Sergey Avseyev)

Rick, could you also check it on recent stable eventmachine? They had improved cleanup process, so the issue might be fixed.

**#2 - 05/07/2016 02:29 AM - hsbt (Hiroshi SHIBATA)**

*- Status changed from Open to Third Party's Issue*