

## Ruby master - Bug #13191

sample/pty/shl.rb

02/04/2017 07:12 AM - znz (Kazuhiro NISHIYAMA)

<b>Status:</b>	Closed	
<b>Priority:</b>	Normal	
<b>Assignee:</b>		
<b>Target version:</b>		
<b>ruby -v:</b>	r57530	<b>Backport:</b> 2.2: REQUIRED, 2.3: DONE, 2.4: DONE
<b>Description</b>		
sample/pty/shl.rb c exit		
r57530 1.8.6 1.8.6 1.8.7 PTY::ChildExited writer STDIN.getc rescue 'Exit'		
1.9 PTY::ChildExited ps defunct		
sample/pty/shl.rb ext/pty		

### Associated revisions

#### Revision 57530 - 02/04/2017 06:49 AM - znz (Kazuhiro NISHIYAMA)

sample/pty/shl.rb: update sample

- Specify frozen\_string\_literal: true.
- Fix TypeError of raise.
- Use a character literal instead of Integer.

#### Revision 0d98fd88 - 02/04/2017 10:48 AM - nobu (Nobuyoshi Nakada)

pty/shl.rb: update [ci skip]

- sample/pty/shl.rb: stop writer loop when the child exited. PTY::ChildExited no longer raises asynchronously since r20298. [ruby-dev:49974] [Bug #13191]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@57531 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

#### Revision 57531 - 02/04/2017 10:48 AM - nobu (Nobuyoshi Nakada)

pty/shl.rb: update [ci skip]

- sample/pty/shl.rb: stop writer loop when the child exited. PTY::ChildExited no longer raises asynchronously since r20298. [ruby-dev:49974] [Bug #13191]

#### Revision 57531 - 02/04/2017 10:48 AM - nobu (Nobuyoshi Nakada)

pty/shl.rb: update [ci skip]

- sample/pty/shl.rb: stop writer loop when the child exited. PTY::ChildExited no longer raises asynchronously since r20298. [ruby-dev:49974] [Bug #13191]

#### Revision 57531 - 02/04/2017 10:48 AM - nobu (Nobuyoshi Nakada)

pty/shl.rb: update [ci skip]

- sample/pty/shl.rb: stop writer loop when the child exited. PTY::ChildExited no longer raises asynchronously since r20298. [ruby-dev:49974] [Bug #13191]

#### Revision 69b64711 - 02/04/2017 10:48 AM - nobu (Nobuyoshi Nakada)

pty/shl.rb: update [ci skip]

- sample/pty/shl.rb: use io/console instead of stty. [ruby-dev:49974] [Bug #13191]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@57532 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

**Revision 57532 - 02/04/2017 10:48 AM - nobu (Nobuyoshi Nakada)**

pty/shl.rb: update [ci skip]

- sample/pty/shl.rb: use io/console instead of stty. [ruby-dev:49974] [Bug #13191]

**Revision 57532 - 02/04/2017 10:48 AM - nobu (Nobuyoshi Nakada)**

pty/shl.rb: update [ci skip]

- sample/pty/shl.rb: use io/console instead of stty. [ruby-dev:49974] [Bug #13191]

**Revision 57532 - 02/04/2017 10:48 AM - nobu (Nobuyoshi Nakada)**

pty/shl.rb: update [ci skip]

- sample/pty/shl.rb: use io/console instead of stty. [ruby-dev:49974] [Bug #13191]

**Revision b163b3ff - 02/04/2017 10:48 AM - nobu (Nobuyoshi Nakada)**

pty/shl.rb: update [ci skip]

- sample/pty/shl.rb: do not manage array length separately. [ruby-dev:49974] [Bug #13191]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@57533 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

**Revision 57533 - 02/04/2017 10:48 AM - nobu (Nobuyoshi Nakada)**

pty/shl.rb: update [ci skip]

- sample/pty/shl.rb: do not manage array length separately. [ruby-dev:49974] [Bug #13191]

**Revision 57533 - 02/04/2017 10:48 AM - nobu (Nobuyoshi Nakada)**

pty/shl.rb: update [ci skip]

- sample/pty/shl.rb: do not manage array length separately. [ruby-dev:49974] [Bug #13191]

**Revision 57533 - 02/04/2017 10:48 AM - nobu (Nobuyoshi Nakada)**

pty/shl.rb: update [ci skip]

- sample/pty/shl.rb: do not manage array length separately. [ruby-dev:49974] [Bug #13191]

**Revision cd6d9193 - 02/05/2017 01:26 AM - nobu (Nobuyoshi Nakada)**

pty/shl.rb: update [ci skip]

- sample/pty/shl.rb: leap exited child process. [ruby-dev:49974] [Bug #13191]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@57537 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

**Revision 57537 - 02/05/2017 01:26 AM - nobu (Nobuyoshi Nakada)**

pty/shl.rb: update [ci skip]

- sample/pty/shl.rb: leap exited child process. [ruby-dev:49974] [Bug #13191]

**Revision 57537 - 02/05/2017 01:26 AM - nobu (Nobuyoshi Nakada)**

pty/shl.rb: update [ci skip]

- sample/pty/shl.rb: leap exited child process. [ruby-dev:49974] [Bug #13191]

**Revision 57537 - 02/05/2017 01:26 AM - nobu (Nobuyoshi Nakada)**

pty/shl.rb: update [ci skip]

- sample/pty/shl.rb: leap exited child process. [ruby-dev:49974] [Bug #13191]

**Revision 657a8067 - 04/30/2017 01:40 PM - usa (Usaku NAKAMURA)**

merge revision(s) 57531,57532,57533,57537: [Backport #13191]

```
pty/shl.rb: update [ci skip]
```

```
* sample/pty/shl.rb: stop writer loop when the child exited.
  PTY::ChildExited no longer raises asynchronously since r20298.
  [ruby-dev:49974] [Bug #13191]
pty/shl.rb: update [ci skip]
```

```
* sample/pty/shl.rb: use io/console instead of stty.
  [ruby-dev:49974] [Bug #13191]
pty/shl.rb: update [ci skip]
```

```
* sample/pty/shl.rb: do not manage array length separately.
  [ruby-dev:49974] [Bug #13191]
pty/shl.rb: update [ci skip]
```

```
* sample/pty/shl.rb: leap exited child process.
  [ruby-dev:49974] [Bug #13191]
```

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/branches/ruby\_2\_3@58516 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

#### Revision 58516 - 04/30/2017 01:40 PM - usa (Usaku NAKAMURA)

merge revision(s) 57531,57532,57533,57537: [Backport #13191]

pty/shl.rb: update [ci skip]

```
* sample/pty/shl.rb: stop writer loop when the child exited.
  PTY::ChildExited no longer raises asynchronously since r20298.
  [ruby-dev:49974] [Bug #13191]
pty/shl.rb: update [ci skip]
```

```
* sample/pty/shl.rb: use io/console instead of stty.
  [ruby-dev:49974] [Bug #13191]
pty/shl.rb: update [ci skip]
```

```
* sample/pty/shl.rb: do not manage array length separately.
  [ruby-dev:49974] [Bug #13191]
pty/shl.rb: update [ci skip]
```

```
* sample/pty/shl.rb: leap exited child process.
  [ruby-dev:49974] [Bug #13191]
```

#### Revision 881bee60 - 05/09/2017 02:11 PM - nagachika (Tomoyuki Chikanaga)

merge revision(s) 57531,57532,57533,57537: [Backport #13191]

pty/shl.rb: update [ci skip]

```
* sample/pty/shl.rb: stop writer loop when the child exited.
  PTY::ChildExited no longer raises asynchronously since r20298.
  [ruby-dev:49974] [Bug #13191]
pty/shl.rb: update [ci skip]
```

```
* sample/pty/shl.rb: use io/console instead of stty.
  [ruby-dev:49974] [Bug #13191]
pty/shl.rb: update [ci skip]
```

```
* sample/pty/shl.rb: do not manage array length separately.
  [ruby-dev:49974] [Bug #13191]
pty/shl.rb: update [ci skip]
```

```
* sample/pty/shl.rb: leap exited child process.
  [ruby-dev:49974] [Bug #13191]
```

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/branches/ruby\_2\_4@58620 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

#### Revision 58620 - 05/09/2017 02:11 PM - nagachika (Tomoyuki Chikanaga)

merge revision(s) 57531,57532,57533,57537: [Backport #13191]

pty/shl.rb: update [ci skip]

```
* sample/pty/shl.rb: stop writer loop when the child exited.
  PTY::ChildExited no longer raises asynchronously since r20298.
  [ruby-dev:49974] [Bug #13191]
pty/shl.rb: update [ci skip]
```

```
* sample/pty/shl.rb: use io/console instead of stty.
[ruby-dev:49974] [Bug #13191]
pty/shl.rb: update [ci skip]
```

```
* sample/pty/shl.rb: do not manage array length separately.
[ruby-dev:49974] [Bug #13191]
pty/shl.rb: update [ci skip]
```

```
* sample/pty/shl.rb: leap exited child process.
[ruby-dev:49974] [Bug #13191]
```

#### Revision 188ae0db - 06/30/2017 11:38 AM - usa (Usaku NAKAMURA)

merge revision(s) 57530: [Backport #13191]

```
sample/pty/shl.rb: update sample
```

```
* Specify frozen_string_literal: true.
* Fix TypeError of raise.
* Use a character literal instead of Integer.
```

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/branches/ruby\_2\_3@59228 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

#### Revision 59228 - 06/30/2017 11:38 AM - usa (Usaku NAKAMURA)

merge revision(s) 57530: [Backport #13191]

```
sample/pty/shl.rb: update sample
```

```
* Specify frozen_string_literal: true.
* Fix TypeError of raise.
* Use a character literal instead of Integer.
```

#### Revision fffc133d - 07/23/2017 07:50 AM - nagachika (Tomoyuki Chikanaga)

merge revision(s) 57530: [Backport #13191]

```
sample/pty/shl.rb: update sample
```

```
* Specify frozen_string_literal: true.
* Fix TypeError of raise.
* Use a character literal instead of Integer.
```

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/branches/ruby\_2\_4@59404 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

#### Revision 59404 - 07/23/2017 07:50 AM - nagachika (Tomoyuki Chikanaga)

merge revision(s) 57530: [Backport #13191]

```
sample/pty/shl.rb: update sample
```

```
* Specify frozen_string_literal: true.
* Fix TypeError of raise.
* Use a character literal instead of Integer.
```

## History

---

### #1 - 02/04/2017 10:48 AM - nobu (Nobuyoshi Nakada)

- Status changed from Open to Closed

Applied in changeset r57531.

---

```
pty/shl.rb: update [ci skip]
```

- sample/pty/shl.rb: stop writer loop when the child exited. PTY::ChildExited no longer raises asynchronously since r20298. [ruby-dev:49974] [Bug #13191]

### #2 - 03/23/2017 02:37 AM - usa (Usaku NAKAMURA)

- Backport changed from 2.2: UNKNOWN, 2.3: UNKNOWN, 2.4: UNKNOWN to 2.2: REQUIRED, 2.3: REQUIRED, 2.4: REQUIRED

### #3 - 04/30/2017 01:40 PM - usa (Usaku NAKAMURA)

- Backport changed from 2.2: REQUIRED, 2.3: REQUIRED, 2.4: REQUIRED to 2.2: REQUIRED, 2.3: DONE, 2.4: REQUIRED

ruby\_2\_3 r58516 merged revision(s) 57531,57532,57533,57537.

**#4 - 05/09/2017 02:11 PM - nagachika (Tomoyuki Chikanaga)**

- Backport changed from 2.2: REQUIRED, 2.3: DONE, 2.4: REQUIRED to 2.2: REQUIRED, 2.3: DONE, 2.4: DONE

ruby\_2\_4 r58620 merged revision(s) 57531,57532,57533,57537.

**#5 - 05/20/2017 08:34 AM - znz (Kazuhiro NISHIYAMA)**

ruby 2.4.2p131 (2017-05-10 revision 58637) [x86\_64-linux] r57530 backport C-z

```
exit shl.rb trunk
exit C-z 0 ThreadError shl.rb
```

```
% ruby -v
ruby 2.5.0dev (2017-05-20 trunk 58810) [x86_64-linux]
% ruby sample/pty/shl.rb
>> p
>> c
% (C-z)>> p
0
>> 0
(Enter)
% exit
% exit
(C-z)>> p
0
>> 0
Traceback (most recent call last):
  1: from sample/pty/shl.rb:86:in `'
sample/pty/shl.rb:86:in `run': killed thread (ThreadError)
```

**#6 - 05/21/2017 07:17 AM - znz (Kazuhiro NISHIYAMA)**

- Status changed from Closed to Open

**#7 - 06/05/2017 03:22 AM - nagachika (Tomoyuki Chikanaga)**

- Backport changed from 2.2: REQUIRED, 2.3: DONE, 2.4: DONE to 2.2: REQUIRED, 2.3: REQUIRED, 2.4: REQUIRED

- Status changed from Open to Closed

r57530 backport Backport REQUIRED

**#8 - 06/30/2017 11:38 AM - usa (Usaku NAKAMURA)**

- Backport changed from 2.2: REQUIRED, 2.3: REQUIRED, 2.4: REQUIRED to 2.2: REQUIRED, 2.3: DONE, 2.4: REQUIRED

ruby\_2\_3 r59228 merged revision(s) 57530.

**#9 - 07/23/2017 07:50 AM - nagachika (Tomoyuki Chikanaga)**

- Backport changed from 2.2: REQUIRED, 2.3: DONE, 2.4: REQUIRED to 2.2: REQUIRED, 2.3: DONE, 2.4: DONE

ruby\_2\_4 r59404 merged revision(s) 57530.