

## Ruby master - Bug #14120

### Gem bundle installation on ruby 2.2.2

11/20/2017 04:12 PM - nmoraitis (Nikolaos Moraitis)

<b>Status:</b>	Closed	
<b>Priority:</b>	Normal	
<b>Assignee:</b>		
<b>Target version:</b>		
<b>ruby -v:</b>	ruby 2.2.2p95 (2015-04-13 revision 50295) [x86_64-linux]	<b>Backport:</b> 2.3: UNKNOWN, 2.4: UNKNOWN

#### Description

### gem install bundle

```
Fetching: bundler-1.16.0.gem (100%)
Successfully installed bundler-1.16.0
Fetching: bundle-0.0.1.gem (100%)
Successfully installed bundle-0.0.1
Parsing documentation for bundler-1.16.0
Installing ri documentation for bundler-1.16.0
/usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/store.rb:902: [BUG] Segmentation fault at 0x0000000000000000
ruby 2.2.2p95 (2015-04-13 revision 50295) [x86_64-linux]

-- Control frame information -----
c:0029 p:---- s:0138 e:000137 CFUNC :dump
c:0028 p:0121 s:0134 e:000133 METHOD /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/store.rb:902
c:0027 p:0009 s:0128 e:000127 BLOCK /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/store.rb:751 [FINISH]
c:0026 p:---- s:0125 e:000124 CFUNC :each
c:0025 p:0023 s:0122 e:000121 METHOD /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/store.rb:750
c:0024 p:0009 s:0119 e:000118 METHOD /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/generator/ri.rb:27
c:0023 p:0026 s:0116 e:000115 BLOCK /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/rubygems_hook.rb:137 [FINISH]
c:0022 p:---- s:0114 e:000113 CFUNC :chdir
c:0021 p:0153 s:0110 e:000109 METHOD /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/rubygems_hook.rb:134
c:0020 p:0353 s:0103 e:000102 METHOD /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/rubygems_hook.rb:193
c:0019 p:0015 s:0096 e:000095 BLOCK /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/rubygems_hook.rb:56 [FINISH]
c:0018 p:---- s:0093 e:000092 CFUNC :each
c:0017 p:0049 s:0090 e:000089 METHOD /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/rubygems_hook.rb:55 [FINISH]
c:0016 p:---- s:0079 e:000078 IFUNC
c:0015 p:---- s:0077 e:000076 CFUNC :call
c:0014 p:0012 s:0072 e:000071 BLOCK /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/request_set.rb:189
[FINISH]
c:0013 p:---- s:0069 e:000068 CFUNC :each
c:0012 p:0151 s:0066 e:000065 METHOD /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/request_set.rb:188
c:0011 p:0161 s:0057 e:000055 METHOD
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/commands/install_command.rb:205
c:0010 p:0036 s:0048 e:000047 BLOCK
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/commands/install_command.rb:255 [FINISH]
c:0009 p:---- s:0042 e:000041 CFUNC :each
c:0008 p:0014 s:0039 e:000038 METHOD
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/commands/install_command.rb:251
c:0007 p:0095 s:0035 e:000034 METHOD
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/commands/install_command.rb:158
c:0006 p:0090 s:0031 e:000030 METHOD /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/command.rb:310
c:0005 p:0108 s:0026 e:000025 METHOD
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/command_manager.rb:169
c:0004 p:0014 s:0019 e:000018 METHOD
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/command_manager.rb:139
c:0003 p:0056 s:0013 e:000012 METHOD /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/gem_runner.rb:55
c:0002 p:0115 s:0007 E:001078 EVAL /usr/local/rvm/rubies/ruby-2.2.2/bin/gem:21 [FINISH]
c:0001 p:0000 s:0002 E:0015c0 TOP [FINISH]
```

-- Ruby level backtrace information -----

```
/usr/local/rvm/rubies/ruby-2.2.2/bin/gem:21:in <main>'  
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/gem_runner.rb:55:inrun'  
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/command_manager.rb:139:in run'  
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/command_manager.rb:169:inprocess_args'  
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/command.rb:310:in invoke_with_build_args'  
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/commands/install_command.rb:158:inexecute'  
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/commands/install_command.rb:251:in install_gems'  
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/commands/install_command.rb:251:ineach'  
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/commands/install_command.rb:255:in block in install_gems'  
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/commands/install_command.rb:205:ininstall_gem'  
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/request_set.rb:188:in install'  
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/request_set.rb:188:ineach'  
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/request_set.rb:189:in block in install'  
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/request_set.rb:189:incall'  
/usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/rubygems_hook.rb:55:in generation_hook'  
/usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/rubygems_hook.rb:55:ineach'  
/usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/rubygems_hook.rb:56:in block in generation_hook'  
/usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/rubygems_hook.rb:193:ingenerate'  
/usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/rubygems_hook.rb:134:in document'  
/usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/rubygems_hook.rb:134:inchdir'  
/usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/rubygems_hook.rb:137:in block in document'  
/usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/generator/ri.rb:27:ingenerate'  
/usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/store.rb:750:in save'  
/usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/store.rb:750:ineach'  
/usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/store.rb:751:in block in save'  
/usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/store.rb:902:insave_page'  
/usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/store.rb:902:in `dump'
```

-- Machine register context -----

```
RIP: 0x00007f17f67394ff RBP: 0x0000000003c65860 RSP: 0x00007fdf5791b90  
RAX: 0x0000000000000000 RBX: 0x0000000002debe30 RCX: 0x0000000000000000  
RDX: 0x6539a4a171983406 RDI: 0x0000000003c65860 RSI: 0x0000000003c65860  
R8: 0x000000000397a948 R9: 0x00000000006c09f8 R10: 0x0000000000000001  
R11: 0x0000000000000001 R12: 0x0000000002d7fd40 R13: 0x0000000003c65860  
R14: 0x00007fdf5791be0 R15: 0x0000000003c65860 EFL: 0x000000000010206
```

-- C level backtrace information -----

```
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(rb_vm_bugreport+0x5e4) [0x7f17f67ba754] vm_dump.c:693  
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(rb_bug_context+0xcb) [0x7f17f664d0fb] error.c:425  
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(sigsegv+0x3e) [0x7f17f672ff9e] signal.c:879  
/lib64/libpthread.so.0 [0x7f17f63c73b0]  
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(st_lookup+0x1f) [0x7f17f67394ff] st.c:388  
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(w_class+0x2b) [0x7f17f669b57b] marshal.c:510  
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(w_object+0x608) [0x7f17f669a0c8] marshal.c:709  
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(marshal_dump+0x198) [0x7f17f669bc48] marshal.c:1024  
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(vm_call_cfunc+0x136) [0x7f17f67a4036] vm_inshelper.c:1382  
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(vm_exec_core+0x49a) [0x7f17f67a6d2a] insns.def:1054  
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(vm_exec+0x71) [0x7f17f67aca81] vm.c:1400  
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(invoke_block_from_c+0x445) [0x7f17f67b23b5] vm.c:813  
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(rb_yield+0x63) [0x7f17f67b3173] vm.c:853  
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(rb_ary_each+0x52) [0x7f17f66016a2] array.c:1803  
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(vm_call_cfunc+0x136) [0x7f17f67a4036] vm_inshelper.c:1382  
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(vm_call_method+0x11e) [0x7f17f67b5bfe] vm_inshelper.c:1691  
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(vm_exec_core+0x557) [0x7f17f67a6de7] insns.def:1024  
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(vm_exec+0x71) [0x7f17f67aca81] vm.c:1400  
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(invoke_block_from_c+0x445) [0x7f17f67b23b5] vm.c:813  
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(rb_yield+0x63) [0x7f17f67b3173] vm.c:853  
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(rb_ensure+0xad) [0x7f17f6655e3d] eval.c:907  
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(dir_s_chdir+0x11d) [0x7f17f6639d3d] dir.c:948  
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(vm_call_cfunc+0x136) [0x7f17f67a4036] vm_inshelper.c:1382  
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(vm_call_method+0x11e) [0x7f17f67b5bfe] vm_inshelper.c:1691  
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(vm_exec_core+0x557) [0x7f17f67a6de7] insns.def:1024  
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(vm_exec+0x71) [0x7f17f67aca81] vm.c:1400  
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(invoke_block_from_c+0x445) [0x7f17f67b23b5] vm.c:813  
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(rb_yield+0x63) [0x7f17f67b3173] vm.c:853  
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(rb_ary_each+0x52) [0x7f17f66016a2] array.c:1803  
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(vm_call_cfunc+0x136) [0x7f17f67a4036] vm_inshelper.c:1382
```

```
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(vm_call_method+0x11e) [0x7f17f67b5bfe] vm_inshelper.c:1691
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(vm_exec_core+0x557) [0x7f17f67a6de7] insns.def:1024
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(vm_exec+0x71) [0x7f17f67aca81] vm.c:1400
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(vm_call0_body.constprop.85+0x207) [0x7f17f67ae987] vm_eval.c:180
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(rb_vm_call+0x3f) [0x7f17f67af5cf] vm_eval.c:59
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(rb_method_call_with_block+0x160) [0x7f17f665f7f0] proc.c:1853
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(bmcall+0xa4) [0x7f17f665f9b4] proc.c:2328
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(invoke_block_from_c+0x547) [0x7f17f67b24b7] vm_inshelper.c:2037
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(vm_invoke_proc+0xe3) [0x7f17f67b28a3] vm.c:878
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(rb_vm_invoke_proc+0x18) [0x7f17f67b2978] vm.c:897
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(vm_call_cfunc+0x136) [0x7f17f67a4036] vm_inshelper.c:1382
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(vm_call_method+0x11e) [0x7f17f67b5bfe] vm_inshelper.c:1691
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(vm_exec_core+0x49a) [0x7f17f67a6d2a] insns.def:1054
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(vm_exec+0x71) [0x7f17f67aca81] vm.c:1400
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(invoke_block_from_c+0x445) [0x7f17f67b23b5] vm.c:813
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(rb_yield+0x63) [0x7f17f67b3173] vm.c:853
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(rb_ary_each+0x52) [0x7f17f66016a2] array.c:1803
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(vm_call_cfunc+0x136) [0x7f17f67a4036] vm_inshelper.c:1382
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(vm_call_method+0x11e) [0x7f17f67b5bfe] vm_inshelper.c:1691
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(vm_exec_core+0x557) [0x7f17f67a6de7] insns.def:1024
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(vm_exec+0x71) [0x7f17f67aca81] vm.c:1400
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(invoke_block_from_c+0x445) [0x7f17f67b23b5] vm.c:813
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(rb_yield+0x63) [0x7f17f67b3173] vm.c:853
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(rb_ary_each+0x52) [0x7f17f66016a2] array.c:1803
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(vm_call_cfunc+0x136) [0x7f17f67a4036] vm_inshelper.c:1382
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(vm_call_method+0x11e) [0x7f17f67b5bfe] vm_inshelper.c:1691
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(vm_exec_core+0x557) [0x7f17f67a6de7] insns.def:1024
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(vm_exec+0x71) [0x7f17f67aca81] vm.c:1400
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(rb_iseq_eval_main+0x1e4) [0x7f17f67ae724] vm.c:1670
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(ruby_exec_internal+0xbc) [0x7f17f665297c] eval.c:252
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(ruby_exec_node+0x1d) [0x7f17f665507d] eval.c:317
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2(ruby_run_node+0x1e) [0x7f17f66578ae] eval.c:309
/usr/local/rvm/rubies/ruby-2.2.2/bin/ruby(main+0x4b) [0x4007eb] main.c:36
```

-- Other runtime information -----

- Loaded script: /usr/local/rvm/rubies/ruby-2.2.2/bin/gem

- Loaded features:

```
0 enumerator.so
1 rational.so
2 complex.so
3 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/enc/encdb.so
4 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/enc/trans/transdb.so
5 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/unicode_normalize.rb
6 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/rbconfig.rb
7 thread.rb
8 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/thread.so
9 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/compatibility.rb
10 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/defaults.rb
11 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/deprecate.rb
12 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/errors.rb
13 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/version.rb
14 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/requirement.rb
15 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/platform.rb
16 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/basic_specification.rb
17 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/stub_specification.rb
18 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/util/list.rb
19 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/stringio.so
20 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/specification.rb
21 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/exceptions.rb
22 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/core_ext/kernel_gem.rb
23 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/monitor.rb
24 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems/core_ext/kernel_require.rb
25 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site_ruby/2.2.0/rubygems.rb
26 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/optparse.rb
```

27 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/util.rb  
28 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/dependency.rb  
29 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/path\_support.rb  
30 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86\_64-linux/io/console.so  
31 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/user\_interaction.rb  
32 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/command.rb  
33 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/command\_manager.rb  
34 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86\_64-linux/etc.so  
35 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/config\_file.rb  
36 /usr/local/rvm/gems/ruby-2.2.2@global/gems/executable-hooks-1.3.2/lib/executable-hooks/specification.rb  
37 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/fileutils.rb  
38 /usr/local/rvm/gems/ruby-2.2.2@global/gems/executable-hooks-1.3.2/lib/executable-hooks/wrapper.rb  
39 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86\_64-linux/digest.so  
40 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/digest.rb  
41 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86\_64-linux/openssl.so  
42 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/openssl/bn.rb  
43 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/openssl/cipher.rb  
44 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/openssl/config.rb  
45 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/openssl/digest.rb  
46 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/openssl/x509.rb  
47 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/openssl/buffering.rb  
48 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86\_64-linux/fcntl.so  
49 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/openssl/ssl.rb  
50 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/openssl.rb  
51 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/security/policy.rb  
52 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/security/policies.rb  
53 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/security/trust\_dir.rb  
54 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/security/signer.rb  
55 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/security.rb  
56 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86\_64-linux/zlib.so  
57 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/package/digest\_io.rb  
58 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/package/source.rb  
59 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/package/file\_source.rb  
60 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/package/io\_source.rb  
61 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/package/old.rb  
62 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/package/tar\_header.rb  
63 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/package/tar\_reader/entry.rb  
64 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/package/tar\_reader.rb  
65 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/package/tar\_writer.rb  
66 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/package.rb  
67 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/ext/build\_error.rb  
68 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/ext/builder.rb  
69 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/ext/configure\_builder.rb  
70 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/delegate.rb  
71 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/tmpdir.rb  
72 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/tempfile.rb  
73 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/ext/ext\_conf\_builder.rb  
74 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/ext/rake\_builder.rb  
75 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/ext/cmake\_builder.rb  
76 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/ext.rb  
77 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/installer.rb  
78  
/usr/local/rvm/gems/ruby-2.2.2@global/gems/executable-hooks-1.3.2/lib/executable-hooks/regenerate\_binstubs\_command.rb  
79 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/timeout.rb  
80 /usr/local/rvm/gems/ruby-2.2.2@global/gems/gem-wrappers-1.3.2/lib/gem-wrappers/specification.rb  
81 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/cgi/util.rb  
82 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86\_64-linux/strscan.so  
83 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/erb.rb  
84 /usr/local/rvm/gems/ruby-2.2.2@global/gems/gem-wrappers-1.3.2/lib/gem-wrappers/environment.rb  
85 /usr/local/rvm/gems/ruby-2.2.2@global/gems/gem-wrappers-1.3.2/lib/gem-wrappers/installer.rb  
86 /usr/local/rvm/gems/ruby-2.2.2@global/gems/gem-wrappers-1.3.2/lib/gem-wrappers.rb  
87 /usr/local/rvm/gems/ruby-2.2.2@global/gems/gem-wrappers-1.3.2/lib/gem-wrappers/command/file\_exist.rb  
88 /usr/local/rvm/gems/ruby-2.2.2@global/gems/gem-wrappers-1.3.2/lib/gem-wrappers/command.rb  
89 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/gem\_runner.rb  
90 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/exception.rb  
91 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/syntax\_error.rb  
92 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86\_64-linux/psych.so

93 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/omap.rb  
94 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/set.rb  
95 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/class\_loader.rb  
96 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/scalar\_scanner.rb  
97 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/nodes/node.rb  
98 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/nodes/stream.rb  
99 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/nodes/document.rb  
100 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/nodes/sequence.rb  
101 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/nodes/scalar.rb  
102 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/nodes/mapping.rb  
103 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/nodes/alias.rb  
104 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/nodes.rb  
105 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/streaming.rb  
106 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/visitors/visitor.rb  
107 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/visitors/to\_ruby.rb  
108 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/visitors/emitter.rb  
109 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/handler.rb  
110 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/tree\_builder.rb  
111 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/visitors/yaml\_tree.rb  
112 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/json/ruby\_events.rb  
113 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/visitors/json\_tree.rb  
114 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/visitors/depth\_first.rb  
115 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/visitors.rb  
116 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/parser.rb  
117 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/coder.rb  
118 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/core\_ext.rb  
119 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86\_64-linux/date\_core.so  
120 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/date.rb  
121 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/deprecated.rb  
122 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/stream.rb  
123 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/json/yaml\_events.rb  
124 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/json/tree\_builder.rb  
125 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/json/stream.rb  
126 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych/handlers/document\_stream.rb  
127 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/psych.rb  
128 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/psych\_additions.rb  
129 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/psych\_tree.rb  
130 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/yaml.rb  
131 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/safe\_yaml.rb  
132 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/syck\_hack.rb  
133 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/install\_update\_options.rb  
134 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/tsort.rb  
135 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/dependency\_list.rb  
136 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86\_64-linux/socket.so  
137 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/socket.rb  
138 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/net/protocol.rb  
139 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/uri/rfc2396\_parser.rb  
140 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/uri/rfc3986\_parser.rb  
141 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/uri/common.rb  
142 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/uri/generic.rb  
143 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/uri/ftp.rb  
144 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/uri/http.rb  
145 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/uri/https.rb  
146 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/uri/ldap.rb  
147 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/uri/ldaps.rb  
148 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/uri/mailto.rb  
149 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/uri.rb  
150 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/net/http/exceptions.rb  
151 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/net/http/header.rb  
152 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86\_64-linux/enc/windows\_31j.so  
153 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/net/http/generic\_request.rb  
154 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/net/http/request.rb  
155 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/net/http/requests.rb  
156 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/net/http/response.rb  
157 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/net/http/responses.rb  
158 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/net/http/proxy\_delta.rb  
159 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/net/http/backward.rb

160 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/net/http.rb  
161 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/time.rb  
162 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/request/http\_pool.rb  
163 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/request/https\_pool.rb  
164 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/request/connection\_pools.rb  
165 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/request.rb  
166 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/cgi/core.rb  
167 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/cgi/cookie.rb  
168 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/cgi.rb  
169 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/uri\_formatter.rb  
170 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/securerandom.rb  
171 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/resolv.rb  
172 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/remote\_fetcher.rb  
173 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/text.rb  
174 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/name\_tuple.rb  
175 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/spec\_fetcher.rb  
176 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/source/git.rb  
177 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/source/installed.rb  
178 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/source/specific\_file.rb  
179 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/source/local.rb  
180 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/source/lock.rb  
181 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/source/vendor.rb  
182 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/source.rb  
183 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/available\_set.rb  
184 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/dependency\_installer.rb  
185 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/local\_remote\_options.rb  
186 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/validator.rb  
187 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/version\_option.rb  
188 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/commands/install\_command.rb  
189 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/install\_message.rb  
190 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/request\_set/gem\_dependency\_api.rb  
191 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/request\_set/lockfile/parser.rb  
192 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/request\_set/lockfile/tokenizer.rb  
193 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/request\_set/lockfile.rb  
194 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/request\_set.rb  
195 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/molinillo/lib/molinillo/gem\_metadata.rb  
196 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/molinillo/lib/molinillo/errors.rb  
197 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/set.rb  
198 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/molinillo/lib/molinillo/dependency\_graph/action.rb  
199  
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/molinillo/lib/molinillo/dependency\_graph/add\_edge\_n  
o\_circular.rb  
200  
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/molinillo/lib/molinillo/dependency\_graph/add\_vertex.r  
b  
201  
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/molinillo/lib/molinillo/dependency\_graph/delete\_edge.  
rb  
202  
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/molinillo/lib/molinillo/dependency\_graph/detach\_vert  
e\_x\_named.rb  
203  
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/molinillo/lib/molinillo/dependency\_graph/set\_payload.  
rb  
204 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/molinillo/lib/molinillo/dependency\_graph/tag.rb  
205 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/molinillo/lib/molinillo/dependency\_graph/log.rb  
206 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/molinillo/lib/molinillo/dependency\_graph/vertex.rb  
207 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/molinillo/lib/molinillo/dependency\_graph.rb  
208 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/molinillo/lib/molinillo/state.rb  
209  
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/molinillo/lib/molinillo/modules/specification\_provider.r  
b  
210  
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/molinillo/lib/molinillo/delegates/resolution\_state.rb  
211  
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/molinillo/lib/molinillo/delegates/specification\_provider.  
rb

212 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/molinillo/lib/molinillo/resolution.rb  
213 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/molinillo/lib/molinillo/resolver.rb  
214 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/molinillo/lib/molinillo/modules/ui.rb  
215 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/molinillo/lib/molinillo.rb  
216 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/molinillo.rb  
217 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/activation\_request.rb  
218 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/conflict.rb  
219 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/dependency\_request.rb  
220 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/requirement\_list.rb  
221 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/stats.rb  
222 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/set.rb  
223 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/api\_set.rb  
224 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/composed\_set.rb  
225 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/best\_set.rb  
226 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/current\_set.rb  
227 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/git\_set.rb  
228 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/index\_set.rb  
229 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/installer\_set.rb  
230 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/lock\_set.rb  
231 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/vendor\_set.rb  
232 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/source\_set.rb  
233 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/specification.rb  
234 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/spec\_specification.rb  
235 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/api\_specification.rb  
236 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/git\_specification.rb  
237 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/index\_specification.rb  
238 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/installed\_specification.rb  
239 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/local\_specification.rb  
240 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/lock\_specification.rb  
241 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver/vendor\_specification.rb  
242 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/resolver.rb  
243 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc.rb  
244 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/rubygems\_hook.rb  
245 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/rdoc.rb  
246 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/site\_ruby/2.2.0/rubygems/source\_list.rb  
247 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/net/https.rb  
248 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86\_64-linux/enc/utf\_16le.so  
249 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86\_64-linux/enc/utf\_16be.so  
250 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/find.rb  
251 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86\_64-linux/pathname.so  
252 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/pathname.rb  
253 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/generator.rb  
254 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/markup.rb  
255 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/markup/formatter.rb  
256 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/markup/to\_joined\_paragraph.rb  
257 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/markdown/entities.rb  
258 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/markdown/literals.rb  
259 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/markdown.rb  
260 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/rd.rb  
261 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/markup/parser.rb  
262 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/markup/pre\_process.rb  
263 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/tom\_doc.rb  
264 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/text.rb  
265 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/code\_object.rb  
266 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/method\_attr.rb  
267 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/context.rb  
268 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/class\_module.rb  
269 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/context/section.rb  
270 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/top\_level.rb  
271 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/generator/markup.rb  
272 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/generator/darkfish.rb  
273 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/generator/ri.rb  
274 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/generator/pot.rb  
275 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/rdoc.rb  
276 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/options.rb  
277 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/parser/text.rb  
278 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/parser/simple.rb

```

279 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/parser/c.rb
280 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/parser/changelog.rb
281 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/parser/markdown.rb
282 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/parser/rd.rb
283 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/ruby_token.rb
284 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/token_stream.rb
285 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/parser/ruby_tools.rb
286 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/parser/ruby.rb
287 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/parser.rb
288 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/store.rb
289 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/stats.rb
290 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/stats/quiet.rb
291 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/encoding.rb
292 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/comment.rb
293 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/e2mmap.rb
294 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/irb/output-method.rb
295 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/irb/notifier.rb
296 /usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/irb/slex.rb
297 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/ruby_lex.rb
298 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/require.rb
299 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/markup/document.rb
300 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/normal_module.rb
301 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/constant.rb
302 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/any_method.rb
303 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/normal_class.rb
304 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/attr.rb
305 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/mixin.rb
306 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/include.rb
307 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/extend.rb
308 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/alias.rb
309 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/markup/raw.rb
310 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/markup/paragraph.rb
311 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/markup/blank_line.rb
312 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/markup/verbatim.rb
313 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/markup/list.rb
314 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/markup/list_item.rb
315 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/markup/heading.rb
316 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/markup/attribute_manager.rb
317 /usr/local/rvm/gems/ruby-2.2.2/gems/rdoc-5.1.0/lib/rdoc/markup/attributes.rb

```

- Process memory map:

```

00400000-00401000 r-xp 00000000 fd:01 2768175 /usr/local/rvm/rubies/ruby-2.2.2/bin/ruby
00600000-00601000 r--p 00000000 fd:01 2768175 /usr/local/rvm/rubies/ruby-2.2.2/bin/ruby
00601000-00602000 rw-p 00001000 fd:01 2768175 /usr/local/rvm/rubies/ruby-2.2.2/bin/ruby
006bf000-0492c000 rw-p 00000000 00:00 0 [heap]
7f17ea1a2000-7f17ea3b7000 r--s 00000000 fd:01 2622879 /usr/lib64/libc-2.25.so
7f17ea3b7000-7f17eb08d000 r--s 00000000 fd:01 2768178 /usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2.0
7f17eb08d000-7f17eb0a3000 r-xp 00000000 fd:01 2652095 /usr/lib64/libgcc_s-7-20170915.so.1
7f17eb0a3000-7f17eb2a2000 ---p 00016000 fd:01 2652095 /usr/lib64/libgcc_s-7-20170915.so.1
7f17eb2a2000-7f17eb2a3000 r--p 00015000 fd:01 2652095 /usr/lib64/libgcc_s-7-20170915.so.1
7f17eb2a3000-7f17eb2a4000 rw-p 00016000 fd:01 2652095 /usr/lib64/libgcc_s-7-20170915.so.1
7f17eb2a4000-7f17eb2ab000 r-xp 00000000 fd:01 2769017
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/pathname.so
7f17eb2ab000-7f17eb4aa000 ---p 00007000 fd:01 2769017
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/pathname.so
7f17eb4aa000-7f17eb4ab000 r--p 00006000 fd:01 2769017
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/pathname.so
7f17eb4ab000-7f17eb4ac000 rw-p 00007000 fd:01 2769017
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/pathname.so
7f17eb4ac000-7f17eb4ad000 r-xp 00000000 fd:01 2769028
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/enc/utf_16be.so
7f17eb4ad000-7f17eb6ad000 ---p 00001000 fd:01 2769028
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/enc/utf_16be.so
7f17eb6ad000-7f17eb6ae000 r--p 00001000 fd:01 2769028
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/enc/utf_16be.so

```



```

7f17eb6ae000-7f17eb6af000 rw-p 00002000 fd:01 2769028
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/enc/utf_16be.so
7f17eb6af000-7f17eb6b0000 r-xp 00000000 fd:01 2769066
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/enc/utf_16le.so
7f17eb6b0000-7f17eb8b0000 ---p 00001000 fd:01 2769066
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/enc/utf_16le.so
7f17eb8b0000-7f17eb8b1000 r--p 00001000 fd:01 2769066
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/enc/utf_16le.so
7f17eb8b1000-7f17eb8b2000 rw-p 00002000 fd:01 2769066
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/enc/utf_16le.so
7f17eb8b2000-7f17eb8c9000 r-xp 00000000 fd:01 2631034 /usr/lib64/libresolv-2.25.so
7f17eb8c9000-7f17ebac8000 ---p 00017000 fd:01 2631034 /usr/lib64/libresolv-2.25.so
7f17ebac8000-7f17ebac9000 r--p 00016000 fd:01 2631034 /usr/lib64/libresolv-2.25.so
7f17ebac9000-7f17ebaca000 rw-p 00017000 fd:01 2631034 /usr/lib64/libresolv-2.25.so
7f17ebaca000-7f17ebacc000 rw-p 00000000 00:00 0
7f17ebacc000-7f17ebad1000 r-xp 00000000 fd:01 2652144 /usr/lib64/libnss_dns-2.25.so
7f17ebad1000-7f17ebcd1000 ---p 00005000 fd:01 2652144 /usr/lib64/libnss_dns-2.25.so
7f17ebcd1000-7f17ebcd2000 r--p 00005000 fd:01 2652144 /usr/lib64/libnss_dns-2.25.so
7f17ebcd2000-7f17ebcd3000 rw-p 00006000 fd:01 2652144 /usr/lib64/libnss_dns-2.25.so
7f17ebcd3000-7f17ebcd5000 r-xp 00000000 fd:01 2637277 /usr/lib64/libnss_mdns4_minimal.so.2
7f17ebcd5000-7f17ebed4000 ---p 00002000 fd:01 2637277 /usr/lib64/libnss_mdns4_minimal.so.2
7f17ebed4000-7f17ebed5000 r--p 00001000 fd:01 2637277 /usr/lib64/libnss_mdns4_minimal.so.2
7f17ebed5000-7f17ebed6000 rw-p 00000000 00:00 0
7f17ebed6000-7f17ebee1000 r-xp 00000000 fd:01 2629529 /usr/lib64/libnss_files-2.25.so
7f17ebee1000-7f17ec0e0000 ---p 0000b000 fd:01 2629529 /usr/lib64/libnss_files-2.25.so
7f17ec0e0000-7f17ec0e1000 r--p 0000a000 fd:01 2629529 /usr/lib64/libnss_files-2.25.so
7f17ec0e1000-7f17ec0e2000 rw-p 0000b000 fd:01 2629529 /usr/lib64/libnss_files-2.25.so
7f17ec0e2000-7f17ec0e8000 rw-p 00000000 00:00 0
7f17ec0e8000-7f17ec0eb000 r-xp 00000000 fd:01 2769062
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/enc/windows_31j.so
7f17ec0eb000-7f17ec2ea000 ---p 00003000 fd:01 2769062
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/enc/windows_31j.so
7f17ec2ea000-7f17ec2eb000 r--p 00002000 fd:01 2769062
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/enc/windows_31j.so
7f17ec2eb000-7f17ec2ec000 rw-p 00003000 fd:01 2769062
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/enc/windows_31j.so
7f17ec2ec000-7f17ec318000 r-xp 00000000 fd:01 2769087
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/socket.so
7f17ec318000-7f17ec517000 ---p 0002c000 fd:01 2769087
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/socket.so
7f17ec517000-7f17ec518000 r--p 0002b000 fd:01 2769087
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/socket.so
7f17ec518000-7f17ec519000 rw-p 0002c000 fd:01 2769087
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/socket.so
7f17ec519000-7f17ec54b000 r-xp 00000000 fd:01 2769016
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/date_core.so
7f17ec54b000-7f17ec74b000 ---p 00032000 fd:01 2769016
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/date_core.so
7f17ec74b000-7f17ec74c000 r--p 00032000 fd:01 2769016
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/date_core.so
7f17ec74c000-7f17ec74d000 rw-p 00033000 fd:01 2769016
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/date_core.so
7f17ec74d000-7f17ec74e000 rw-p 00000000 00:00 0
7f17ec74e000-7f17ec76b000 r-xp 00000000 fd:01 2642710 /usr/lib64/libyaml-0.so.2.0.5
7f17ec76b000-7f17ec96a000 ---p 0001d000 fd:01 2642710 /usr/lib64/libyaml-0.so.2.0.5
7f17ec96a000-7f17ec96b000 r--p 0001c000 fd:01 2642710 /usr/lib64/libyaml-0.so.2.0.5
7f17ec96b000-7f17ec96c000 rw-p 00000000 00:00 0
7f17ec96c000-7f17ec972000 r-xp 00000000 fd:01 2769094
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/psych.so
7f17ec972000-7f17ecb71000 ---p 00006000 fd:01 2769094
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/psych.so
7f17ecb71000-7f17ecb72000 r--p 00005000 fd:01 2769094
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/psych.so
7f17ecb72000-7f17ecb73000 rw-p 00006000 fd:01 2769094
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/psych.so
7f17ecb73000-7f17ecb79000 r-xp 00000000 fd:01 2769011
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/strscan.so

```

```

7f17ecb79000-7f17ecd79000 ---p 00006000 fd:01 2769011
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/strscan.so
7f17ecd79000-7f17ecd7a000 r--p 00006000 fd:01 2769011
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/strscan.so
7f17ecd7a000-7f17ecd7b000 rw-p 00007000 fd:01 2769011
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/strscan.so
7f17ecd7b000-7f17ecd8c000 r-xp 00000000 fd:01 2769079
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/zlib.so
7f17ecd8c000-7f17ecf8b000 ---p 00011000 fd:01 2769079
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/zlib.so
7f17ecf8b000-7f17ecf8c000 r--p 00010000 fd:01 2769079
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/zlib.so
7f17ecf8c000-7f17ecf8d000 rw-p 00011000 fd:01 2769079
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/zlib.so
7f17ecf8d000-7f17ecf8e000 r-xp 00000000 fd:01 2769092
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/fcntl.so
7f17ecf8e000-7f17ed18d000 ---p 00001000 fd:01 2769092
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/fcntl.so
7f17ed18d000-7f17ed18e000 r--p 00000000 fd:01 2769092
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/fcntl.so
7f17ed18e000-7f17ed18f000 rw-p 00001000 fd:01 2769092
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/fcntl.so
7f17ed18f000-7f17ed193000 r-xp 00000000 fd:01 2769010
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/digest.so
7f17ed193000-7f17ed392000 ---p 00004000 fd:01 2769010
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/digest.so
7f17ed392000-7f17ed393000 r--p 00003000 fd:01 2769010
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/digest.so
7f17ed393000-7f17ed394000 rw-p 00004000 fd:01 2769010
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/digest.so
7f17ed394000-7f17ed3aa000 r-xp 00000000 fd:01 2623265
/usr/lib64/libz.so.1.2.11
7f17ed3aa000-7f17ed5a9000 ---p 00016000 fd:01 2623265
/usr/lib64/libz.so.1.2.11
7f17ed5a9000-7f17ed5aa000 r--p 00015000 fd:01 2623265
/usr/lib64/libz.so.1.2.11
7f17ed5aa000-7f17ed5ab000 rw-p 00000000 00:00 0
7f17ed5ab000-7f17ed7df000 r-xp 00000000 fd:01 2647604
/usr/lib64/libcrypto.so.1.0.2j
7f17ed7df000-7f17ed9df000 ---p 00234000 fd:01 2647604
/usr/lib64/libcrypto.so.1.0.2j
7f17ed9df000-7f17ed9fb000 r--p 00234000 fd:01 2647604
/usr/lib64/libcrypto.so.1.0.2j
7f17ed9fb000-7f17eda08000 rw-p 00250000 fd:01 2647604
/usr/lib64/libcrypto.so.1.0.2j
7f17eda08000-7f17eda0c000 rw-p 00000000 00:00 0
7f17eda0c000-7f17eda6e000 r-xp 00000000 fd:01 2623305
/usr/lib64/libssl.so.1.0.2j
7f17eda6e000-7f17edc6e000 ---p 00062000 fd:01 2623305
/usr/lib64/libssl.so.1.0.2j
7f17edc6e000-7f17edc72000 r--p 00062000 fd:01 2623305
/usr/lib64/libssl.so.1.0.2j
7f17edc72000-7f17edc78000 rw-p 00066000 fd:01 2623305
/usr/lib64/libssl.so.1.0.2j
7f17edc78000-7f17edcc8000 r-xp 00000000 fd:01 2769007
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/openssl.so
7f17edcc8000-7f17edec8000 ---p 00050000 fd:01 2769007
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/openssl.so
7f17edec8000-7f17edeca000 r--p 00050000 fd:01 2769007
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/openssl.so
7f17edeca000-7f17edecc000 rw-p 00052000 fd:01 2769007
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/openssl.so
7f17edecc000-7f17edecd000 rw-p 00000000 00:00 0
7f17edecd000-7f17eded3000 r-xp 00000000 fd:01 2769085
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/etc.so
7f17eded3000-7f17ee0d2000 ---p 00006000 fd:01 2769085
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/etc.so
7f17ee0d2000-7f17ee0d3000 r--p 00005000 fd:01 2769085
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/etc.so
7f17ee0d3000-7f17ee0d4000 rw-p 00006000 fd:01 2769085
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/etc.so
7f17ee0d4000-7f17ee0d8000 r-xp 00000000 fd:01 2768998
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/io/console.so
7f17ee0d8000-7f17ee2d7000 ---p 00004000 fd:01 2768998
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/io/console.so
7f17ee2d7000-7f17ee2d8000 r--p 00003000 fd:01 2768998
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/io/console.so
7f17ee2d8000-7f17ee2d9000 rw-p 00004000 fd:01 2768998

```

```

/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/io/console.so
7f17ee2d9000-7f17ee2e1000 r-xp 00000000 fd:01 2769012
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/stringio.so
7f17ee2e1000-7f17ee4e0000 ---p 00008000 fd:01 2769012
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/stringio.so
7f17ee4e0000-7f17ee4e1000 r--p 00007000 fd:01 2769012
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/stringio.so
7f17ee4e1000-7f17ee4e2000 rw-p 00008000 fd:01 2769012
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/stringio.so
7f17ee4e2000-7f17ee4e5000 r-xp 00000000 fd:01 2769078
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/thread.so
7f17ee4e5000-7f17ee6e5000 ---p 00003000 fd:01 2769078
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/thread.so
7f17ee6e5000-7f17ee6e6000 r--p 00003000 fd:01 2769078
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/thread.so
7f17ee6e6000-7f17ee6e7000 rw-p 00004000 fd:01 2769078
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/thread.so
7f17ee6e7000-7f17ee6e9000 r-xp 00000000 fd:01 2769047
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/enc/trans/transdb.so
7f17ee6e9000-7f17ee8e9000 ---p 00002000 fd:01 2769047
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/enc/trans/transdb.so
7f17ee8e9000-7f17ee8ea000 r--p 00002000 fd:01 2769047
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/enc/trans/transdb.so
7f17ee8ea000-7f17ee8eb000 rw-p 00003000 fd:01 2769047
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/enc/trans/transdb.so
7f17ee8eb000-7f17ee8ed000 r-xp 00000000 fd:01 2769070
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/enc/encdb.so
7f17ee8ed000-7f17eeae000 ---p 00002000 fd:01 2769070
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/enc/encdb.so
7f17eeae000-7f17eeaed000 r--p 00001000 fd:01 2769070
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/enc/encdb.so
7f17eeaed000-7f17eeae0000 rw-p 00002000 fd:01 2769070
/usr/local/rvm/rubies/ruby-2.2.2/lib/ruby/2.2.0/x86_64-linux/enc/encdb.so
7f17eeae000-7f17f568d000 r--p 00000000 fd:01 3022858
7f17f568d000-7f17f568f000 r-xp 00000000 fd:01 2631621
7f17f568f000-7f17f588e000 ---p 00002000 fd:01 2631621
7f17f588e000-7f17f588f000 r--p 00001000 fd:01 2631621
7f17f588f000-7f17f5890000 rw-p 00002000 fd:01 2631621
7f17f5890000-7f17f5a5b000 r-xp 00000000 fd:01 2622879
7f17f5a5b000-7f17f5c5b000 ---p 001cb000 fd:01 2622879
7f17f5c5b000-7f17f5c5f000 r--p 001cb000 fd:01 2622879
7f17f5c5f000-7f17f5c61000 rw-p 001cf000 fd:01 2622879
7f17f5c61000-7f17f5c65000 rw-p 00000000 00:00 0
7f17f5c65000-7f17f5d7a000 r-xp 00000000 fd:01 2629433
7f17f5d7a000-7f17f5f79000 ---p 00115000 fd:01 2629433
7f17f5f79000-7f17f5f7a000 r--p 00114000 fd:01 2629433
7f17f5f7a000-7f17f5f7b000 rw-p 00115000 fd:01 2629433
7f17f5f7b000-7f17f5f82000 r-xp 00000000 fd:01 2623125
7f17f5f82000-7f17f6181000 ---p 00007000 fd:01 2623125
7f17f6181000-7f17f6182000 r--p 00006000 fd:01 2623125
7f17f6182000-7f17f6183000 rw-p 00007000 fd:01 2623125
7f17f6183000-7f17f61b1000 rw-p 00000000 00:00 0
7f17f61b1000-7f17f61b4000 r-xp 00000000 fd:01 2623256
7f17f61b4000-7f17f63b3000 ---p 00003000 fd:01 2623256
7f17f63b3000-7f17f63b4000 r--p 00002000 fd:01 2623256
7f17f63b4000-7f17f63b5000 rw-p 00003000 fd:01 2623256
7f17f63b5000-7f17f63ce000 r-xp 00000000 fd:01 2629531
7f17f63ce000-7f17f65ce000 ---p 00019000 fd:01 2629531
7f17f65ce000-7f17f65cf000 r--p 00019000 fd:01 2629531
7f17f65cf000-7f17f65d0000 rw-p 0001a000 fd:01 2629531
7f17f65d0000-7f17f65d4000 rw-p 00000000 00:00 0
7f17f65d4000-7f17f6894000 r-xp 00000000 fd:01 2768178
7f17f6894000-7f17f6a94000 ---p 002c0000 fd:01 2768178
7f17f6a94000-7f17f6a99000 r--p 002c0000 fd:01 2768178
7f17f6a99000-7f17f6a9c000 rw-p 002c5000 fd:01 2768178
7f17f6a9c000-7f17f6aad000 rw-p 00000000 00:00 0
7f17f6aad000-7f17f6ad4000 r-xp 00000000 fd:01 2622843
/usr/lib/locale/locale-archive
/usr/lib64/libfreebl3.so
/usr/lib64/libfreebl3.so
/usr/lib64/libfreebl3.so
/usr/lib64/libfreebl3.so
/usr/lib64/libc-2.25.so
/usr/lib64/libc-2.25.so
/usr/lib64/libc-2.25.so
/usr/lib64/libc-2.25.so
/usr/lib64/libm-2.25.so
/usr/lib64/libm-2.25.so
/usr/lib64/libm-2.25.so
/usr/lib64/libm-2.25.so
/usr/lib64/libcrypt-nss-2.25.so
/usr/lib64/libcrypt-nss-2.25.so
/usr/lib64/libcrypt-nss-2.25.so
/usr/lib64/libcrypt-nss-2.25.so
/usr/lib64/libdl-2.25.so
/usr/lib64/libdl-2.25.so
/usr/lib64/libdl-2.25.so
/usr/lib64/libdl-2.25.so
/usr/lib64/libpthread-2.25.so
/usr/lib64/libpthread-2.25.so
/usr/lib64/libpthread-2.25.so
/usr/lib64/libpthread-2.25.so
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2.0
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2.0
/usr/local/rvm/rubies/ruby-2.2.2/lib/libruby.so.2.2.0
/usr/lib64/ld-2.25.so

```

7f17f6b64000-7f17f6b8a000 r--s 00000000 fd:01 2629531	/usr/lib64/libpthread-2.25.so
7f17f6b8a000-7f17f6bae000 r--s 00000000 fd:01 2768175	/usr/local/rvm/rubies/ruby-2.2.2/bin/ruby
7f17f6bae000-7f17f6cb4000 rw-p 00000000 00:00 0	
7f17f6ccd000-7f17f6cce000 ---p 00000000 00:00 0	
7f17f6cce000-7f17f6cd3000 rw-p 00000000 00:00 0	
7f17f6cd3000-7f17f6cd4000 r--p 00026000 fd:01 2622843	/usr/lib64/ld-2.25.so
7f17f6cd4000-7f17f6cd6000 rw-p 00027000 fd:01 2622843	/usr/lib64/ld-2.25.so
7ffdf4f97000-7ffdf5797000 rw-p 00000000 00:00 0	[stack]
7ffdf57c7000-7ffdf57ca000 r--p 00000000 00:00 0	[vvar]
7ffdf57ca000-7ffdf57cc000 r-xp 00000000 00:00 0	[vdso]
ffffffff600000-ffffffff601000 r-xp 00000000 00:00 0	[vsyscall]

## History

### #1 - 11/20/2017 05:09 PM - MSP-Greg (Greg L)

Might you be able to try a more current build like 2.2.8? Don't know if you can use one of the travis builds at <http://rubies.travis-ci.org/>

Greg

### #2 - 11/20/2017 05:19 PM - shevegen (Robert A. Heiler)

Actually this is something I have not thought about yet; bundler is now distributed with ruby past 2.5.x right? So these ruby managers such as rvm ... there won't be a huge need for having a separate bundler gem installation (unless you need some functionality and can't wait until a new ruby is released) or?

On a side note, I agree with MSP-Greg. I think the whole point of using e. g. rvm or rbenv is so that you can easily upgrade your ruby so not sure why 2.2.8 is used, unless some other software depends on that version. I myself don't use a ruby version manager but always compile from source, using ruby, into GoboLinux like versioned directories such as /Programs/Ruby/2.4.2 or soon 2.5.0, I guess. Makes upgrading or downgrading a trivial thing to do, all of the time. It's also a reason why I never understood the need for "package managers" just to keep things versioned; and the same can be done in \$HOME, in the event that someone lacks access to / and sub-dirs.

### #3 - 07/26/2019 10:26 PM - jeremyevans0 (Jeremy Evans)

- Status changed from Open to Closed