

Ruby master - Bug #14343

Segfault during generating documentation

01/09/2018 08:47 AM - vo.x (Vit Ondruch)

Status:	Closed		
Priority:	Normal		
Assignee:			
Target version:			
ruby -v:	ruby 2.5.0p0 (2017-12-25 revision 61468) [x86_64-linux]	Backport:	2.3: DONTNEED, 2.4: DONTNEED, 2.5: DONE

Description

This happens on Fedora Rawhide (see the most recent build.log [1](#)):

```
$ rm -rf usr/share/gems/doc/webmock-2.3.2/

$ ruby -S gem install -V --local --build-root . --force --document=ri,rdoc /builddir/build/SOURCES/webmock-2.3.2.gem
WARNING: You build with buildroot.
  Build root: /builddir/build/BUILD/rubygem-webmock-2.3.2
  Bin dir: /builddir/build/BUILD/rubygem-webmock-2.3.2/usr/bin
  Gem home: /builddir/build/BUILD/rubygem-webmock-2.3.2/usr/share/gems
/builddir/build/BUILD/rubygem-webmock-2.3.2/usr/share/gems/gems/webmock-2.3.2/.gemtest

... snip ....

Successfully installed webmock-2.3.2
Parsing documentation for webmock-2.3.2
Parsing sources...
100% [54/54] lib/webmock/webmock.rb
Installing ri documentation for webmock-2.3.2
Installing darkfish documentation for webmock-2.3.2
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup/to_html.rb:389: [BUG] Segmentation fault at 0x00000000000020
000000000020
ruby 2.5.0p0 (2017-12-25 revision 61468) [x86_64-linux]

-- Control frame information -----
c:0055 p:---- s:0317 e:000316 CFUNC :eval
c:0054 p:0029 s:0312 e:000311 METHOD /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup/to_html.rb:389
c:0053 p:0026 s:0306 e:000305 METHOD /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup/to_html.rb:201
c:0052 p:0006 s:0296 e:000295 METHOD /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup/verbatim.rb:26
c:0051 p:0026 s:0291 e:000290 BLOCK /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup/formatter.rb:75 [FINISH]
c:0050 p:---- s:0287 e:000286 CFUNC :each
c:0049 p:0009 s:0283 e:000282 METHOD /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup/formatter.rb:70
c:0048 p:0012 s:0278 e:000277 METHOD /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup/document.rb:68
c:0047 p:0074 s:0273 e:000272 METHOD /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/text.rb:105
c:0046 p:0007 s:0266 e:000265 METHOD /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/markup.rb:28
c:0045 p:0378 s:0262 e:000260 BLOCK /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/template/darkfish/class.rhtml:152 [FINISH]
c:0044 p:---- s:0257 e:000256 CFUNC :each
c:0043 p:0197 s:0253 e:000252 BLOCK /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/template/darkfish/class.rhtml:125 [FINISH]
c:0042 p:---- s:0248 e:000247 CFUNC :each
c:0041 p:0016 s:0244 e:000243 BLOCK /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/template/darkfish/class.rhtml:118 [FINISH]
c:0040 p:---- s:0239 e:000238 CFUNC :each
```

```

c:0039 p:0586 s:0235 e:000234 BLOCK /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/template/d
arkfish/class.rhtml:116
c:0038 p:0037 s:0229 e:000228 BLOCK /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/context.rb:765 [FINI
SH]
c:0037 p:---- s:0225 e:000224 CFUNC :each
c:0036 p:0057 s:0221 e:000220 METHOD /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/context.rb:764
c:0035 p:0947 s:0215 e:000214 EVAL /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/template/d
arkfish/class.rhtml:54 [FINISH]
c:0034 p:---- s:0212 e:000211 CFUNC :eval
c:0033 p:0041 s:0204 e:000203 METHOD /usr/share/ruby/erb.rb:885
c:0032 p:0018 s:0199 e:000198 METHOD /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/darkfish.r
b:753
c:0031 p:0031 s:0191 e:000190 BLOCK /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/darkfish.r
b:732 [FINISH]
c:0030 p:---- s:0187 e:000186 CFUNC :open
c:0029 p:---- s:0184 e:000183 CFUNC :open
c:0028 p:0100 s:0178 e:000177 METHOD /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/darkfish.r
b:727
c:0027 p:0200 s:0168 E:0001c0 METHOD /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/darkfish.r
b:356
c:0026 p:0013 s:0156 e:000155 BLOCK /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/darkfish.r
b:382 [FINISH]
c:0025 p:---- s:0152 e:000151 CFUNC :each
c:0024 p:0074 s:0148 e:000147 METHOD /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/darkfish.r
b:379
c:0023 p:0019 s:0140 e:000139 METHOD /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/darkfish.r
b:246
c:0022 p:0023 s:0135 e:000134 BLOCK /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/rubygems_hook.rb:137
[FINISH]
c:0021 p:---- s:0132 e:000131 CFUNC :chdir
c:0020 p:0163 s:0127 e:000126 METHOD /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/rubygems_hook.rb:134
c:0019 p:0385 s:0119 e:000118 METHOD /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/rubygems_hook.rb:196
c:0018 p:0014 s:0111 e:000110 BLOCK /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/rubygems_hook.rb:56
[FINISH]
c:0017 p:---- s:0107 e:000106 CFUNC :each
c:0016 p:0043 s:0103 e:000102 METHOD /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/rubygems_hook.rb:55
[FINISH]
c:0015 p:---- s:0091 e:000090 IFUNC
c:0014 p:0010 s:0088 e:000087 BLOCK /usr/share/rubygems/rubygems/request_set.rb:206 [FINISH]
c:0013 p:---- s:0084 e:000083 CFUNC :each
c:0012 p:0136 s:0080 e:000079 METHOD /usr/share/rubygems/rubygems/request_set.rb:205
c:0011 p:0149 s:0070 e:000068 METHOD /usr/share/rubygems/rubygems/commands/install_command.rb:205
c:0010 p:0028 s:0060 e:000059 BLOCK /usr/share/rubygems/rubygems/commands/install_command.rb:255
[FINISH]
c:0009 p:---- s:0053 e:000052 CFUNC :each
c:0008 p:0011 s:0049 e:000048 METHOD /usr/share/rubygems/rubygems/commands/install_command.rb:251
c:0007 p:0083 s:0044 e:000043 METHOD /usr/share/rubygems/rubygems/commands/install_command.rb:158
c:0006 p:0094 s:0039 e:000038 METHOD /usr/share/rubygems/rubygems/command.rb:313
c:0005 p:0100 s:0031 e:000030 METHOD /usr/share/rubygems/rubygems/command_manager.rb:171
c:0004 p:0011 s:0023 e:000022 METHOD /usr/share/rubygems/rubygems/command_manager.rb:141
c:0003 p:0053 s:0016 e:000015 METHOD /usr/share/rubygems/rubygems/gem_runner.rb:59
c:0002 p:0124 s:0009 E:001168 EVAL /usr/bin/gem:21 [FINISH]
c:0001 p:0000 s:0003 E:001100 (none) [FINISH]

```

-- Ruby level backtrace information -----

```

/usr/bin/gem:21:in `'
/usr/share/rubygems/rubygems/gem_runner.rb:59:in `run'
/usr/share/rubygems/rubygems/command_manager.rb:141:in `run'
/usr/share/rubygems/rubygems/command_manager.rb:171:in `process_args'
/usr/share/rubygems/rubygems/command.rb:313:in `invoke_with_build_args'
/usr/share/rubygems/rubygems/commands/install_command.rb:158:in `execute'
/usr/share/rubygems/rubygems/commands/install_command.rb:251:in `install_gems'
/usr/share/rubygems/rubygems/commands/install_command.rb:251:in `each'
/usr/share/rubygems/rubygems/commands/install_command.rb:255:in `block in install_gems'
/usr/share/rubygems/rubygems/commands/install_command.rb:205:in `install_gem'
/usr/share/rubygems/rubygems/request_set.rb:205:in `install'
/usr/share/rubygems/rubygems/request_set.rb:205:in `each'

```

```
/usr/share/rubygems/rubygems/request_set.rb:206:in `block in install'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/rubygems_hook.rb:55:in `generation_hook'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/rubygems_hook.rb:55:in `each'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/rubygems_hook.rb:56:in `block in generation_hook'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/rubygems_hook.rb:196:in `generate'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/rubygems_hook.rb:134:in `document'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/rubygems_hook.rb:134:in `chdir'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/rubygems_hook.rb:137:in `block in document'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/darkfish.rb:246:in `generate'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/darkfish.rb:379:in `generate_class_files'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/darkfish.rb:379:in `each'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/darkfish.rb:382:in `block in generate_class_files'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/darkfish.rb:356:in `generate_class'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/darkfish.rb:727:in `render_template'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/darkfish.rb:727:in `open'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/darkfish.rb:727:in `open'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/darkfish.rb:732:in `block in render_template'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/darkfish.rb:753:in `template_result'  
/usr/share/ruby/erb.rb:885:in `result'  
/usr/share/ruby/erb.rb:885:in `eval'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/template/darkfish/class.rhtml:54:in `block in generate_class'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/context.rb:764:in `each_section'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/context.rb:764:in `each'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/context.rb:765:in `block in each_section'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/template/darkfish/class.rhtml:116:in `block (2 levels) in generate_class'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/template/darkfish/class.rhtml:116:in `each'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/template/darkfish/class.rhtml:118:in `block (3 levels) in generate_class'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/template/darkfish/class.rhtml:118:in `each'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/template/darkfish/class.rhtml:125:in `block (4 levels) in generate_class'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/template/darkfish/class.rhtml:125:in `each'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/template/darkfish/class.rhtml:152:in `block (5 levels) in generate_class'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/markup.rb:28:in `description'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/text.rb:105:in `markup'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup/document.rb:68:in `accept'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup/formatter.rb:70:in `accept_document'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup/formatter.rb:70:in `each'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup/formatter.rb:75:in `block in accept_document'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup/verbatim.rb:26:in `accept'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup/to_html.rb:201:in `accept_verbatim'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup/to_html.rb:389:in `parseable?'  
/usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup/to_html.rb:389:in `eval'
```

```
-- Machine register context -----
```

```
RIP: 0x00007ff97587e878 RBP: 0x0000000000000000 RSP: 0x00007ffe3d3e8900  
RAX: 0x0000564780a12220 RBX: 0x0000000000000020 RCX: 0x0000000000000001  
RDX: 0x0000000000001000 RDI: 0x0000564780a12220 RSI: 0x000000000000291b  
R8: 0x0000000000000000 R9: 0x0000000000000000 R10: 0x0000564780a121f0  
R11: 0x0000000000000145 R12: 0x0000564780a121f0 R13: 0x00007ffe3d3e9260  
R14: 0x00007ffe3d3e8a4a R15: 0x00007ffe3d3e8bf8 EFL: 0x0000000000010202
```

```
-- C level backtrace information -----
```

```
/lib64/libruby.so.2.5(rb_print_backtrace+0x15) [0x7ff97594b715] vm_dump.c:703  
/lib64/libruby.so.2.5(rb_vm_bugreport+0x21c) [0x7ff97594b94c] vm_dump.c:973  
/lib64/libruby.so.2.5(rb_bug_context+0xd4) [0x7ff975816b34] error.c:580  
/lib64/libruby.so.2.5(sigsegv+0x42) [0x7ff9758dc102] signal.c:928  
/lib64/libpthread.so.0(0x7ff975579180) [0x7ff975579180]  
/lib64/libruby.so.2.5(new_list_gen+0x28) [0x7ff97587e878] parse.y:9539  
/lib64/libruby.so.2.5(list_append_gen+0x30) [0x7ff97587eeb0] parse.y:9085  
/lib64/libruby.so.2.5(ruby_yyparse+0x50dc) [0x7ff97588a40c] parse.y:1806  
/lib64/libruby.so.2.5(yycompile0+0xf3) [0x7ff975895d13] parse.y:5594  
/lib64/libruby.so.2.5(rb_suppress_tracing+0xec) [0x7ff97594d5fc] vm_trace.c:397
```

/lib64/libruby.so.2.5(parser_compile_string+0x7f) [0x7ff97587f6df] parse.y:5705
/lib64/libruby.so.2.5(rb_iseq_compile_with_option+0xda) [0x7ff975853eda] iseq.c:689
/lib64/libruby.so.2.5(eval_string_with_cref+0xd4) [0x7ff97593f214] vm_eval.c:1318
/lib64/libruby.so.2.5(rb_f_eval+0xbd) [0x7ff97593f76d] vm_eval.c:1370
/lib64/libruby.so.2.5(vm_call_cfunc+0xf9) [0x7ff975933fb9] vm_insnhelper.c:1918
/lib64/libruby.so.2.5(vm_exec_core+0x22e0) [0x7ff975939340] insns.def:915
/lib64/libruby.so.2.5(vm_exec+0x84) [0x7ff97593e794] vm.c:1778
/lib64/libruby.so.2.5(rb_yield+0x4cc) [0x7ff97594589c] vm.c:979
/lib64/libruby.so.2.5(rb_ary_each+0x3c) [0x7ff9757b64bc] array.c:1836
/lib64/libruby.so.2.5(vm_call_cfunc+0xf9) [0x7ff975933fb9] vm_insnhelper.c:1918
/lib64/libruby.so.2.5(vm_exec_core+0x18d5) [0x7ff975938935] insns.def:850
/lib64/libruby.so.2.5(vm_exec+0x84) [0x7ff97593e794] vm.c:1778
/lib64/libruby.so.2.5(rb_yield+0x4cc) [0x7ff97594589c] vm.c:979
/lib64/libruby.so.2.5(rb_ary_each+0x3c) [0x7ff9757b64bc] array.c:1836
/lib64/libruby.so.2.5(vm_call_cfunc+0xf9) [0x7ff975933fb9] vm_insnhelper.c:1918
/lib64/libruby.so.2.5(vm_exec_core+0x18d5) [0x7ff975938935] insns.def:850
/lib64/libruby.so.2.5(vm_exec+0x84) [0x7ff97593e794] vm.c:1778
/lib64/libruby.so.2.5(rb_yield_values2+0x2f4) [0x7ff9759409e4] vm.c:979
/lib64/libruby.so.2.5(each_pair_i_fast+0x1a) [0x7ff97583500a] hash.c:1837
/lib64/libruby.so.2.5(hash_foreach_iter+0x1b) [0x7ff9758360fb] hash.c:353
/lib64/libruby.so.2.5(st_foreach_check+0x7e) [0x7ff9758e661e] st.c:1490
/lib64/libruby.so.2.5(hash_foreach_call+0x1f) [0x7ff9758360af] hash.c:386
/lib64/libruby.so.2.5(rb_ensure+0xc3) [0x7ff97581cdd3] eval.c:1037
/lib64/libruby.so.2.5(rb_hash_foreach+0x3f) [0x7ff97583742f] hash.c:403
/lib64/libruby.so.2.5(rb_hash_each_pair+0x28) [0x7ff975837aa8] hash.c:1868
/lib64/libruby.so.2.5(vm_call_cfunc+0xf9) [0x7ff975933fb9] vm_insnhelper.c:1918
/lib64/libruby.so.2.5(vm_exec_core+0x18d5) [0x7ff975938935] insns.def:850
/lib64/libruby.so.2.5(vm_exec+0x84) [0x7ff97593e794] vm.c:1778
/lib64/libruby.so.2.5(rb_yield_values2+0x2f4) [0x7ff9759409e4] vm.c:979
/lib64/libruby.so.2.5(each_pair_i_fast+0x1a) [0x7ff97583500a] hash.c:1837
/lib64/libruby.so.2.5(hash_foreach_iter+0x1b) [0x7ff9758360fb] hash.c:353
/lib64/libruby.so.2.5(st_foreach_check+0x7e) [0x7ff9758e661e] st.c:1490
/lib64/libruby.so.2.5(hash_foreach_call+0x1f) [0x7ff9758360af] hash.c:386
/lib64/libruby.so.2.5(rb_ensure+0xc3) [0x7ff97581cdd3] eval.c:1037
/lib64/libruby.so.2.5(rb_hash_foreach+0x3f) [0x7ff97583742f] hash.c:403
/lib64/libruby.so.2.5(rb_hash_each_pair+0x28) [0x7ff975837aa8] hash.c:1868
/lib64/libruby.so.2.5(vm_call_cfunc+0xf9) [0x7ff975933fb9] vm_insnhelper.c:1918
/lib64/libruby.so.2.5(vm_call_method+0xd3) [0x7ff975942553] vm_insnhelper.c:2381
/lib64/libruby.so.2.5(vm_exec_core+0x18d5) [0x7ff975938935] insns.def:850
/lib64/libruby.so.2.5(vm_exec+0x84) [0x7ff97593e794] vm.c:1778
/lib64/libruby.so.2.5(rb_yield+0x4cc) [0x7ff97594589c] vm.c:979
/lib64/libruby.so.2.5(rb_ary_each+0x3c) [0x7ff9757b64bc] array.c:1836
/lib64/libruby.so.2.5(vm_call_cfunc+0xf9) [0x7ff975933fb9] vm_insnhelper.c:1918
/lib64/libruby.so.2.5(vm_exec_core+0x18d5) [0x7ff975938935] insns.def:850
/lib64/libruby.so.2.5(vm_exec+0x84) [0x7ff97593e794] vm.c:1778
/lib64/libruby.so.2.5(eval_string_with_cref+0x13f) [0x7ff97593f27f] vm_eval.c:1349
/lib64/libruby.so.2.5(rb_f_eval+0xbd) [0x7ff97593f76d] vm_eval.c:1370
/lib64/libruby.so.2.5(vm_call_cfunc+0xf9) [0x7ff975933fb9] vm_insnhelper.c:1918
/lib64/libruby.so.2.5(vm_call_method+0xd3) [0x7ff975942553] vm_insnhelper.c:2381
/lib64/libruby.so.2.5(vm_exec_core+0x22e0) [0x7ff975939340] insns.def:915
/lib64/libruby.so.2.5(vm_exec+0x84) [0x7ff97593e794] vm.c:1778
/lib64/libruby.so.2.5(rb_yield+0x4cc) [0x7ff97594589c] vm.c:979
/lib64/libruby.so.2.5(rb_ensure+0xc3) [0x7ff97581cdd3] eval.c:1037
/lib64/libruby.so.2.5(vm_call0_body.constprop.139+0x201) [0x7ff975942e81] vm_eval.c:85
/lib64/libruby.so.2.5(rb_call0+0xfa) [0x7ff975943eba] vm_eval.c:58
/lib64/libruby.so.2.5(iterate_method+0x31) [0x7ff975944c61] vm_eval.c:589
/lib64/libruby.so.2.5(rb_iterate0+0xbe) [0x7ff975934e5e] vm_eval.c:1134
/lib64/libruby.so.2.5(rb_block_call+0x2b) [0x7ff975934ffb] vm_eval.c:1197
/usr/lib64/ruby/pathname.so(path_open+0xff) [0x7ff96a1faf1f] pathname.c:680
/lib64/libruby.so.2.5(vm_call_cfunc+0xf9) [0x7ff975933fb9] vm_insnhelper.c:1918
/lib64/libruby.so.2.5(vm_exec_core+0x18d5) [0x7ff975938935] insns.def:850
/lib64/libruby.so.2.5(vm_exec+0x84) [0x7ff97593e794] vm.c:1778
/lib64/libruby.so.2.5(rb_yield+0x4cc) [0x7ff97594589c] vm.c:979
/lib64/libruby.so.2.5(rb_ary_each+0x3c) [0x7ff9757b64bc] array.c:1836
/lib64/libruby.so.2.5(vm_call_cfunc+0xf9) [0x7ff975933fb9] vm_insnhelper.c:1918
/lib64/libruby.so.2.5(vm_call_method+0xd3) [0x7ff975942553] vm_insnhelper.c:2381
/lib64/libruby.so.2.5(vm_exec_core+0x18d5) [0x7ff975938935] insns.def:850

```
/lib64/libruby.so.2.5(vm_exec+0x84) [0x7ff97593e794] vm.c:1778
/lib64/libruby.so.2.5(rb_yield+0x4cc) [0x7ff97594589c] vm.c:979
/lib64/libruby.so.2.5(rb_ensure+0xc3) [0x7ff97581cdd3] eval.c:1037
/lib64/libruby.so.2.5(dir_s_chdir+0xc8) [0x7ff975804f38] dir.c:1108
/lib64/libruby.so.2.5(vm_call_cfunc+0xf9) [0x7ff975933fb9] vm_inshelper.c:1918
/lib64/libruby.so.2.5(vm_call_method+0xd3) [0x7ff975942553] vm_inshelper.c:2381
/lib64/libruby.so.2.5(vm_exec_core+0x18d5) [0x7ff975938935] insns.def:850
/lib64/libruby.so.2.5(vm_exec+0x84) [0x7ff97593e794] vm.c:1778
/lib64/libruby.so.2.5(rb_yield+0x4cc) [0x7ff97594589c] vm.c:979
/lib64/libruby.so.2.5(rb_ary_each+0x3c) [0x7ff9757b64bc] array.c:1836
/lib64/libruby.so.2.5(vm_call_cfunc+0xf9) [0x7ff975933fb9] vm_inshelper.c:1918
/lib64/libruby.so.2.5(vm_call_method+0xd3) [0x7ff975942553] vm_inshelper.c:2381
/lib64/libruby.so.2.5(vm_exec_core+0x18d5) [0x7ff975938935] insns.def:850
/lib64/libruby.so.2.5(vm_exec+0x84) [0x7ff97593e794] vm.c:1778
/lib64/libruby.so.2.5(vm_call0_body.constprop.139+0x14d) [0x7ff975942dcd] vm_eval.c:127
/lib64/libruby.so.2.5(rb_vm_call+0x30) [0x7ff9759434a0] vm_eval.c:58
/lib64/libruby.so.2.5(vm_yield_with_cfunc.isra.115+0xd9) [0x7ff9759327e9] vm_inshelper.c:2526
/lib64/libruby.so.2.5(rb_vm_invoke_proc+0x202) [0x7ff975941c12] vm.c:1126
/lib64/libruby.so.2.5(vm_call_opt_call+0xa1) [0x7ff975941df1] vm_inshelper.c:2065
/lib64/libruby.so.2.5(vm_call_method+0xd3) [0x7ff975942553] vm_inshelper.c:2381
/lib64/libruby.so.2.5(vm_exec_core+0x22e0) [0x7ff975939340] insns.def:915
/lib64/libruby.so.2.5(vm_exec+0x84) [0x7ff97593e794] vm.c:1778
/lib64/libruby.so.2.5(rb_yield+0x4cc) [0x7ff97594589c] vm.c:979
/lib64/libruby.so.2.5(rb_ary_each+0x3c) [0x7ff9757b64bc] array.c:1836
/lib64/libruby.so.2.5(vm_call_cfunc+0xf9) [0x7ff975933fb9] vm_inshelper.c:1918
/lib64/libruby.so.2.5(vm_call_method+0xd3) [0x7ff975942553] vm_inshelper.c:2381
/lib64/libruby.so.2.5(vm_exec_core+0x18d5) [0x7ff975938935] insns.def:850
/lib64/libruby.so.2.5(vm_exec+0x84) [0x7ff97593e794] vm.c:1778
/lib64/libruby.so.2.5(rb_yield+0x4cc) [0x7ff97594589c] vm.c:979
/lib64/libruby.so.2.5(rb_ary_each+0x3c) [0x7ff9757b64bc] array.c:1836
/lib64/libruby.so.2.5(vm_call_cfunc+0xf9) [0x7ff975933fb9] vm_inshelper.c:1918
/lib64/libruby.so.2.5(vm_call_method+0xd3) [0x7ff975942553] vm_inshelper.c:2381
/lib64/libruby.so.2.5(vm_exec_core+0x18d5) [0x7ff975938935] insns.def:850
/lib64/libruby.so.2.5(vm_exec+0x84) [0x7ff97593e794] vm.c:1778
/lib64/libruby.so.2.5(ruby_exec_internal+0xc4) [0x7ff97581a144] eval.c:246
/lib64/libruby.so.2.5(ruby_exec_node+0x1d) [0x7ff97581bfcd] eval.c:310
/lib64/libruby.so.2.5(ruby_run_node+0x1e) [0x7ff97581e39e] eval.c:302
/usr/bin/ruby-mri(main+0x4b) [0x56477e77c93b] ./main.c:42
```

```
-- Other runtime information -----
```

```
* Loaded script: /usr/bin/gem
```

```
* Loaded features:
```

```
0 enumerator.so
1 thread.rb
2 rational.so
3 complex.so
4 /usr/lib64/ruby/enc/encdb.so
5 /usr/lib64/ruby/enc/trans/transdb.so
6 /usr/lib64/ruby/rbconfig.rb
7 /usr/share/rubygems/rubygems/compatibility.rb
8 /usr/share/rubygems/rubygems/defaults.rb
9 /usr/share/rubygems/rubygems/deprecate.rb
10 /usr/share/rubygems/rubygems/errors.rb
11 /usr/share/rubygems/rubygems/version.rb
12 /usr/share/rubygems/rubygems/requirement.rb
13 /usr/share/rubygems/rubygems/platform.rb
14 /usr/share/rubygems/rubygems/basic_specification.rb
15 /usr/share/rubygems/rubygems/stub_specification.rb
16 /usr/share/rubygems/rubygems/util/list.rb
17 /usr/lib64/ruby/stringio.so
18 /usr/share/rubygems/rubygems/specification.rb
19 /usr/share/rubygems/rubygems/exceptions.rb
20 /usr/share/rubygems/rubygems/defaults/operating_system.rb
21 /usr/share/rubygems/rubygems/dependency.rb
```

22 /usr/share/rubygems/rubygems/core_ext/kernel_gem.rb
23 /usr/share/ruby/monitor.rb
24 /usr/share/rubygems/rubygems/core_ext/kernel_require.rb
25 /usr/share/rubygems/rubygems.rb
26 /usr/share/rubygems/rubygems/path_support.rb
27 /usr/share/rubygems/rubygems/bundler_version_finder.rb
28 /usr/share/ruby/optparse.rb
29 /usr/share/rubygems/rubygems/util.rb
30 /usr/share/rubygems/rubygems/user_interaction.rb
31 /usr/share/rubygems/rubygems/command.rb
32 /usr/share/rubygems/rubygems/command_manager.rb
33 /usr/lib64/ruby/etc.so
34 /usr/share/rubygems/rubygems/config_file.rb
35 /usr/share/rubygems/rubygems/gem_runner.rb
36 /usr/share/gems/gems/psych-3.0.2/lib/psych/versions.rb
37 /usr/share/gems/gems/psych-3.0.2/lib/psych/exception.rb
38 /usr/share/gems/gems/psych-3.0.2/lib/psych/syntax_error.rb
39 /usr/lib64/gems/ruby/psych-3.0.2/psych.so
40 /usr/share/gems/gems/psych-3.0.2/lib/psych/omap.rb
41 /usr/share/gems/gems/psych-3.0.2/lib/psych/set.rb
42 /usr/share/gems/gems/psych-3.0.2/lib/psych/class_loader.rb
43 /usr/lib64/ruby/strscan.so
44 /usr/share/gems/gems/psych-3.0.2/lib/psych/scalar_scanner.rb
45 /usr/share/gems/gems/psych-3.0.2/lib/psych/nodes/node.rb
46 /usr/share/gems/gems/psych-3.0.2/lib/psych/nodes/stream.rb
47 /usr/share/gems/gems/psych-3.0.2/lib/psych/nodes/document.rb
48 /usr/share/gems/gems/psych-3.0.2/lib/psych/nodes/sequence.rb
49 /usr/share/gems/gems/psych-3.0.2/lib/psych/nodes/scalar.rb
50 /usr/share/gems/gems/psych-3.0.2/lib/psych/nodes/mapping.rb
51 /usr/share/gems/gems/psych-3.0.2/lib/psych/nodes/alias.rb
52 /usr/share/gems/gems/psych-3.0.2/lib/psych/nodes.rb
53 /usr/share/gems/gems/psych-3.0.2/lib/psych/streaming.rb
54 /usr/share/gems/gems/psych-3.0.2/lib/psych/visitors/visitor.rb
55 /usr/share/gems/gems/psych-3.0.2/lib/psych/visitors/to_ruby.rb
56 /usr/share/gems/gems/psych-3.0.2/lib/psych/visitors/emitter.rb
57 /usr/share/gems/gems/psych-3.0.2/lib/psych/handler.rb
58 /usr/share/gems/gems/psych-3.0.2/lib/psych/tree_builder.rb
59 /usr/share/gems/gems/psych-3.0.2/lib/psych/visitors/yaml_tree.rb
60 /usr/share/gems/gems/psych-3.0.2/lib/psych/json/ruby_events.rb
61 /usr/share/gems/gems/psych-3.0.2/lib/psych/visitors/json_tree.rb
62 /usr/share/gems/gems/psych-3.0.2/lib/psych/visitors/depth_first.rb
63 /usr/share/gems/gems/psych-3.0.2/lib/psych/visitors.rb
64 /usr/share/gems/gems/psych-3.0.2/lib/psych/parser.rb
65 /usr/share/gems/gems/psych-3.0.2/lib/psych/coder.rb
66 /usr/share/gems/gems/psych-3.0.2/lib/psych/core_ext.rb
67 /usr/share/gems/gems/psych-3.0.2/lib/psych/stream.rb
68 /usr/share/gems/gems/psych-3.0.2/lib/psych/json/yaml_events.rb
69 /usr/share/gems/gems/psych-3.0.2/lib/psych/json/tree_builder.rb
70 /usr/share/gems/gems/psych-3.0.2/lib/psych/json/stream.rb
71 /usr/share/gems/gems/psych-3.0.2/lib/psych/handlers/document_stream.rb
72 /usr/share/gems/gems/psych-3.0.2/lib/psych.rb
73 /usr/share/rubygems/rubygems/psych_additions.rb
74 /usr/share/rubygems/rubygems/psych_tree.rb
75 /usr/share/ruby/yaml.rb
76 /usr/share/rubygems/rubygems/safe_yaml.rb
77 /usr/share/rubygems/rubygems/syck_hack.rb
78 /usr/share/ruby/timeout.rb
79 /usr/share/rubygems/rubygems/security_option.rb
80 /usr/share/rubygems/rubygems/install_update_options.rb
81 /usr/share/ruby/tsort.rb
82 /usr/share/rubygems/rubygems/dependency_list.rb
83 /usr/share/ruby/fileutils.rb
84 /usr/lib64/ruby/digest.so
85 /usr/share/ruby/digest.rb
86 /usr/lib64/ruby/openssl.so
87 /usr/share/ruby/openssl/bn.rb
88 /usr/share/ruby/openssl/pkey.rb

89 /usr/share/ruby/openssl/cipher.rb
90 /usr/share/ruby/openssl/config.rb
91 /usr/share/ruby/openssl/digest.rb
92 /usr/share/ruby/openssl/x509.rb
93 /usr/share/ruby/openssl/buffering.rb
94 /usr/lib64/ruby/io/nonblock.so
95 /usr/share/ruby/openssl/ssl.rb
96 /usr/share/ruby/openssl/pkcs5.rb
97 /usr/share/ruby/openssl.rb
98 /usr/share/rubygems/rubygems/security/policy.rb
99 /usr/share/rubygems/rubygems/security/policies.rb
100 /usr/share/rubygems/rubygems/security/trust_dir.rb
101 /usr/share/rubygems/rubygems/security/signer.rb
102 /usr/share/rubygems/rubygems/security.rb
103 /usr/lib64/ruby/zlib.so
104 /usr/share/rubygems/rubygems/package/digest_io.rb
105 /usr/share/rubygems/rubygems/package/source.rb
106 /usr/share/rubygems/rubygems/package/file_source.rb
107 /usr/share/rubygems/rubygems/package/io_source.rb
108 /usr/share/rubygems/rubygems/package/old.rb
109 /usr/share/rubygems/rubygems/package/tar_header.rb
110 /usr/share/rubygems/rubygems/package/tar_reader/entry.rb
111 /usr/share/rubygems/rubygems/package/tar_reader.rb
112 /usr/share/rubygems/rubygems/package/tar_writer.rb
113 /usr/share/rubygems/rubygems/package.rb
114 /usr/share/rubygems/rubygems/ext/build_error.rb
115 /usr/share/rubygems/rubygems/ext/builder.rb
116 /usr/share/rubygems/rubygems/ext/configure_builder.rb
117 /usr/share/ruby/delegate.rb
118 /usr/share/ruby/tmpdir.rb
119 /usr/share/ruby/tempfile.rb
120 /usr/share/rubygems/rubygems/ext/ext_conf_builder.rb
121 /usr/share/rubygems/rubygems/ext/rake_builder.rb
122 /usr/share/rubygems/rubygems/ext/cmake_builder.rb
123 /usr/share/rubygems/rubygems/ext.rb
124 /usr/share/rubygems/rubygems/installer.rb
125 /usr/lib64/ruby/socket.so
126 /usr/lib64/ruby/io/wait.so
127 /usr/share/ruby/socket.rb
128 /usr/share/ruby/net/protocol.rb
129 /usr/share/ruby/uri/rfc2396_parser.rb
130 /usr/share/ruby/uri/rfc3986_parser.rb
131 /usr/share/ruby/uri/common.rb
132 /usr/share/ruby/uri/generic.rb
133 /usr/share/ruby/uri/ftp.rb
134 /usr/share/ruby/uri/http.rb
135 /usr/share/ruby/uri/https.rb
136 /usr/share/ruby/uri/ldap.rb
137 /usr/share/ruby/uri/ldaps.rb
138 /usr/share/ruby/uri/mailto.rb
139 /usr/share/ruby/uri.rb
140 /usr/share/ruby/net/http/exceptions.rb
141 /usr/share/ruby/net/http/header.rb
142 /usr/lib64/ruby/enc/windows_31j.so
143 /usr/share/ruby/net/http/generic_request.rb
144 /usr/share/ruby/net/http/request.rb
145 /usr/share/ruby/net/http/requests.rb
146 /usr/share/ruby/net/http/response.rb
147 /usr/share/ruby/net/http/responses.rb
148 /usr/share/ruby/net/http/proxy_delta.rb
149 /usr/share/ruby/net/http/backward.rb
150 /usr/share/ruby/net/http.rb
151 /usr/lib64/ruby/date_core.so
152 /usr/share/ruby/date.rb
153 /usr/share/ruby/time.rb
154 /usr/share/rubygems/rubygems/request/http_pool.rb
155 /usr/share/rubygems/rubygems/request/https_pool.rb

156 /usr/share/rubygems/rubygems/request/connection_pools.rb
157 /usr/share/rubygems/rubygems/request.rb
158 /usr/share/ruby/cgi/core.rb
159 /usr/lib64/ruby/cgi/escape.so
160 /usr/share/ruby/cgi/util.rb
161 /usr/share/ruby/cgi/cookie.rb
162 /usr/share/ruby/cgi.rb
163 /usr/share/rubygems/rubygems/uri_formatter.rb
164 /usr/share/ruby/securerandom.rb
165 /usr/share/ruby/resolv.rb
166 /usr/share/rubygems/rubygems/remote_fetcher.rb
167 /usr/share/rubygems/rubygems/text.rb
168 /usr/share/rubygems/rubygems/name_tuple.rb
169 /usr/share/rubygems/rubygems/spec_fetcher.rb
170 /usr/share/rubygems/rubygems/source/git.rb
171 /usr/share/rubygems/rubygems/source/installed.rb
172 /usr/share/rubygems/rubygems/source/specific_file.rb
173 /usr/share/rubygems/rubygems/source/local.rb
174 /usr/share/rubygems/rubygems/source/lock.rb
175 /usr/share/rubygems/rubygems/source/vendor.rb
176 /usr/share/rubygems/rubygems/source.rb
177 /usr/share/rubygems/rubygems/available_set.rb
178 /usr/share/rubygems/rubygems/dependency_installer.rb
179 /usr/share/rubygems/rubygems/local_remote_options.rb
180 /usr/share/rubygems/rubygems/validator.rb
181 /usr/share/rubygems/rubygems/version_option.rb
182 /usr/share/rubygems/rubygems/commands/install_command.rb
183 /usr/share/rubygems/rubygems/install_message.rb
184 /usr/share/rubygems/rubygems/request_set/gem_dependency_api.rb
185 /usr/share/rubygems/rubygems/request_set/lockfile/parser.rb
186 /usr/share/rubygems/rubygems/request_set/lockfile/tokenizer.rb
187 /usr/share/rubygems/rubygems/request_set/lockfile.rb
188 /usr/share/rubygems/rubygems/request_set.rb
189 /usr/share/rubygems/rubygems/resolver/molinillo/lib/molinillo/gem_metadata.rb
190 /usr/share/rubygems/rubygems/resolver/molinillo/lib/molinillo/errors.rb
191 /usr/share/ruby/set.rb
192 /usr/share/rubygems/rubygems/resolver/molinillo/lib/molinillo/dependency_graph/action.rb
193 /usr/share/rubygems/rubygems/resolver/molinillo/lib/molinillo/dependency_graph/add_edge_no_circular.rb
194 /usr/share/rubygems/rubygems/resolver/molinillo/lib/molinillo/dependency_graph/add_vertex.rb
195 /usr/share/rubygems/rubygems/resolver/molinillo/lib/molinillo/dependency_graph/delete_edge.rb
b
196 /usr/share/rubygems/rubygems/resolver/molinillo/lib/molinillo/dependency_graph/detach_vertex_named.rb
b
197 /usr/share/rubygems/rubygems/resolver/molinillo/lib/molinillo/dependency_graph/set_payload.rb
198 /usr/share/rubygems/rubygems/resolver/molinillo/lib/molinillo/dependency_graph/tag.rb
199 /usr/share/rubygems/rubygems/resolver/molinillo/lib/molinillo/dependency_graph/log.rb
200 /usr/share/rubygems/rubygems/resolver/molinillo/lib/molinillo/dependency_graph/vertex.rb
201 /usr/share/rubygems/rubygems/resolver/molinillo/lib/molinillo/dependency_graph.rb
202 /usr/share/rubygems/rubygems/resolver/molinillo/lib/molinillo/state.rb
203 /usr/share/rubygems/rubygems/resolver/molinillo/lib/molinillo/modules/specification_provider.rb
204 /usr/share/rubygems/rubygems/resolver/molinillo/lib/molinillo/delegates/resolution_state.rb
205 /usr/share/rubygems/rubygems/resolver/molinillo/lib/molinillo/delegates/specification_provider.rb
206 /usr/share/rubygems/rubygems/resolver/molinillo/lib/molinillo/resolution.rb
207 /usr/share/rubygems/rubygems/resolver/molinillo/lib/molinillo/resolver.rb
208 /usr/share/rubygems/rubygems/resolver/molinillo/lib/molinillo/modules/ui.rb
209 /usr/share/rubygems/rubygems/resolver/molinillo/lib/molinillo.rb
210 /usr/share/rubygems/rubygems/resolver/molinillo.rb
211 /usr/share/rubygems/rubygems/resolver/activation_request.rb
212 /usr/share/rubygems/rubygems/resolver/conflict.rb
213 /usr/share/rubygems/rubygems/resolver/dependency_request.rb
214 /usr/share/rubygems/rubygems/resolver/requirement_list.rb
215 /usr/share/rubygems/rubygems/resolver/stats.rb
216 /usr/share/rubygems/rubygems/resolver/set.rb

217 /usr/share/rubygems/rubygems/resolver/api_set.rb
218 /usr/share/rubygems/rubygems/resolver/composed_set.rb
219 /usr/share/rubygems/rubygems/resolver/best_set.rb
220 /usr/share/rubygems/rubygems/resolver/current_set.rb
221 /usr/share/rubygems/rubygems/resolver/git_set.rb
222 /usr/share/rubygems/rubygems/resolver/index_set.rb
223 /usr/share/rubygems/rubygems/resolver/installer_set.rb
224 /usr/share/rubygems/rubygems/resolver/lock_set.rb
225 /usr/share/rubygems/rubygems/resolver/vendor_set.rb
226 /usr/share/rubygems/rubygems/resolver/source_set.rb
227 /usr/share/rubygems/rubygems/resolver/specification.rb
228 /usr/share/rubygems/rubygems/resolver/spec_specification.rb
229 /usr/share/rubygems/rubygems/resolver/api_specification.rb
230 /usr/share/rubygems/rubygems/resolver/git_specification.rb
231 /usr/share/rubygems/rubygems/resolver/index_specification.rb
232 /usr/share/rubygems/rubygems/resolver/installed_specification.rb
233 /usr/share/rubygems/rubygems/resolver/local_specification.rb
234 /usr/share/rubygems/rubygems/resolver/lock_specification.rb
235 /usr/share/rubygems/rubygems/resolver/vendor_specification.rb
236 /usr/share/rubygems/rubygems/resolver.rb
237 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc.rb
238 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/rubygems_hook.rb
239 /usr/share/rubygems/rubygems/rdoc.rb
240 /usr/share/rubygems/rubygems/source_list.rb
241 /usr/lib64/ruby/enc/utf_16le.so
242 /usr/lib64/ruby/enc/utf_16be.so
243 /usr/lib64/ruby/pathname.so
244 /usr/share/ruby/pathname.rb
245 /usr/share/ruby/find.rb
246 /usr/share/ruby/erb.rb
247 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator.rb
248 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup.rb
249 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup/formatter.rb
250 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup/to_joined_paragraph.rb
251 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markdown/entities.rb
252 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markdown/literals.rb
253 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markdown.rb
254 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/rd.rb
255 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup/parser.rb
256 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup/pre_process.rb
257 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/tom_doc.rb
258 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/text.rb
259 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/code_object.rb
260 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/method_attr.rb
261 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/context.rb
262 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/class_module.rb
263 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/context/section.rb
264 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/top_level.rb
265 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/markup.rb
266 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/darkfish.rb
267 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/ri.rb
268 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/pot.rb
269 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/rdoc.rb
270 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/options.rb
271 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/parser/text.rb
272 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/parser/simple.rb
273 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/parser/c.rb
274 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/parser/changelog.rb
275 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/parser/markdown.rb
276 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/parser/rd.rb
277 /usr/lib64/ruby/ripper.so
278 /usr/share/ruby/ripper/core.rb
279 /usr/share/ruby/ripper/lexer.rb
280 /usr/share/ruby/ripper/filter.rb
281 /usr/share/ruby/ripper/sexp.rb
282 /usr/share/ruby/ripper.rb
283 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/token_stream.rb

```

284 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/parser/ruby_tools.rb
285 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/parser/ruby.rb
286 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/parser.rb
287 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/store.rb
288 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/stats.rb
289 /usr/lib64/ruby/io/console.so
290 /usr/share/ruby/io/console/size.rb
291 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/stats/quiet.rb
292 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/stats/normal.rb
293 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/encoding.rb
294 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/comment.rb
295 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/parser/ripper_state_lex.rb
296 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/require.rb
297 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup/document.rb
298 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/normal_module.rb
299 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/mixin.rb
300 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/extend.rb
301 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/any_method.rb
302 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/alias.rb
303 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/normal_class.rb
304 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/attr.rb
305 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/include.rb
306 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/constant.rb
307 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup/raw.rb
308 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup/paragraph.rb
309 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup/blank_line.rb
310 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup/verbatim.rb
311 /usr/share/ruby/json/version.rb
312 /usr/share/ruby/ostruct.rb
313 /usr/share/ruby/json/generic_object.rb
314 /usr/share/ruby/json/common.rb
315 /usr/lib64/ruby/json/ext/parser.so
316 /usr/lib64/ruby/json/ext/generator.so
317 /usr/share/ruby/json/ext.rb
318 /usr/share/ruby/json.rb
319 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/generator/json_index.rb
320 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/erbio.rb
321 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/erb_partial.rb
322 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup/to_table_of_contents.rb
323 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup/attribute_manager.rb
324 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup/attributes.rb
325 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup/to_html.rb
326 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/cross_reference.rb
327 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup/to_html_crossref.rb
328 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup/hard_break.rb
329 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup/attr_span.rb
330 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup/attr_changer.rb
331 /usr/share/gems/gems/rdoc-6.0.1/lib/rdoc/markup/special.rb

```

* Process memory map:

```

56477e77c000-56477e77d000 r-xp 00000000 fd:0b 400307 /usr/bin/ruby-mri
56477e97c000-56477e97d000 r--p 00000000 fd:0b 400307 /usr/bin/ruby-mri
56477e97d000-56477e97e000 rw-p 00001000 fd:0b 400307 /usr/bin/ruby-mri
56477eb88000-56478101f000 rw-p 00000000 00:00 0 [heap]
7ff96882e000-7ff968a31000 r--s 00000000 fd:0b 396014 /usr/lib64/libc-2.26.9000
.so
7ff968a31000-7ff968a48000 r--s 00000000 fd:0b 400510 /usr/lib/debug/usr/lib64/
ruby/pathname.so-2.5.0-86.fc28.x86_64.debug
7ff968a48000-7ff968a6e000 r--s 00000000 fd:0b 396032 /usr/lib64/libpthread-2.2
6.9000.so
7ff968a6e000-7ff96938d000 r--s 00000000 fd:0b 400488 /usr/lib/debug/usr/lib64/
libruby.so.2.5.0-2.5.0-86.fc28.x86_64.debug
7ff96938d000-7ff969648000 r--s 00000000 fd:0b 399973 /usr/lib64/libruby.so.2.5
.0
7ff969648000-7ff96965e000 r-xp 00000000 fd:0b 393235 /usr/lib64/libgcc_s-7-201
80104.so.1

```

7ff96965e000-7ff96985d000	---	p	00016000	fd:0b	393235		/usr/lib64/libgcc_s-7-20180104.so.1
7ff96985d000-7ff96985e000	r--	p	00015000	fd:0b	393235		/usr/lib64/libgcc_s-7-20180104.so.1
7ff96985e000-7ff96985f000	rw-	p	00016000	fd:0b	393235		/usr/lib64/libgcc_s-7-20180104.so.1
7ff96985f000-7ff969860000	---	p	00000000	00:00	0		
7ff969860000-7ff9698df000	rw-	p	00000000	00:00	0		
7ff9698df000-7ff9698e6000	r-xp		00000000	fd:0b	790136		/usr/lib64/gems/ruby/json-2.1.0/json/ext/generator.so
7ff9698e6000-7ff969ae6000	---	p	00007000	fd:0b	790136		/usr/lib64/gems/ruby/json-2.1.0/json/ext/generator.so
7ff969ae6000-7ff969ae7000	r--	p	00007000	fd:0b	790136		/usr/lib64/gems/ruby/json-2.1.0/json/ext/generator.so
7ff969ae7000-7ff969ae8000	rw-	p	00000000	00:00	0		
7ff969ae8000-7ff969aee000	r-xp		00000000	fd:0b	790137		/usr/lib64/gems/ruby/json-2.1.0/json/ext/parser.so
7ff969aee000-7ff969ced000	---	p	00006000	fd:0b	790137		/usr/lib64/gems/ruby/json-2.1.0/json/ext/parser.so
7ff969ced000-7ff969cee000	r--	p	00005000	fd:0b	790137		/usr/lib64/gems/ruby/json-2.1.0/json/ext/parser.so
7ff969cee000-7ff969cef000	rw-	p	00000000	00:00	0		
7ff969cef000-7ff969cf3000	r-xp		00000000	fd:0b	790300		/usr/lib64/gems/ruby/io-console-0.4.6/io/console.so
7ff969cf3000-7ff969ef2000	---	p	00004000	fd:0b	790300		/usr/lib64/gems/ruby/io-console-0.4.6/io/console.so
7ff969ef2000-7ff969ef3000	r--	p	00003000	fd:0b	790300		/usr/lib64/gems/ruby/io-console-0.4.6/io/console.so
7ff969ef3000-7ff969fb5000	rw-	p	00000000	00:00	0		
7ff969fb5000-7ff969ff5000	r-xp		00000000	fd:0b	400067		/usr/lib64/ruby/ripper.so
7ff969ff5000-7ff96a1f4000	---	p	00030000	fd:0b	400067		/usr/lib64/ruby/ripper.so
7ff96a1f4000-7ff96a1f6000	r--	p	0002f000	fd:0b	400067		/usr/lib64/ruby/ripper.so
7ff96a1f6000-7ff96a1f7000	rw-	p	00000000	00:00	0		
7ff96a1f7000-7ff96a1fe000	r-xp		00000000	fd:0b	400059		/usr/lib64/ruby/pathname.so
7ff96a1fe000-7ff96a3fd000	---	p	00007000	fd:0b	400059		/usr/lib64/ruby/pathname.so
7ff96a3fd000-7ff96a3fe000	r--	p	00006000	fd:0b	400059		/usr/lib64/ruby/pathname.so
7ff96a3fe000-7ff96a3ff000	rw-	p	00000000	00:00	0		
7ff96a3ff000-7ff96a400000	r-xp		00000000	fd:0b	400038		/usr/lib64/ruby/enc/utf_16be.so
7ff96a400000-7ff96a600000	---	p	00001000	fd:0b	400038		/usr/lib64/ruby/enc/utf_16be.so
7ff96a600000-7ff96a601000	r--	p	00001000	fd:0b	400038		/usr/lib64/ruby/enc/utf_16be.so
7ff96a601000-7ff96a602000	rw-	p	00000000	00:00	0		
7ff96a602000-7ff96a603000	r-xp		00000000	fd:0b	400039		/usr/lib64/ruby/enc/utf_16le.so
7ff96a603000-7ff96a803000	---	p	00001000	fd:0b	400039		/usr/lib64/ruby/enc/utf_16le.so
7ff96a803000-7ff96a804000	r--	p	00001000	fd:0b	400039		/usr/lib64/ruby/enc/utf_16le.so
7ff96a804000-7ff96a805000	rw-	p	00000000	00:00	0		
7ff96a805000-7ff96a808000	r-xp		00000000	fd:0b	399976		/usr/lib64/ruby/cgi/escape.so
7ff96a808000-7ff96aa07000	---	p	00003000	fd:0b	399976		/usr/lib64/ruby/cgi/escape.so
7ff96aa07000-7ff96aa08000	r--	p	00002000	fd:0b	399976		/usr/lib64/ruby/cgi/escape.so
7ff96aa08000-7ff96aa09000	rw-	p	00000000	00:00	0		
7ff96aa09000-7ff96aa38000	r-xp		00000000	fd:0b	399979		/usr/lib64/ruby/date_core.so
7ff96aa38000-7ff96ac37000	---	p	0002f000	fd:0b	399979		/usr/lib64/ruby/date_core.so
7ff96ac37000-7ff96ac38000	r--	p	0002e000	fd:0b	399979		/usr/lib64/ruby/date_core.so

7ff96ac38000-7ff96ac39000	rw-p	0002f000	fd:0b	399979		/usr/lib64/ruby/date_core.so
7ff96ac39000-7ff96ac3a000	rw-p	00000000	00:00	0		
7ff96ac3a000-7ff96ac3d000	r-xp	00000000	fd:0b	400048		/usr/lib64/ruby/enc/windows_31j.so
7ff96ac3d000-7ff96ae3c000	---p	00003000	fd:0b	400048		/usr/lib64/ruby/enc/windows_31j.so
7ff96ae3c000-7ff96ae3d000	r--p	00002000	fd:0b	400048		/usr/lib64/ruby/enc/windows_31j.so
7ff96ae3d000-7ff96ae3e000	rw-p	00000000	00:00	0		
7ff96ae3e000-7ff96ae40000	r-xp	00000000	fd:0b	400056		/usr/lib64/ruby/io/wait.so
7ff96ae40000-7ff96b03f000	---p	00002000	fd:0b	400056		/usr/lib64/ruby/io/wait.so
7ff96b03f000-7ff96b040000	r--p	00001000	fd:0b	400056		/usr/lib64/ruby/io/wait.so
7ff96b040000-7ff96b041000	rw-p	00000000	00:00	0		
7ff96b041000-7ff96b06b000	r-xp	00000000	fd:0b	400069		/usr/lib64/ruby/socket.so
7ff96b06b000-7ff96b26b000	---p	0002a000	fd:0b	400069		/usr/lib64/ruby/socket.so
7ff96b26b000-7ff96b26c000	r--p	0002a000	fd:0b	400069		/usr/lib64/ruby/socket.so
7ff96b26c000-7ff96b26d000	rw-p	0002b000	fd:0b	400069		/usr/lib64/ruby/socket.so
7ff96b26d000-7ff96b27b000	r-xp	00000000	fd:0b	400074		/usr/lib64/ruby/zlib.so
7ff96b27b000-7ff96b47b000	---p	0000e000	fd:0b	400074		/usr/lib64/ruby/zlib.so
7ff96b47b000-7ff96b47c000	r--p	0000e000	fd:0b	400074		/usr/lib64/ruby/zlib.so
7ff96b47c000-7ff96b47d000	rw-p	00000000	00:00	0		
7ff96b47d000-7ff96b47e000	r-xp	00000000	fd:0b	400055		/usr/lib64/ruby/io/nonblock.so
7ff96b47e000-7ff96b67e000	---p	00001000	fd:0b	400055		/usr/lib64/ruby/io/nonblock.so
7ff96b67e000-7ff96b67f000	r--p	00001000	fd:0b	400055		/usr/lib64/ruby/io/nonblock.so
7ff96b67f000-7ff96b680000	rw-p	00000000	00:00	0		
7ff96b680000-7ff96b683000	r-xp	00000000	fd:0b	399982		/usr/lib64/ruby/digest.so
7ff96b683000-7ff96b882000	---p	00003000	fd:0b	399982		/usr/lib64/ruby/digest.so
7ff96b882000-7ff96b883000	r--p	00002000	fd:0b	399982		/usr/lib64/ruby/digest.so
7ff96b883000-7ff96b884000	rw-p	00000000	00:00	0		
7ff96b884000-7ff96b89a000	r-xp	00000000	fd:0b	396465		/usr/lib64/libz.so.1.2.11
7ff96b89a000-7ff96ba99000	---p	00016000	fd:0b	396465		/usr/lib64/libz.so.1.2.11
7ff96ba99000-7ff96ba9a000	r--p	00015000	fd:0b	396465		/usr/lib64/libz.so.1.2.11
7ff96ba9a000-7ff96ba9b000	rw-p	00000000	00:00	0		
7ff96ba9b000-7ff96bcf7000	r-xp	00000000	fd:0b	397792		/usr/lib64/libcrypto.so.1.1.0g
7ff96bcf7000-7ff96bef7000	---p	0025c000	fd:0b	397792		/usr/lib64/libcrypto.so.1.1.0g
7ff96bef7000-7ff96bf14000	r--p	0025c000	fd:0b	397792		/usr/lib64/libcrypto.so.1.1.0g
7ff96bf14000-7ff96bf20000	rw-p	00279000	fd:0b	397792		/usr/lib64/libcrypto.so.1.1.0g
7ff96bf20000-7ff96bf23000	rw-p	00000000	00:00	0		
7ff96bf23000-7ff96bf85000	r-xp	00000000	fd:0b	397794		/usr/lib64/libssl.so.1.1.0g
7ff96bf85000-7ff96c185000	---p	00062000	fd:0b	397794		/usr/lib64/libssl.so.1.1.0g
7ff96c185000-7ff96c189000	r--p	00062000	fd:0b	397794		/usr/lib64/libssl.so.1.1.0g
7ff96c189000-7ff96c18f000	rw-p	00066000	fd:0b	397794		/usr/lib64/libssl.so.1.1.0g
7ff96c18f000-7ff96c1e2000	r-xp	00000000	fd:0b	659094		/usr/lib64/gems/ruby/openssl-2.1.0/openssl.so
7ff96c1e2000-7ff96c3e2000	---p	00053000	fd:0b	659094		/usr/lib64/gems/ruby/openssl-2.1.0/openssl.so
7ff96c3e2000-7ff96c3e6000	r--p	00053000	fd:0b	659094		/usr/lib64/gems/ruby/openssl-2.1.0/openssl.so
7ff96c3e6000-7ff96c3e7000	rw-p	00000000	00:00	0		
7ff96c3e7000-7ff96c3ec000	r-xp	00000000	fd:0b	400071		/usr/lib64/ruby/strscan.so
7ff96c3ec000-7ff96c5eb000	---p	00005000	fd:0b	400071		/usr/lib64/ruby/strscan.so

```

o
7ff96c5eb000-7ff96c5ec000 r--p 00004000 fd:0b 400071 /usr/lib64/ruby/strscan.s
o
7ff96c5ec000-7ff96c5ed000 rw-p 00000000 00:00 0
7ff96c5ed000-7ff96c60a000 r-xp 00000000 fd:0b 400314 /usr/lib64/libyaml-0.so.2
.0.5
7ff96c60a000-7ff96c809000 ---p 0001d000 fd:0b 400314 /usr/lib64/libyaml-0.so.2
.0.5
7ff96c809000-7ff96c80a000 r--p 0001c000 fd:0b 400314 /usr/lib64/libyaml-0.so.2
.0.5
7ff96c80a000-7ff96c80b000 rw-p 00000000 00:00 0
7ff96c80b000-7ff96c811000 r-xp 00000000 fd:0b 789822 /usr/lib64/gems/ruby/psyc
h-3.0.2/psych.so
7ff96c811000-7ff96ca11000 ---p 00006000 fd:0b 789822 /usr/lib64/gems/ruby/psyc
h-3.0.2/psych.so
7ff96ca11000-7ff96ca12000 r--p 00006000 fd:0b 789822 /usr/lib64/gems/ruby/psyc
h-3.0.2/psych.so
7ff96ca12000-7ff96ca13000 rw-p 00000000 00:00 0
7ff96ca13000-7ff96ca19000 r-xp 00000000 fd:0b 400049 /usr/lib64/ruby/etc.so
7ff96ca19000-7ff96cc18000 ---p 00006000 fd:0b 400049 /usr/lib64/ruby/etc.so
7ff96cc18000-7ff96cc19000 r--p 00005000 fd:0b 400049 /usr/lib64/ruby/etc.so
7ff96cc19000-7ff96cc1a000 rw-p 00000000 00:00 0
7ff96cc1a000-7ff96cc21000 r-xp 00000000 fd:0b 400070 /usr/lib64/ruby/stringio.
so
7ff96cc21000-7ff96ce21000 ---p 00007000 fd:0b 400070 /usr/lib64/ruby/stringio.
so
7ff96ce21000-7ff96ce22000 r--p 00007000 fd:0b 400070 /usr/lib64/ruby/stringio.
so
7ff96ce22000-7ff96ce23000 rw-p 00000000 00:00 0
7ff96ce23000-7ff96ce25000 r-xp 00000000 fd:0b 400035 /usr/lib64/ruby/enc/trans
/transdb.so
7ff96ce25000-7ff96d025000 ---p 00002000 fd:0b 400035 /usr/lib64/ruby/enc/trans
/transdb.so
7ff96d025000-7ff96d026000 r--p 00002000 fd:0b 400035 /usr/lib64/ruby/enc/trans
/transdb.so
7ff96d026000-7ff96d027000 rw-p 00000000 00:00 0
7ff96d027000-7ff96d029000 r-xp 00000000 fd:0b 399992 /usr/lib64/ruby/enc/encdb
.so
7ff96d029000-7ff96d228000 ---p 00002000 fd:0b 399992 /usr/lib64/ruby/enc/encdb
.so
7ff96d228000-7ff96d229000 r--p 00001000 fd:0b 399992 /usr/lib64/ruby/enc/encdb
.so
7ff96d229000-7ff96d22a000 rw-p 00000000 00:00 0
7ff96d22a000-7ff9749dc000 r--p 00000000 fd:0b 393354 /usr/lib/locale/locale-ar
chive
7ff9749dc000-7ff974b8e000 r-xp 00000000 fd:0b 396014 /usr/lib64/libc-2.26.9000
.so
7ff974b8e000-7ff974d8e000 ---p 001b2000 fd:0b 396014 /usr/lib64/libc-2.26.9000
.so
7ff974d8e000-7ff974d92000 r--p 001b2000 fd:0b 396014 /usr/lib64/libc-2.26.9000
.so
7ff974d92000-7ff974d94000 rw-p 001b6000 fd:0b 396014 /usr/lib64/libc-2.26.9000
.so
7ff974d94000-7ff974d98000 rw-p 00000000 00:00 0
7ff974d98000-7ff974f2a000 r-xp 00000000 fd:0b 396020 /usr/lib64/libm-2.26.9000
.so
7ff974f2a000-7ff975129000 ---p 00192000 fd:0b 396020 /usr/lib64/libm-2.26.9000
.so
7ff975129000-7ff97512a000 r--p 00191000 fd:0b 396020 /usr/lib64/libm-2.26.9000
.so
7ff97512a000-7ff97512b000 rw-p 00192000 fd:0b 396020 /usr/lib64/libm-2.26.9000
.so
7ff97512b000-7ff975134000 r-xp 00000000 fd:0b 396298 /usr/lib64/libcrypt-2.26.
9000.so
7ff975134000-7ff975333000 ---p 00009000 fd:0b 396298 /usr/lib64/libcrypt-2.26.
9000.so
7ff975333000-7ff975334000 r--p 00008000 fd:0b 396298 /usr/lib64/libcrypt-2.26.

```

```
9000.so
7ff975334000-7ff975335000 rw-
```

As far as I know, I observe such core dump while generating documentation for webmock and ffi gems. Here is the GDB backtrace:

```
(gdb) where
#0  new_list_gen (parser=<optimized out>, item=item@entry=0x0, location=0x20) at parse.y:9540
#1  0x00007ffff7a15eb0 in list_append_gen (parser=<optimized out>, list=0x5555574a3b80, item=0x0)
at parse.y:9085
#2  0x00007ffff7a2140c in ruby_yyparse (parser=parser@entry=0x5555574e0780) at parse.y:1806
#3  0x00007ffff7a2cd13 in yycompile0 (arg=arg@entry=93825025312640) at parse.y:5594
#4  0x00007ffff7ae45fc in rb_suppress_tracing (func=func@entry=0x7ffff7a2cc20 <yycompile0>, arg=ar
g@entry=93825025312640) at vm_trace.c:397
#5  0x00007ffff7a1664e in yycompile (parser=parser@entry=0x5555574e0780, fname=fname@entry=9382502
0740680, line=line@entry=1) at parse.y:5636
#6  0x00007ffff7a166df in parser_compile_string (vparser=<optimized out>, fname=93825020740680, s=
93825020740760, line=1) at parse.y:5705
#7  0x00007ffff79eaeda in rb_iseq_compile_with_option (src=<optimized out>, src@entry=938250207407
60, file=<optimized out>, realpath=realpath@entry=8, line=3, base_block=base_block@entry=0x7fffff
f65e0,
    opt=opt@entry=8) at iseq.c:689
#8  0x00007ffff7ad6214 in eval_string_with_cref (self=self@entry=93825021620920, src=9382502074076
0, scope=8, cref_arg=cref_arg@entry=0x0, filename=<optimized out>, lineno=<optimized out>) at vm_e
val.c:1318
#9  0x00007ffff7ad676d in eval_string (line=<optimized out>, file=<optimized out>, scope=<optimize
d out>, src=<optimized out>, self=93825021620920) at vm_eval.c:1370
#10 rb_f_eval (argc=1, argv=<optimized out>, self=93825021620920) at vm_eval.c:1409
#11 0x00007ffff7acafb9 in vm_call_cfunc_with_frame (ci=0x555556d1a500, cc=<optimized out>, calling
=<optimized out>, reg_cfp=0x7ffff7feb5f0, ec=0x555555758218) at vm_inshelper.c:1918
#12 vm_call_cfunc (ec=0x555555758218, reg_cfp=0x7ffff7feb5f0, calling=<optimized out>, ci=0x555556
d1a500, cc=<optimized out>) at vm_inshelper.c:1934
#13 0x00007ffff7ad0340 in vm_exec_core (ec=0x5555574a3bb0, ec@entry=0x555555758218, initial=10523,
initial@entry=0) at insns.def:915
#14 0x00007ffff7ad5794 in vm_exec (ec=ec@entry=0x555555758218) at vm.c:1778
#15 0x00007ffff7adc89c in invoke_block (captured=<optimized out>, opt_pc=<optimized out>, type=<op
timized out>, cref=<optimized out>, self=<optimized out>, iseq=<optimized out>, ec=<optimized out>
) at vm.c:979
#16 invoke_iseq_block_from_c (is_lambda=<optimized out>, cref=<optimized out>, passed_block_handle
r=<optimized out>, argv=<optimized out>, argc=<optimized out>, self=<optimized out>, captured=<opt
imized out>,
    ec=<optimized out>) at vm.c:1031
#17 invoke_block_from_c_bh (force_blockarg=<optimized out>, is_lambda=<optimized out>, cref=<optim
ized out>, passed_block_handler=<optimized out>, argv=<optimized out>, argc=<optimized out>,
    block_handler=<optimized out>, ec=<optimized out>) at vm.c:1049
#18 vm_yield (argv=<optimized out>, argc=<optimized out>, ec=<optimized out>) at vm.c:1094
#19 rb_yield_0 (argv=<optimized out>, argc=<optimized out>) at vm_eval.c:970
#20 rb_yield_1 (val=<optimized out>) at vm_eval.c:976
#21 rb_yield (val=<optimized out>) at vm_eval.c:986
#22 0x00007ffff794d4bc in rb_ary_each (ary=93825028425640) at array.c:1836
#23 0x00007ffff7acafb9 in vm_call_cfunc_with_frame (ci=0x55555668fa20, cc=<optimized out>, calling
=<optimized out>, reg_cfp=0x7ffff7feb6e0, ec=0x555555758218) at vm_inshelper.c:1918
#24 vm_call_cfunc (ec=0x555555758218, reg_cfp=0x7ffff7feb6e0, calling=<optimized out>, ci=0x555556
68fa20, cc=<optimized out>) at vm_inshelper.c:1934
#25 0x00007ffff7acf935 in vm_exec_core (ec=0x5555574a3bb0, ec@entry=0x555555758218, initial=10523,
initial@entry=0) at insns.def:850
#26 0x00007ffff7ad5794 in vm_exec (ec=ec@entry=0x555555758218) at vm.c:1778
#27 0x00007ffff7adc89c in invoke_block (captured=<optimized out>, opt_pc=<optimized out>, type=<op
timized out>, cref=<optimized out>, self=<optimized out>, iseq=<optimized out>, ec=<optimized out>
) at vm.c:979
#28 invoke_iseq_block_from_c (is_lambda=<optimized out>, cref=<optimized out>, passed_block_handle
r=<optimized out>, argv=<optimized out>, argc=<optimized out>, self=<optimized out>, captured=<opt
imized out>,
    ec=<optimized out>) at vm.c:1031
#29 invoke_block_from_c_bh (force_blockarg=<optimized out>, is_lambda=<optimized out>, cref=<optim
ized out>, passed_block_handler=<optimized out>, argv=<optimized out>, argc=<optimized out>,
    block_handler=<optimized out>, ec=<optimized out>) at vm.c:1049
#30 vm_yield (argv=<optimized out>, argc=<optimized out>, ec=<optimized out>) at vm.c:1094
```

```
#31 rb_yield_0 (argv=<optimized out>, argc=<optimized out>) at vm_eval.c:970
#32 rb_yield_1 (val=<optimized out>) at vm_eval.c:976
#33 rb_yield (val=<optimized out>) at vm_eval.c:986
#34 0x00007ffff794d4bc in rb_ary_each (ary=93825024660520) at array.c:1836
#35 0x00007ffff7acafb9 in vm_call_cfunc_with_frame (ci=0x5555579f17e0, cc=<optimized out>, calling
=<optimized out>, reg_cfp=0x7ffff7feb800, ec=0x55555758218) at vm_inshelper.c:1918
#36 vm_call_cfunc (ec=0x55555758218, reg_cfp=0x7ffff7feb800, calling=<optimized out>, ci=0x555557
9f17e0, cc=<optimized out>) at vm_inshelper.c:1934
#37 0x00007ffff7acf935 in vm_exec_core (ec=0x5555574a3bb0, ec@entry=0x55555758218, initial=10523,
initial@entry=0) at insns.def:850
#38 0x00007ffff7ad5794 in vm_exec (ec=ec@entry=0x55555758218) at vm.c:1778
#39 0x00007ffff7ad79e4 in invoke_block (captured=0x7ffff7feb878, opt_pc=<optimized out>, type=<opt
imized out>, cref=0x0, self=93825020187720, iseq=0x5555574652b0, ec=0x55555758218) at vm.c:979
#40 invoke_iseq_block_from_c (is_lambda=<optimized out>, cref=0x0, passed_block_handler=0, argv=0x
7ffff7d60, argc=2, self=93825020187720, captured=0x7ffff7feb878, ec=0x55555758218) at vm.c:103
1
#41 invoke_block_from_c_bh (force_blockarg=<optimized out>, is_lambda=<optimized out>, cref=<optim
ized out>, passed_block_handler=<optimized out>, argv=<optimized out>, argc=<optimized out>,
block_handler=<optimized out>, ec=<optimized out>) at vm.c:1049
#42 vm_yield (argv=0x7ffff7d60, argc=2, ec=0x55555758218) at vm.c:1094
#43 rb_yield_0 (argv=0x7ffff7d60, argc=2) at vm_eval.c:970
#44 rb_yield_values2 (argc=argc@entry=2, argv=argv@entry=0x7ffff7e00) at vm_eval.c:1016
#45 0x00007ffff79cc00a in each_pair_i_fast (key=<optimized out>, value=<optimized out>) at hash.c:
1837
#46 0x00007ffff79cd0fb in hash_foreach_iter (key=key@entry=2318604, value=<optimized out>, argp=ar
gp@entry=140737488322640, error=error@entry=0) at hash.c:353
#47 0x00007ffff7a7d61e in st_general_foreach (check_p=1, arg=140737488322640, func=func@entry=0x7f
fff79cd0e0 <hash_foreach_iter>, tab=0x555557693b00) at st.c:1490
---Type <return> to continue, or q <return> to quit---
```

Related issues:

Has duplicate Ruby master - Bug #14831: [BUG] Segmentation fault at 0x0000000...

Closed

Associated revisions

Revision 61523 - 12/31/2017 11:25 AM - nobu (Nobuyoshi Nakada)

parse.y: assignable_error

- parse.y (assignable_gen): should return valid NODE always even on errors. [ruby-core:84565] [Bug #14261]

History

#1 - 01/09/2018 08:47 AM - vo.x (Vit Ondruch)

- Subject changed from *SefFault* during generating documentation to *Segfault* during generating documentation

#2 - 01/09/2018 09:05 AM - mame (Yusuke Endoh)

- Status changed from *Open* to *Closed*

This is the same issue as [#14261](#), which has been already fixed at r61523. Thanks.

#3 - 01/09/2018 09:20 AM - vo.x (Vit Ondruch)

Thanks. Unfortunately, I cannot easily apply the patch into the tarball :/

#4 - 01/09/2018 12:13 PM - vo.x (Vit Ondruch)

Ok, this is the patch I'm going to use for Fedora:

https://src.fedoraproject.org/rpms/ruby/blob/master/f/ruby-2.5.0-parse.y-assignable_error_patch

It fixed the issues with webmock and ffi documentation according to my tests.

Anyway, I would appreciate if Ruby was not needed to apply patches to ruby tarball.

#5 - 02/05/2018 01:14 AM - hsbt (Hiroshi SHIBATA)

- Backport changed from 2.3: UNKNOWN, 2.4: UNKNOWN, 2.5: REQUIRED to 2.3: DONTNEED, 2.4: DONTNEED, 2.5: REQUIRED

#6 - 02/21/2018 06:08 AM - naruse (Yui NARUSE)

- Backport changed from 2.3: DONTNEED, 2.4: DONTNEED, 2.5: REQUIRED to 2.3: DONTNEED, 2.4: DONTNEED, 2.5: DONE

ruby_2_5 r62509 merged revision(s) 61523.

#7 - 06/23/2018 07:11 PM - vo.x (Vit Ondruch)

- Has duplicate Bug #14831: [BUG] Segmentation fault at 0x0000000000000020 ruby 2.5.0p0 (2017-12-25 revision 61468) [x86_64-darwin17] added