

Ruby trunk - Bug #2304

in gem_prelude: unknown encoding name - filesystem

10/29/2009 10:23 AM - duerst (Martin Dürst)

Status: Closed	
Priority: Normal	
Assignee:	
Target version:	
ruby -v: ruby 1.9.2dev (2009-10-28 trunk 25530) [i386-cygwin]	Backport:
Description =begin When trying to compile Ruby, when it processes known errors, I get the following error: ruby ./tool/generic_erb.rb -c -o known_errors.inc ./template/known_errors.inc.tmpl ./defs/known_errors.def Error loading gem paths on load path in gem_prelude unknown encoding name - filesystem internal:gem_prelude:70 :in find' <internal:gem_prelude>:70:inset_home' internal:gem_prelude:38 :in dir' <internal:gem_prelude>:83:indir' internal:gem_prelude:47 :in set_paths' <internal:gem_prelude>:227:inpush_all_highest_version_gems_on_load_path' internal:gem_prelude:301 :in `` For some reason, this error message also gets written to revision.h, which then causes more errors. =end	
Related issues:	
Related to Ruby trunk - Bug #2178: in gem_prelude.rb: encoding error	Closed 10/06/2009

History

#1 - 10/29/2009 11:52 AM - naruse (Yui NARUSE)

- Status changed from Open to Closed

```
=begin
this is already fixed at r25555
=end
```