

Ruby trunk - Feature #2323

"Z".."Z".succ

11/02/2009 04:19 PM - hasari (Hiro Asari)

Status:	Assigned	
Priority:	Normal	
Assignee:	matz (Yukihiro Matsumoto)	
Target version:		
Description		
<pre>=begin surfboard:~\$ ruby1.9 -v; ruby1.9 -e 'p ("Z".."Z".succ); p ("Z".."Z".succ).to_a' ruby 1.9.2dev (2009-11-02 trunk 25625) [x86_64-darwin10.0.0] "Z".."AA" [] "Z".succ < Range "AA" surfboard:~\$ ruby1.9 -e 'p ("Z".."ZA").include? "Z".succ' true surfboard:~\$ ruby1.9 -e 'p ("Z".."CA").include? "Z".succ' false to_a surfboard:~\$ ruby1.9 -e 'p ("Z".."ZA").to_a.include? "Z".succ' true surfboard:~\$ ruby1.9 -e 'p ("Z".."CA").to_a.include? "Z".succ' false =end</pre>		
Related issues:		
Related to Ruby trunk - Feature #5607: Inconsistent reaction in Range of String		Assigned

History

#1 - 11/03/2009 10:23 PM - hasari (Hiro Asari)

=begin
[]

2009/11/2 Nobuyoshi Nakada nobu@ruby-lang.org:

[]

At Mon, 2 Nov 2009 16:19:40 +0900,
Hiro Asari wrote in [ruby-dev:39604]:

```
surfboard:~$ ruby1.9 -v; ruby1.9 -e 'p ("Z".."Z".succ); p ("Z".."Z".succ).to_a'
ruby 1.9.2dev (2009-11-02 trunk 25625) [x86_64-darwin10.0.0]
"Z".."AA"
[]
```

[]

[]

[]

[]

<http://redmine.ruby-lang.org/issues/show/1891>

["Z", "A", "a"]

["Z", "A", "a"]

00000000000000000000(0000)00000000

00

- 00000000ASCII0000000000000000
- 0000ASCII100000000000ASCII0000000000

00000000000000000000000000000000
00000000000000000000000000000000

00000000000000

Range#each 00000000 succ 0000000000000000

String 0 Symbol 00000000 upto 00000000

String#upto 0000 String#succ 0000000000

000000000000 String#upto 0000000000

0000000Range#to_a 00 Range#each000000

range_each 000 String#upto 0000000000

00000000000000000000000000000000

% ruby19 -ve"Z".upto("AA"){|x|p x}'
ruby 1.9.2dev (2009-11-02 trunk 25632) [x86_64-freebsd8.0]

00000000000000
0000succ00000000000000000000000000
00000000000000000000000000000000
00000000

000000000000000000000000
000000000000 "0 0" 00000000 "0 00" 000000
upto 0000000000000000
"0 0".upto("0 00"){|x|p x}

00
0000000000000000
00

000000000 succ 000000000000000000000000
0000000000000000000000000000000000
0000000000000000000000000000000000

--
NARUSE, Yui naruse@airemix.jp

=end

#4 - 12/14/2009 12:07 PM - naruse (Yui NARUSE)

- Category set to core
- Status changed from Open to Assigned
- Assignee set to matz (Yukihiko Matsumoto)
- Priority changed from Normal to 3

=begin
Ruby 1.9 Feature 000000000000 Low 00000000
=end

#5 - 03/19/2010 08:56 PM - mame (Yusuke Endoh)

- Target version set to 1.9.2

=begin
=end

#6 - 04/04/2010 01:25 AM - znz (Kazuhiro NISHIYAMA)

- Target version changed from 1.9.2 to 2.0.0

=begin

