

Ruby master - Bug #3323

Spawning process on unicode path is not supported on windows

05/20/2010 06:32 PM - vo.x (Vit Ondruch)

Status: Closed	
Priority: Normal	
Assignee: usa (Usaku NAKAMURA)	
Target version: 2.0.0	
ruby -v: ruby 1.9.3dev (2010-05-20 trunk 27916) [i386-mingw32]	Backport:
Description =begin Attached patch should address this issue. =end	
Related issues: Is duplicate of Ruby master - Bug #1771: system()/popen()/popen3() & windows ... Closed 07/13/2009	

History

#1 - 05/20/2010 06:44 PM - usa (Usaku NAKAMURA)

- Status changed from Open to Assigned

=begin
Encoding of the arguments of CreateChild() is not UTF-8, in many cases.
=end

#2 - 05/20/2010 06:55 PM - vo.x (Vit Ondruch)

=begin
ahh, sorry, I was too optimistic ...
=end

#3 - 05/26/2010 06:16 PM - usa (Usaku NAKAMURA)

- Target version changed from 1.9.2 to 2.0.0

=begin
=end

#4 - 06/03/2010 10:30 AM - usa (Usaku NAKAMURA)

- Category set to M17N

=begin
=end

#5 - 06/27/2011 04:13 PM - usa (Usaku NAKAMURA)

- Status changed from Assigned to Closed

fixed at r29166.

Files

CreateChild.patch	1.51 KB	05/20/2010	vo.x (Vit Ondruch)
-------------------	---------	------------	--------------------