

+

- [REDACTED]
- [REDACTED]
- [REDACTED]

+

- [REDACTED]
- [REDACTED]
- [REDACTED]

+

- [REDACTED]
- [REDACTED]
- [REDACTED]

end

```
def non_options(files, options)
```

- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]

```
+
true
end
end
@@ -175,7 +206,7 @@ module Test
$: << d
end
begin
```

- [REDACTED]

- [REDACTED]

```
    result = true
  rescue LoadError
    puts "#{f}: #{!}"
```

```
@@ -186,32 +217,301 @@ module Test
end
```

```
class Runner < MiniTest::Unit
```

- [REDACTED]

- [REDACTED]

```
include Test::Unit::GlobOption
include Test::Unit::LoadPathOption
include Test::Unit::GCStressOption
include Test::Unit::RunCount
```

```
class << self; undef autorun; end
```

```
+
```

- [REDACTED]

- [REDACTED]

```
+
```

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]

+

- [REDACTED]

```
def self.autorun
  at_exit {
    Test::Unit::RunCount.run_once {
      exit(Test::Unit::Runner.new.run(ARGV) || true)
    }
  }
end
```

- [REDACTED]

- [REDACTED]

```
} unless @@installed_at_exit
@@installed_at_exit = true
end
```

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

+

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

+

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]

```
+  
def _run_suites suites, type  
  @interrupt = nil  
  result = []
```

- [REDACTED]
- [REDACTED]
 begin
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]

+

- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]

+

- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]

- [Redacted]
- [Redacted]
- [Redacted]

+

- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]

- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]

+

- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]

- [REDACTED]

- [REDACTED]

+

- [REDACTED]

- [REDACTED]

```
rescue Interrupt => e  
  @interrupt = e
```

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

+

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]

+
+
end

- [REDACTED]
- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

+

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

+

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

+

- [REDACTED]

+

- [Redacted]

- [Redacted]

- [Redacted]

- [Redacted]

- [Redacted]

- [Redacted]

- [Redacted]

- [Redacted]

- [Redacted]

+

- [Redacted]

+

- [Redacted]

+

- [Redacted]

+

- [Redacted]

- [Redacted]

+

- [Redacted]

- [Redacted]

- [Redacted]

- [Redacted]

- [Redacted]

+

- [Redacted]

- [Redacted]

- [Redacted]

- [Redacted]

+

- [Redacted]

- [Redacted]

- [Redacted]

- [Redacted]

- [Redacted]

- [Redacted]

- [Redacted]

- [Redacted]

- [Redacted]

+

- [Redacted]

- [Redacted]

- [Redacted]

- [Redacted]

+

- [Redacted]

- [Redacted]

- [Redacted]

+

+

- [Redacted]

- [Redacted]

- [Redacted]

- [Redacted]

- [Redacted]

- [Redacted]

- [Redacted]

- [Redacted]

- [Redacted]

- [Redacted]

- [Redacted]

+

- [Redacted]

- [Redacted]

- [Redacted]

- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]

+

- [Redacted]
- [Redacted]

+

- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]

+

- [REDACTED]

- [REDACTED]

+

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- end

- end

```

+end
+
+Test::Unit::Worker.new.run(ARGV)
diff --git test/csv/test_serialization.rb test/csv/test_serialization.rb
index 0adb972..ba19b7a 100755
--- test/csv/test_serialization.rb
+++ test/csv/test_serialization.rb
@@ -131,7 +131,7 @@ class TestCSV::Serialization < TestCSV
def test_io
test_class_dump

```

- data_file = File.join(File.dirname(**FILE**), "temp_test_data.csv")
- data_file = File.join(File.dirname(**FILE**), "serialization_test_data.csv")
CSV.dump(@names, File.open(data_file, "wb"))

```

assert(File.exist?(data_file))
diff --git test/net/http/test_https.rb test/net/http/test_https.rb
index 983ba7f..12684f6 100644
--- test/net/http/test_https.rb
+++ test/net/http/test_https.rb
@@ -24,7 +24,7 @@ class TestNetHTTPS < Test::Unit::TestCase

```

```

CONFIG = {
'host' => '127.0.0.1',


```

- 'port' => 10082, # different from test_http.rb
- 'port' => 10082,
'proxy_host' => nil,
'proxy_port' => nil,
'ssl_enable' => true,
diff --git test/rake/test_file_task.rb test/rake/test_file_task.rb
index 1b0c0a5..0232ac9 100644
--- test/rake/test_file_task.rb
+++ test/rake/test_file_task.rb
@@ -29,7 +29,9 @@ class Rake::TestFileTask < Test::Unit::TestCase
end

```

def test_file_times_new_depends_on_old

```

- create_timed_files(OLDFILE, NEWFILE)
- until File.exist?(OLDFILE) && File.exist?(NEWFILE)
- 
- end

```


t1 = Rake.application.intern(FileTask, NEWFILE).enhance([OLDFILE])
t2 = Rake.application.intern(FileTask, OLDFILE)
@@ -38,7 +40,9 @@ class Rake::TestFileTask < Test::Unit::TestCase  
end

```

```

def test_file_times_old_depends_on_new

```

- create_timed_files(OLDFILE, NEWFILE)
- until File.exist?(OLDFILE) && File.exist?(NEWFILE)
- 
- end

```

t1 = Rake.application.intern(FileTask,OLDFILE).enhance([NEWFILE])

```

```
t2 = Rake.application.intern(FileTask, NEWFILE)
@@ -93,46 +97,46 @@ class Rake::TestDirectoryTask < Test::Unit::TestCase
include Rake
```

```
def setup
```

- `rm_rf "testdata", :verbose=>false`
 - `rm_rf "testdata2", :verbose=>false`
- ```
end
```

```
def teardown
```

- `rm_rf "testdata", :verbose=>false`
  - `rm_rf "testdata2", :verbose=>false`
- ```
end
```

```
def test_directory
desc "DESC"
```

- `directory "testdata/a/b/c"`
 - `assert_equal FileCreationTask, Task["testdata"].class`
 - `assert_equal FileCreationTask, Task["testdata/a"].class`
 - `assert_equal FileCreationTask, Task["testdata/a/b/c"].class`
 - `assert_nil Task["testdata"].comment`
 - `assert_equal "DESC", Task["testdata/a/b/c"].comment`
 - `assert_nil Task["testdata/a/b"].comment`
 - `directory "testdata2/a/b/c"`
 - `assert_equal FileCreationTask, Task["testdata2"].class`
 - `assert_equal FileCreationTask, Task["testdata2/a"].class`
 - `assert_equal FileCreationTask, Task["testdata2/a/b/c"].class`
 - `assert_nil Task["testdata2"].comment`
 - `assert_equal "DESC", Task["testdata2/a/b/c"].comment`
 - `assert_nil Task["testdata2/a/b"].comment`
- ```
verbose(false) {
```

- `[REDACTED]`

- `[REDACTED]`

```
}
```

- `assert File.exist?("testdata/a/b")`
- `assert ! File.exist?("testdata/a/b/c")`
- `assert File.exist?("testdata2/a/b")`
- `assert ! File.exist?("testdata2/a/b/c")`





```
• [REDACTED]
• [REDACTED]
• [REDACTED]
• [REDACTED]
end

end
end
=end
```

## Associated revisions

### Revision a790bd0b - 02/22/2011 03:36 AM - sorah (Sorah Fukumori)

- lib/test/unit.rb: Add new options; --jobs,-j,--ruby,--jobs-status, --no-retry. [Feature #4415] [ruby-dev:43226],[ruby-dev:43222],[ruby-core:35294]
- lib/test/unit/parallel.rb: Used at test/unit --jobs(-j) option.
- test/csv/test\_serialization.rb: test/unit parallel running ready.
- test/rake/test\_file\_task.rb: test/unit parallel running ready.

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@30939 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

### Revision 30939 - 02/22/2011 03:36 AM - sorah (Sorah Fukumori)

- lib/test/unit.rb: Add new options; --jobs,-j,--ruby,--jobs-status, --no-retry. [Feature #4415] [ruby-dev:43226],[ruby-dev:43222],[ruby-core:35294]
- lib/test/unit/parallel.rb: Used at test/unit --jobs(-j) option.
- test/csv/test\_serialization.rb: test/unit parallel running ready.
- test/rake/test\_file\_task.rb: test/unit parallel running ready.

### Revision 30939 - 02/22/2011 03:36 AM - sorah (Sorah Fukumori)

- lib/test/unit.rb: Add new options; --jobs,-j,--ruby,--jobs-status, --no-retry. [Feature #4415] [ruby-dev:43226],[ruby-dev:43222],[ruby-core:35294]
- lib/test/unit/parallel.rb: Used at test/unit --jobs(-j) option.
- test/csv/test\_serialization.rb: test/unit parallel running ready.
- test/rake/test\_file\_task.rb: test/unit parallel running ready.

### Revision 30939 - 02/22/2011 03:36 AM - sorah (Sorah Fukumori)

- lib/test/unit.rb: Add new options; --jobs,-j,--ruby,--jobs-status, --no-retry. [Feature #4415] [ruby-dev:43226],[ruby-dev:43222],[ruby-core:35294]
- lib/test/unit/parallel.rb: Used at test/unit --jobs(-j) option.
- test/csv/test\_serialization.rb: test/unit parallel running ready.
- test/rake/test\_file\_task.rb: test/unit parallel running ready.

Revision 30939 - 02/22/2011 03:36 AM - sorah (Sorah Fukumori)

- lib/test/unit.rb: Add new options; --jobs,-j,--ruby,--jobs-status, --no-retry. [Feature #4415] [ruby-dev:43226],[ruby-dev:43222],[ruby-core:35294]
- lib/test/unit/parallel.rb: Used at test/unit --jobs(-j) option.
- test/csv/test\_serialization.rb: test/unit parallel running ready.
- test/rake/test\_file\_task.rb: test/unit parallel running ready.

Revision 30939 - 02/22/2011 03:36 AM - sorah (Sorah Fukumori)

- lib/test/unit.rb: Add new options; --jobs,-j,--ruby,--jobs-status, --no-retry. [Feature #4415] [ruby-dev:43226],[ruby-dev:43222],[ruby-core:35294]
- lib/test/unit/parallel.rb: Used at test/unit --jobs(-j) option.
- test/csv/test\_serialization.rb: test/unit parallel running ready.
- test/rake/test\_file\_task.rb: test/unit parallel running ready.

History

#1 - 02/21/2011 10:17 PM - matz (Yukihiko Matsumoto)

=begin  
□□□□ □□□□□□

In message "Re: [Ruby 1.9-Feature#4415][Open] Ruby□test-all□□□□□□□□□□□□□□□□"  
on Mon, 21 Feb 2011 22:09:12 +0900, Shota Fukumori [redmine@ruby-lang.org](mailto:redmine@ruby-lang.org) writes:

|Feature #4415: Ruby□test-all□□□□□□□□□□□□□□□□  
|<http://redmine.ruby-lang.org/issues/show/4415>

|□□□□: Shota Fukumori  
|□□□□□□: Open, □□□□: Normal  
|□□□□: lib

|# □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

|□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

|□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□?□□□□□□□□□□□□

|□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□Fail□□□□□□□□□□□□□□□□□□□□□□□□  
|(worker□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□)

|□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□PGP□□  
□□ssh2□□□□□ [cvs-admin@ruby-lang.org](mailto:cvs-admin@ruby-lang.org) □□□□□□□□□□□□

□□□□□□□□□□□□

=end



#3 - 02/21/2011 10:27 PM - sorah (Sorah Fukumori)

=begin  
#####!

#####lib/test/\*#####

2011/2/21 Yukihiro Matsumoto [matz@ruby-lang.org](mailto:matz@ruby-lang.org):

#####PGP  
#####  
#####  
#####

--  
Shota Fukumori a.k.a. @sora\_h - <http://codnote.net/>

=end

#4 - 02/21/2011 10:33 PM - sorah (Sorah Fukumori)

=begin  
#####

2011/2/21 Kouhei Sutou [kou@cozmixng.org](mailto:kou@cozmixng.org):

#####a, b, x#####  
#####  
#####

--  
Shota Fukumori a.k.a. @sora\_h - <http://codnote.net/>

=end

**#5 - 02/22/2011 12:37 PM - sorah (Sorah Fukumori)**

- Status changed from Open to Closed

- % Done changed from 0 to 100

=begin

This issue was solved with changeset [r30939](#).

Shota, thank you for reporting this issue.

Your contribution to Ruby is greatly appreciated.

May Ruby be with you.

- 
- lib/test/unit.rb: Add new options; --jobs,-j,--ruby,--jobs-status, --no-retry. [Feature [#4415](#) ],,
  - lib/test/unit/parallel.rb: Used at test/unit --jobs(-j) option.
  - test/csv/test\_serialization.rb: test/unit parallel running ready.
  - test/rake/test\_file\_task.rb: test/unit parallel running ready. =end