

## Ruby master - Bug #5802

### 0 assertions in test/readline/test\_readline.rb:test\_line\_buffer\_\_point

12/24/2011 12:39 AM - no6v (Nobuhiro IMAI)

<b>Status:</b> Closed	
<b>Priority:</b> Normal	
<b>Assignee:</b>	
<b>Target version:</b>	
<b>ruby -v:</b> ruby 2.0.0dev (2011-12-23 trunk 34110) [x86_64-linux]	<b>Backport:</b>
<b>Description</b>	
<pre>=begin test/readline/test_readline.rb test_line_buffer__point assertion Readline.completion_proc proc return  \$ ruby test/readline/test_readline.rb -n test_line_buffer__point -v Run options: -n test_line_buffer__point -v  # Running tests:  TestReadline#test_line_buffer__point = 0.00 s = .  Finished tests in 0.001841s, 543.1459 tests/s, 0.0000 assertions/s.  1 tests, 0 assertions, 0 failures, 0 errors, 0 skips  ruby -v: ruby 2.0.0dev (2011-12-23 trunk 34110) [x86_64-linux]  \$ ruby -cw test/readline/test_readline.rb test/readline/test_readline.rb:142: warning: assigned but unused variable - actual_buffer_line test/readline/test_readline.rb:150: warning: assigned but unused variable - line Syntax OK  Readline.completion_append_character " " nil  =end</pre>	

#### Associated revisions

##### Revision 83971343 - 12/23/2011 09:59 PM - nobu (Nobuyoshi Nakada)

- test/readline/test\_readline.rb (test\_line\_buffer\_\_point): use lambda not to exit entire method by "return". or "next" for proc. [ruby-dev:45042] [Bug #5802]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@34115 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

##### Revision 34115 - 12/23/2011 09:59 PM - nobu (Nobuyoshi Nakada)

- test/readline/test\_readline.rb (test\_line\_buffer\_\_point): use lambda not to exit entire method by "return". or "next" for proc. [ruby-dev:45042] [Bug #5802]

##### Revision 34115 - 12/23/2011 09:59 PM - nobu (Nobuyoshi Nakada)

- test/readline/test\_readline.rb (test\_line\_buffer\_\_point): use lambda not to exit entire method by "return". or "next" for proc. [ruby-dev:45042]

[Bug #5802]

**Revision 34115 - 12/23/2011 09:59 PM - nobu (Nobuyoshi Nakada)**

- test/readline/test\_readline.rb (test\_line\_buffer\_\_point): use lambda not to exit entire method by "return". or "next" for proc. [ruby-dev:45042] [Bug #5802]

**Revision 34115 - 12/23/2011 09:59 PM - nobu (Nobuyoshi Nakada)**

- test/readline/test\_readline.rb (test\_line\_buffer\_\_point): use lambda not to exit entire method by "return". or "next" for proc. [ruby-dev:45042] [Bug #5802]

**Revision 34115 - 12/23/2011 09:59 PM - nobu (Nobuyoshi Nakada)**

- test/readline/test\_readline.rb (test\_line\_buffer\_\_point): use lambda not to exit entire method by "return". or "next" for proc. [ruby-dev:45042] [Bug #5802]

**Revision 34115 - 12/23/2011 09:59 PM - nobu (Nobuyoshi Nakada)**

- test/readline/test\_readline.rb (test\_line\_buffer\_\_point): use lambda not to exit entire method by "return". or "next" for proc. [ruby-dev:45042] [Bug #5802]

**Revision 54209dd1 - 02/17/2012 02:47 AM - naruse (Yui NARUSE)**

merge revision(s) 34115:

```
* test/readline/test_readline.rb (test_line_buffer__point): use
  lambda not to exit entire method by "return". or "next" for
  proc. [ruby-dev:45042] [Bug #5802]
```

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/branches/ruby\_1\_9\_3@34655 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

---

## History

**#1 - 12/24/2011 06:59 AM - nobu (Nobuyoshi Nakada)**

- Status changed from Open to Closed

- % Done changed from 0 to 100

This issue was solved with changeset r34115.  
Nobuhiro, thank you for reporting this issue.  
Your contribution to Ruby is greatly appreciated.  
May Ruby be with you.

- 
- test/readline/test\_readline.rb (test\_line\_buffer\_\_point): use lambda not to exit entire method by "return". or "next" for proc. [ruby-dev:45042] [Bug #5802]

---

## Files

0001-fix-typo-and-suppress-warning-assigned-but-unused-va.patch	1.21 KB	12/24/2011	no6v (Nobuhiro IMAI)
0002-test-in-both-cases-of-Readline.completion_append_cha.patch	2.99 KB	12/24/2011	no6v (Nobuhiro IMAI)