

Ruby master - Bug #5879

\$ignore_error use before set

01/12/2012 01:19 AM - znz (Kazuhiro NISHIYAMA)

Status:	Closed	
Priority:	Normal	
Assignee:	nobu (Nobuyoshi Nakada)	
Target version:	2.0.0	
ruby -v:	ruby 2.0.0dev (2012-01-12 trunk 34271) [x86_64-linux]	Backport:

Description

```
lib/mkmf.rb make_makefile
$ignore_error = $nmake ? " : ' 2> /dev/null || true'

$ignore_error make_makefile
CLEANINGS $ignore_error
DISTCLEANDIRS RMDIRS ' 2> /dev/null || true'
```

make realclean Linux rmdir: ...
Mac OS X usage: rmdir [-p] directory ...

Associated revisions

Revision 912b6606 - 01/12/2012 09:44 AM - nobu (Nobuyoshi Nakada)

- lib/mkmf.rb: fix r33904 and revert r33905. initialize global variables with init_mkmf before initializing constants. [ruby-dev:45124] [Bug #5879]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@34279 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision 34279 - 01/12/2012 09:44 AM - nobu (Nobuyoshi Nakada)

- lib/mkmf.rb: fix r33904 and revert r33905. initialize global variables with init_mkmf before initializing constants. [ruby-dev:45124] [Bug #5879]

Revision 34279 - 01/12/2012 09:44 AM - nobu (Nobuyoshi Nakada)

- lib/mkmf.rb: fix r33904 and revert r33905. initialize global variables with init_mkmf before initializing constants. [ruby-dev:45124] [Bug #5879]

Revision 34279 - 01/12/2012 09:44 AM - nobu (Nobuyoshi Nakada)

- lib/mkmf.rb: fix r33904 and revert r33905. initialize global variables with init_mkmf before initializing constants. [ruby-dev:45124] [Bug #5879]

Revision 34279 - 01/12/2012 09:44 AM - nobu (Nobuyoshi Nakada)

- lib/mkmf.rb: fix r33904 and revert r33905. initialize global variables with init_mkmf before initializing constants. [ruby-dev:45124] [Bug #5879]

Revision 34279 - 01/12/2012 09:44 AM - nobu (Nobuyoshi Nakada)

- lib/mkmf.rb: fix r33904 and revert r33905. initialize global variables with init_mkmf before initializing constants. [ruby-dev:45124] [Bug #5879]

Revision 34279 - 01/12/2012 09:44 AM - nobu (Nobuyoshi Nakada)

- lib/mkmf.rb: fix r33904 and revert r33905. initialize global variables with init_mkmf before initializing constants. [ruby-dev:45124] [Bug #5879]

History

#1 - 01/12/2012 06:44 PM - nobu (Nobuyoshi Nakada)

- Status changed from Open to Closed

- % Done changed from 0 to 100

This issue was solved with changeset r34279.
Kazuhiro, thank you for reporting this issue.
Your contribution to Ruby is greatly appreciated.
May Ruby be with you.

- lib/mkmf.rb: fix r33904 and revert r33905. initialize global variables with init_mkmf before initializing constants. [ruby-dev:45124] [Bug [#5879](#)]