

## Backport193 - Backport #6316

### configure script fails to detect executables

04/18/2012 06:13 PM - I0b0 (Victor Engmark)

<b>Status:</b>	Closed
<b>Priority:</b>	Normal
<b>Assignee:</b>	nobu (Nobuyoshi Nakada)
<b>Description</b>	
=begin When running ((./configure)) on the git master branch, it fails to detect several executables which are present. See (( )) for details.  The cause is essentially that ((AC_CHECK_PROG)) takes three arguments, but only two are provided. =end	

#### Associated revisions

##### Revision 7cfc4be2 - 04/18/2012 01:59 PM - nobu (Nobuyoshi Nakada)

- configure.in (DOT, DOXYGEN): use AC\_CHECK\_PROGS instead of AC\_CHECK\_PROG which needs the third argument. [ruby-core:44433] [Bug #6316]
- configure.in (PKG\_CONFIG): fix condition to skip older version of pkg-config. continue in backticks does not affect outside.

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@35387 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

##### Revision 35387 - 04/18/2012 01:59 PM - nobu (Nobuyoshi Nakada)

- configure.in (DOT, DOXYGEN): use AC\_CHECK\_PROGS instead of AC\_CHECK\_PROG which needs the third argument. [ruby-core:44433] [Bug #6316]
- configure.in (PKG\_CONFIG): fix condition to skip older version of pkg-config. continue in backticks does not affect outside.

##### Revision 35387 - 04/18/2012 01:59 PM - nobu (Nobuyoshi Nakada)

- configure.in (DOT, DOXYGEN): use AC\_CHECK\_PROGS instead of AC\_CHECK\_PROG which needs the third argument. [ruby-core:44433] [Bug #6316]
- configure.in (PKG\_CONFIG): fix condition to skip older version of pkg-config. continue in backticks does not affect outside.

##### Revision 35387 - 04/18/2012 01:59 PM - nobu (Nobuyoshi Nakada)

- configure.in (DOT, DOXYGEN): use AC\_CHECK\_PROGS instead of AC\_CHECK\_PROG which needs the third argument. [ruby-core:44433] [Bug #6316]
- configure.in (PKG\_CONFIG): fix condition to skip older version of pkg-config. continue in backticks does not affect outside.

##### Revision 35387 - 04/18/2012 01:59 PM - nobu (Nobuyoshi Nakada)

- configure.in (DOT, DOXYGEN): use AC\_CHECK\_PROGS instead of AC\_CHECK\_PROG which needs the third argument. [ruby-core:44433] [Bug #6316]
- configure.in (PKG\_CONFIG): fix condition to skip older version of pkg-config. continue in backticks does not affect outside.

##### Revision 35387 - 04/18/2012 01:59 PM - nobu (Nobuyoshi Nakada)

- configure.in (DOT, DOXYGEN): use AC\_CHECK\_PROGS instead of AC\_CHECK\_PROG which needs the third argument. [ruby-core:44433] [Bug #6316]
- configure.in (PKG\_CONFIG): fix condition to skip older version of pkg-config. continue in backticks does not affect outside.

##### Revision 35387 - 04/18/2012 01:59 PM - nobu (Nobuyoshi Nakada)

- configure.in (DOT, DOXYGEN): use AC\_CHECK\_PROGS instead of AC\_CHECK\_PROG which needs the third argument. [ruby-core:44433] [Bug #6316]
- configure.in (PKG\_CONFIG): fix condition to skip older version of pkg-config. continue in backticks does not affect outside.

##### Revision 24620aaf - 04/18/2012 02:09 PM - nobu (Nobuyoshi Nakada)

merge revision(s) 35387:

```
* configure.in (DOT, DOXYGEN): use AC_CHECK_PROGS instead of
AC_CHECK_PROG which needs the third argument. [ruby-core:44433]
[Bug #6316]
```

```
* configure.in (PKG_CONFIG): fix condition to skip older version
of pkg-config. continue in backticks does not affect outside.
```

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/branches/ruby\_1\_9\_3@35388 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

#### Revision 35388 - 04/18/2012 02:09 PM - nobu (Nobuyoshi Nakada)

merge revision(s) 35387:

```
* configure.in (DOT, DOXYGEN): use AC_CHECK_PROGS instead of
AC_CHECK_PROG which needs the third argument. [ruby-core:44433]
[Bug #6316]
```

```
* configure.in (PKG_CONFIG): fix condition to skip older version
of pkg-config. continue in backticks does not affect outside.
```

## History

---

### #1 - 04/18/2012 06:17 PM - Iob0 (Victor Engmark)

- File *config.log* added

Log file

### #2 - 04/18/2012 06:24 PM - shyouhei (Shyouhei Urabe)

- Status changed from *Open* to *Assigned*

- Assignee set to *nobu* (Nobuyoshi Nakada)

### #3 - 04/18/2012 10:59 PM - nobu (Nobuyoshi Nakada)

- Status changed from *Assigned* to *Closed*

- % Done changed from *0* to *100*

This issue was solved with changeset [r35387](#).

Victor, thank you for reporting this issue.

Your contribution to Ruby is greatly appreciated.

May Ruby be with you.

---

- `configure.in` (DOT, DOXYGEN): use `AC_CHECK_PROGS` instead of `AC_CHECK_PROG` which needs the third argument. [ruby-core:44433] [Bug #6316]
- `configure.in` (PKG\_CONFIG): fix condition to skip older version of `pkg-config`. `continue` in backticks does not affect outside.

### #4 - 04/18/2012 11:08 PM - nobu (Nobuyoshi Nakada)

- Tracker changed from *Bug* to *Backport*

- Project changed from *Ruby master* to *Backport193*

- Category *deleted* (*build*)

- Status changed from *Closed* to *Open*

### #5 - 04/18/2012 11:09 PM - nobu (Nobuyoshi Nakada)

- Status changed from *Open* to *Closed*

This issue was solved with changeset [r35388](#).

Victor, thank you for reporting this issue.

Your contribution to Ruby is greatly appreciated.

May Ruby be with you.

---

merge revision(s) 35387:

```
* configure.in (DOT, DOXYGEN): use AC_CHECK_PROGS instead of
AC_CHECK_PROG which needs the third argument. [ruby-core:44433]
[Bug #6316]
```

```
* configure.in (PKG_CONFIG): fix condition to skip older version  
of pkg-config. continue in backticks does not affect outside.
```

## Files

---

config.log	611 KB	04/18/2012	l0b0 (Victor Engmark)
------------	--------	------------	-----------------------