

## Ruby trunk - Bug #6904

### make -j all fails (sometimes)

08/22/2012 11:44 AM - shyouhei (Shyouhei Urabe)

<b>Status:</b> Closed	
<b>Priority:</b> Normal	
<b>Assignee:</b> nobu (Nobuyoshi Nakada)	
<b>Target version:</b> 2.0.0	
<b>ruby -v:</b> bbb6b5e84e53b17c5c08072cae05aed6d e6e3abe	<b>Backport:</b>
<b>Description</b> make -j <a href="http://travis-ci.org/#!/ruby/ruby/jobs/2194633">http://travis-ci.org/#!/ruby/ruby/jobs/2194633</a>  cp: cp: cp: cannot create regular file ../../.ext/common/openssl'cannot create regular file ../../.ext/common/openssl': File exists: File existscannot create regular file ../../.ext/common/openssl': File existscp:  GNU Make -j(gmake)	
<b>Related issues:</b>	
Related to Ruby trunk - Bug #7265: r37414 breaks building with BSD make and n...	<b>Closed</b> 11/02/2012
Related to Ruby trunk - Bug #7260: make realclean Error	<b>Closed</b> 11/02/2012
Related to Ruby trunk - Bug #7698: RubyGems 2.0 has an incompatibility about ...	<b>Closed</b> 01/15/2013
Has duplicate Backport193 - Backport #7217: Race condition in build process?	<b>Closed</b> 10/26/2012

#### Associated revisions

##### Revision 83e728a7 - 08/24/2012 06:42 AM - nobu (Nobuyoshi Nakada)

mkmf.rb: timestamp for directories

- lib/mkmf.rb (create\_makefile): use timestamp for destination directories. [ruby-dev:46067] [Bug #6904]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@36815 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

##### Revision 36815 - 08/24/2012 06:42 AM - nobu (Nobuyoshi Nakada)

mkmf.rb: timestamp for directories

- lib/mkmf.rb (create\_makefile): use timestamp for destination directories. [ruby-dev:46067] [Bug #6904]

##### Revision 36815 - 08/24/2012 06:42 AM - nobu (Nobuyoshi Nakada)

mkmf.rb: timestamp for directories

- lib/mkmf.rb (create\_makefile): use timestamp for destination directories. [ruby-dev:46067] [Bug #6904]

##### Revision 36815 - 08/24/2012 06:42 AM - nobu (Nobuyoshi Nakada)

mkmf.rb: timestamp for directories

- lib/mkmf.rb (create\_makefile): use timestamp for destination directories. [ruby-dev:46067] [Bug #6904]

##### Revision 36815 - 08/24/2012 06:42 AM - nobu (Nobuyoshi Nakada)

mkmf.rb: timestamp for directories

- lib/mkmf.rb (create\_makefile): use timestamp for destination directories. [ruby-dev:46067] [Bug #6904]

##### Revision 36815 - 08/24/2012 06:42 AM - nobu (Nobuyoshi Nakada)

mkmf.rb: timestamp for directories

- lib/mkmf.rb (create\_makefile): use timestamp for destination directories. [ruby-dev:46067] [Bug #6904]

**Revision 36815 - 08/24/2012 06:42 AM - nobu (Nobuyoshi Nakada)**

mkmf.rb: timestamp for directories

- lib/mkmf.rb (create\_makefile): use timestamp for destination directories. [ruby-dev:46067] [Bug #6904]

**Revision d42794b7 - 08/24/2012 06:56 AM - nobu (Nobuyoshi Nakada)**

ChangeLog: add description [ruby-dev:46067] [Bug #6904]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@36816 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

**Revision 36816 - 08/24/2012 06:56 AM - nobu (Nobuyoshi Nakada)**

ChangeLog: add description [ruby-dev:46067] [Bug #6904]

**Revision 36816 - 08/24/2012 06:56 AM - nobu (Nobuyoshi Nakada)**

ChangeLog: add description [ruby-dev:46067] [Bug #6904]

**Revision 36816 - 08/24/2012 06:56 AM - nobu (Nobuyoshi Nakada)**

ChangeLog: add description [ruby-dev:46067] [Bug #6904]

**Revision 36816 - 08/24/2012 06:56 AM - nobu (Nobuyoshi Nakada)**

ChangeLog: add description [ruby-dev:46067] [Bug #6904]

**Revision 36816 - 08/24/2012 06:56 AM - nobu (Nobuyoshi Nakada)**

ChangeLog: add description [ruby-dev:46067] [Bug #6904]

**Revision 36816 - 08/24/2012 06:56 AM - nobu (Nobuyoshi Nakada)**

ChangeLog: add description [ruby-dev:46067] [Bug #6904]

**Revision b903ab94 - 08/24/2012 07:13 AM - nobu (Nobuyoshi Nakada)**

mkmf.rb: fix r36815

- lib/mkmf.rb (create\_makefile): remove unnecessary rule and newline. [ruby-dev:46067] [Bug #6904]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@36818 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

**Revision 36818 - 08/24/2012 07:13 AM - nobu (Nobuyoshi Nakada)**

mkmf.rb: fix r36815

- lib/mkmf.rb (create\_makefile): remove unnecessary rule and newline. [ruby-dev:46067] [Bug #6904]

**Revision 36818 - 08/24/2012 07:13 AM - nobu (Nobuyoshi Nakada)**

mkmf.rb: fix r36815

- lib/mkmf.rb (create\_makefile): remove unnecessary rule and newline. [ruby-dev:46067] [Bug #6904]

**Revision 36818 - 08/24/2012 07:13 AM - nobu (Nobuyoshi Nakada)**

mkmf.rb: fix r36815

- lib/mkmf.rb (create\_makefile): remove unnecessary rule and newline. [ruby-dev:46067] [Bug #6904]

**Revision 36818 - 08/24/2012 07:13 AM - nobu (Nobuyoshi Nakada)**

mkmf.rb: fix r36815

- lib/mkmf.rb (create\_makefile): remove unnecessary rule and newline. [ruby-dev:46067] [Bug #6904]

**Revision 36818 - 08/24/2012 07:13 AM - nobu (Nobuyoshi Nakada)**

mkmf.rb: fix r36815

- lib/mkmf.rb (create\_makefile): remove unnecessary rule and newline. [ruby-dev:46067] [Bug #6904]

**Revision 36818 - 08/24/2012 07:13 AM - nobu (Nobuyoshi Nakada)**

mkmf.rb: fix r36815

- lib/mkmf.rb (create\_makefile): remove unnecessary rule and newline. [ruby-dev:46067] [Bug #6904]

**Revision 58396030 - 11/08/2012 05:39 AM - usa (Usaku NAKAMURA)**

merge revision(s) 36815,36816,36818,37414,37426,37427: [Backport #7217]

Thu Nov 8 14:16:53 2012 Nobuyoshi Nakada [nobu@ruby-lang.org](mailto:nobu@ruby-lang.org)

```
* lib/mkmf.rb (MakeMakefile#timestamp_file): use .- instead of !, a
special character of NMAKE and BSD make. [Bug #7265]
```

Thu Nov 8 14:16:53 2012 Nobuyoshi Nakada [nobu@ruby-lang.org](mailto:nobu@ruby-lang.org)

```
* lib/mkmf.rb (MakeMakefile#timestamp_file): use ! instead of %, a GNU
make special character.
```

Thu Nov 8 14:16:53 2012 Nobuyoshi Nakada [nobu@ruby-lang.org](mailto:nobu@ruby-lang.org)

```
* lib/mkmf.rb (create_makefile): use timestamp for destination
directories to make them before making or copying files there.
[ruby-dev:46067] [Bug #6904]
```

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/branches/ruby\_1\_9\_3@37553 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

---

## History

**#1 - 08/24/2012 03:42 PM - nobu (Nobuyoshi Nakada)**

- Status changed from Assigned to Closed

- % Done changed from 0 to 100

This issue was solved with changeset [r36815](#).  
Shyouhei, thank you for reporting this issue.  
Your contribution to Ruby is greatly appreciated.  
May Ruby be with you.

---

mkmf.rb: timestamp for directories

- lib/mkmf.rb (create\_makefile): use timestamp for destination directories. [ruby-dev:46067] [Bug [#6904](#)]