

Ruby master - Feature #735

Date#inspect

11/10/2008 05:25 AM - rubikitch (rubikitch .)

Status:	Closed
Priority:	Normal
Assignee:	
Target version:	
Description	
<pre>=begin inspect Date#inspect # # require 'date' Date.today # => # Date.today.to_s # => "2008-11-10" DateTime.now # => # DateTime.now.to_s # => "2008-11-10T05:22:03+09:00" =end</pre>	

History

#1 - 11/10/2008 09:36 PM - tadf (tadayoshi funaba)

```
=begin
inspect Date#inspect
# #

inspect
inspect to_s

inspect smalltalk inspect inspect
inspect to_s

a = DateTime.parse('2008-11-10T01:02:03.123456789')
b = DateTime.parse('2008-11-10T01:02:03.1234567891')

inspect to_s

inspect inspect
ruby inspect

=end
```

#2 - 11/11/2008 12:59 AM - matz (Yukihiko Matsumoto)

```
=begin
In message "Re: [ruby-dev:37056] Re: [Feature #735] Date#inspect"
on Mon, 10 Nov 2008 21:33:56 +0900, Tadayoshi Funaba tadf@dotrb.org writes:
|> inspect Date#inspect
|> # #
```

```
|
|inspect
|
|inspect smalltalk
|inspect to_s
```

```
Smalltalker
inspect
inspect p
to_s
inspect
```

```
a b
|
| a = DateTime.parse('2008-11-10T01:02:03.123456789')
| b = DateTime.parse('2008-11-10T01:02:03.1234567891')
|
inspect to_s
```

```
Date#inspect to_s
Date#inspect
```

```
inspect
p
to_s Date
```

```
inspect
|ruby inspect
```

```
inspect to_s
(DateTime)
```

```
 /:|)
```

=end

#3 - 11/11/2008 06:59 AM - hiroshi (Hiroshi MORIYAMA)

=begin
Yukihiko Matsumoto wrote:

```
inspect to_s
(DateTime)
```

:

```
% ruby1.9 -rdate -e 'p Date.today'
2008-11-11
```

```
% ruby1.9 -rdate -e 'p Date.today' -d
#
```

```
% ruby1.9 -rdate -e 'p DateTime.now'
2008-11-11T06:24:32+09:00
```

```
% ruby1.9 -rdate -e 'p DateTime.now' -d
#
```

```
###:
```

```
Index: lib/date.rb
```

```
=====
```

```
--- lib/date.rb (revision 20171)
```

```
+++ lib/date.rb (working copy)
```

```
@@ -1469,8 +1469,15 @@
```

```
# Calculate a hash value for this date.
```

```
def hash() @ajd.hash end
```

- # Return internal object state as a programmer-readable string.
 - def inspect() format('#<%s: %s,%s,%s>', self.class, @ajd, @of, @sg) end
 - # If +\$DEBUG+ is true, returns internal object state as a programmer-readable
 - # string. Otherwise the same as +to_s+.
 - def inspect
 - if \$DEBUG
 - format('#<%s: %s @ajd=%s, @of=%s, @sg=%s, "%s">', to_s, self.class, @ajd, @of, @sg)
 - else
 - to_s
 - end
- end

Return the date as a human-readable string.

```
#
```

```
=end
```

```
#4 - 11/11/2008 07:02 AM - tadf (tadayoshi funaba)
```

```
=begin
```

```

inspect to_s
(DateTime)
  0 0

```

```
#####
```

```
#
```

```
#####
```

```
##### Object#examine  smalltalk  inspect #####
```

```
#<###: to_s (#####)>
```

```
#####
```

```
=end
```

```
#5 - 11/11/2008 07:17 AM - rubikitch (rubikitch .)
```

```
=begin
```

```
From: Tadayoshi Funaba tadf@dotrb.org
```

```
Subject: [ruby-dev:37059] Re: [Feature #735] Date#inspect
```

```
Date: Tue, 11 Nov 2008 06:59:30 +0900
```

```

inspect to_s
(DateTime)
  0 0

```

```
#####
```

#

#####

#####

--

rubikitch

Blog: <http://d.hatena.ne.jp/rubikitch/>

Site: <http://www.rubyist.net/~rubikitch/>

=end

#6 - 11/11/2008 12:23 PM - mame (Yusuke Endoh)

=begin

#####

2008/11/10 5:23 rubikitch . redmine@ruby-lang.org:

```
inspect#####Date#inspect#####
# # #####
```

yugui #####

1.9 #####

yugui #####

#####.....

```
String#inspect String#dump #####
#####
```

- ##### inspect #####
 - #####
 - ##### (####) #####
 - (#####)

#####

--

Yusuke ENDOH mame@tsg.ne.jp

=end

#7 - 11/11/2008 07:30 PM - matz (Yukihiro Matsumoto)

=begin

#####

In message "Re: [ruby-dev:37061] Re: [Feature #735] Date#inspect" on Tue, 11 Nov 2008 12:21:13 +0900, "Yusuke ENDOH" mame@tsg.ne.jp writes:

|2008/11/10 5:23 rubikitch . redmine@ruby-lang.org:

```
|> inspect#####Date#inspect#####
|> # # #####
```

|yugui #####

|1.9 #####

|yugui #####

|#####.....

#####trunk#####

1.9.1#####Yugui####,

Yugui#####

```
String#inspect String#dump #####
#####
```

- | - ##### inspect #####
- | - #####
- | - ##### (####) #####

```
| - (00000000000000000000000000000000)
|
|00000000000000000000000000000000
|
00000000000000000000000000000000
=end
```

#8 - 11/11/2008 07:31 PM - matz (Yukihiro Matsumoto)

```
=begin
0000 000000
```

In message "Re: [ruby-dev:37059] Re: [Feature #735] Date#inspect"
on Tue, 11 Nov 2008 06:59:30 +0900, Tadayoshi Funaba tadf@dotrb.org writes:

```
|> 000000000000000000000000inspect[]to_s
|> 000000000000000000000000(DateTime00000000)00
|> 00 0 00000000000000
|
|00000000
|
|#
|
|0000000000000000
|
0000000000000000
|
|0000000 Object#examine 000 smalltalk 0 inspect 0000000
|
|#<0000: to_s (000000000000)>
|
|00000000000000000000000000000000
|
00000000000000000000000000000000
000000000000000000000000
=end
```

#9 - 11/11/2008 08:02 PM - mame (Yusuke Endoh)

```
=begin
000000
```

2008/11/11 19:27 Yukihiro Matsumoto matz@ruby-lang.org:

```
|2008/11/10 5:23 rubikitch . redmine@ruby-lang.org:
|> inspect000000000000000000000000Date#inspect00000000000000000000
|> # 00 # 0000000000000000
|
|000000 yugui 00000000000000000000000000000000
|1.9 00000000000000000000000000000000
|000 yugui 00000000000000000000000000000000
|
|00000000000000000000000000000000.....0
|
000000000000trunk0000000000000000000000
01.9.1000000000000000Yugui00(00)00000000
```

```
000000000000000000000000
```

- 1.9 000000000000000000000000
- 0000 trunk 0 1.9 000000

```
0000ruby_1_9 0000000000000000 trunk 00000000
00000000000000000000000000000000
```

```
--
Yusuke ENDOH mame@tsg.ne.jp
```

```
=end
```

#10 - 11/11/2008 08:25 PM - tadf (tadayoshi funaba)

=begin

```
require 'yugui'
1.9
require 'yugui'
```

String#inspect

```
String#inspect String#dump
String#inspect
```

- inspect
 - inspect (Object)
 - inspect (Date)
 - inspect (DateTime)

String#inspect

```
Object#inspect
Object#inspect smalltalk
Object#inspect OOPL
Object#inspect (ruby)
```

```
REPL inspect
```

=end

#11 - 11/11/2008 08:34 PM - rubikitch (rubikitch .)

=begin

```
From: Yukihiro Matsumoto matz@ruby-lang.org
Subject: [ruby-dev:37057] Re: [Feature #735] Date#inspect
Date: Tue, 11 Nov 2008 00:56:59 +0900
```

```
|inspect
```

```
inspect
inspect p
inspect
```

date YYYY-MM-DD

```
Date#inspect to_s
Date#inspect
Date#inspect
Date#inspect
```

```
inspect
inspect
p
to_s
Date
```

String#inspect

```
inspect to_s
(DateTime)
^
```

```
require 'date'
today = Date.today # => #
today.to_s # => "2008-11-11"
```

```
String#inspect
#
```


- o 00000000 (0000) 000000000000000000
- o (00000000000000000000000000000000)

00000000000000000000

00000000000000000000000000000000

00000000000000000000000000000000
000000000000

00 IRC 00000000 yugui 00000000000000000000
0000000000000000000000000000000000
00000000 1.9.1 00000000000000

00000000000000000000000000000000

--
Yusuke ENDOH mame@tsg.ne.jp

=end

#14 - 11/28/2008 06:55 PM - matz (Yukihiko Matsumoto)

- Status changed from Open to Closed

#15 - 10/31/2012 06:32 PM - Glass_saga (Masaki Matsushita)

- File deleted (QQ 20120504205207.png)