

Ruby trunk - Bug #7405

Rdoc for CGI#header alias

11/20/2012 12:30 AM - stomar (Marcus Stollsteimer)

| | |
|---|------------------|
| Status: Closed | |
| Priority: Normal | |
| Assignee: xibbar (Takeyuki FUJIOKA) | |
| Target version: 2.0.0 | |
| ruby -v: ruby 2.0.0dev (2012-11-19 trunk 37712) [i686-linux] | Backport: |
| Description =begin CGI#header was only reintroduced as alias for CGI#http_header for compatibility reasons (see #7286), it's use for this purpose is deprecated. This should be made clear in the rdoc (patch provided): This method is an alias for #http_header, as long as the HTML5 tag maker is not used. NOTE: #header should no longer be used to create HTTP header blocks, the alias is provided only for backwards compatibility. With the HTML5 tag maker #header creates a <header> element. =end | |

Associated revisions

Revision ed7d7763 - 11/22/2012 05:42 PM - zzak (Zachary Scott)

- lib/cgi/core.rb: Documentation for CGI#header alias Based on a patch by Marcus Stollsteimer [ruby-core:49585] [Bug #7405]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@37811 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision 37811 - 11/22/2012 05:42 PM - zzak (Zachary Scott)

- lib/cgi/core.rb: Documentation for CGI#header alias Based on a patch by Marcus Stollsteimer [ruby-core:49585] [Bug #7405]

Revision 37811 - 11/22/2012 05:42 PM - zzak (Zachary Scott)

- lib/cgi/core.rb: Documentation for CGI#header alias Based on a patch by Marcus Stollsteimer [ruby-core:49585] [Bug #7405]

Revision 37811 - 11/22/2012 05:42 PM - zzak (Zachary Scott)

- lib/cgi/core.rb: Documentation for CGI#header alias Based on a patch by Marcus Stollsteimer [ruby-core:49585] [Bug #7405]

Revision 37811 - 11/22/2012 05:42 PM - zzak (Zachary Scott)

- lib/cgi/core.rb: Documentation for CGI#header alias Based on a patch by Marcus Stollsteimer [ruby-core:49585] [Bug #7405]

Revision 37811 - 11/22/2012 05:42 PM - zzak (Zachary Scott)

- lib/cgi/core.rb: Documentation for CGI#header alias Based on a patch by Marcus Stollsteimer [ruby-core:49585] [Bug #7405]

Revision 37811 - 11/22/2012 05:42 PM - zzak (Zachary Scott)

- lib/cgi/core.rb: Documentation for CGI#header alias Based on a patch by Marcus Stollsteimer [ruby-core:49585] [Bug #7405]

History

#1 - 11/20/2012 12:42 AM - zzak (Zachary Scott)

=begin
I like to avoid negatives as much as possible.

((This method is an alias for #http_header, when HTML5 tag maker is inactive.))

((NOTE: use CGI#http_header to create HTTP header blocks, this alias is only provided for backwards compatibility.))

((Using CGI#header with the HTML5 tag maker will create a element.))
=end

#2 - 11/20/2012 01:03 AM - stomar (Marcus Stollsteimer)

Much better, thank you.

#3 - 11/23/2012 02:18 AM - stomar (Marcus Stollsteimer)

Will you commit your version?

#4 - 11/23/2012 02:42 AM - zzak (Zachary Scott)

- Status changed from Open to Closed

- % Done changed from 0 to 100

This issue was solved with changeset r37811.
Marcus, thank you for reporting this issue.
Your contribution to Ruby is greatly appreciated.
May Ruby be with you.

-
- lib/cgi/core.rb: Documentation for CGI#header alias Based on a patch by Marcus Stollsteimer [ruby-core:49585] [Bug [#7405](#)]

Files

| | | | |
|---------------------------------|-----------|------------|------------------------------|
| rdoc_for CGI_header_alias.patch | 624 Bytes | 11/20/2012 | stomar (Marcus Stollsteimer) |
|---------------------------------|-----------|------------|------------------------------|