

## Backport200 - Backport #8209

### mkmf.log contains misplaced messages

04/03/2013 11:44 AM - akr (Akira Tanaka)

<b>Status:</b>	Closed	
<b>Priority:</b>	Normal	
<b>Assignee:</b>	nagachika (Tomoyuki Chikanaga)	
<b>Description</b>		
<pre>mkmf.log Debian GNU/Linux squeeze ext/-test-/win32/dln mkmf.log (tk win32ole) ext/-test-/win32/dln tk mkmf win32ole tk  boron% cat ext/-test-/win32/dln/mkmf.log Failed to configure -test-/win32/dln. It will not be installed. Failed to configure -test-/win32/fd_setsize. It will not be installed. Failed to configure dl/win32. It will not be installed. Failed to configure fiddle/win32. It will not be installed. Failed to configure tk. It will not be installed. Failed to configure tk/tkutil. It will not be installed. Failed to configure win32ole. It will not be installed. boron% cat ext/tk/mkmf.log  Failed to configure tk. It will not be installed. Failed to configure tk/tkutil. It will not be installed. Failed to configure win32ole. It will not be installed.  boron% pwd /home/akr/chkbuild/tmp/build/ruby-trunk/20130403T000400Z/ruby boron% svn info Path: . URL: http://svn.ruby-lang.org/repos/ruby/trunk Repository Root: http://svn.ruby-lang.org/repos/ruby Repository UUID: b2dd03c8-39d4-4d8f-98ff-823fe69b080e Revision: 40075 Node Kind: directory Schedule: normal Last Changed Author: svn Last Changed Rev: 40073 Last Changed Date: 2013-04-03 00:09:41 +0900 (Wed, 03 Apr 2013)  socket ext/-test-/win32/dln ext/tk</pre>		
<b>Related issues:</b>		
Has duplicate Ruby master - Bug #8715: openssl mkmf.log filled with other data		<b>Closed</b> <b>08/01/2013</b>

#### Associated revisions

Revision 1d339ff2 - 04/03/2013 10:00 AM - akr (Akira Tanaka)

- ext/extmk.rb (extmake): Use Logging.open to switch stdout and stderr. Delay Logging::log\_close until the failure message is written. Write the failure message only if log file is opened.
- lib/mkmf.rb (Logging.log\_opened?): New method.

[ruby-dev:47215] [Bug #8209]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@40080 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

**Revision 40080 - 04/03/2013 10:00 AM - akr (Akira Tanaka)**

- ext/extmk.rb (extmake): Use Logging.open to switch stdout and stderr. Delay Logging::log\_close until the failure message is written. Write the failure message only if log file is opened.
- lib/mkmf.rb (Logging.log\_opened?): New method.

[ruby-dev:47215] [Bug #8209]

**Revision 40080 - 04/03/2013 10:00 AM - akr (Akira Tanaka)**

- ext/extmk.rb (extmake): Use Logging.open to switch stdout and stderr. Delay Logging::log\_close until the failure message is written. Write the failure message only if log file is opened.
- lib/mkmf.rb (Logging.log\_opened?): New method.

[ruby-dev:47215] [Bug #8209]

**Revision 40080 - 04/03/2013 10:00 AM - akr (Akira Tanaka)**

- ext/extmk.rb (extmake): Use Logging.open to switch stdout and stderr. Delay Logging::log\_close until the failure message is written. Write the failure message only if log file is opened.
- lib/mkmf.rb (Logging.log\_opened?): New method.

[ruby-dev:47215] [Bug #8209]

**Revision 40080 - 04/03/2013 10:00 AM - akr (Akira Tanaka)**

- ext/extmk.rb (extmake): Use Logging.open to switch stdout and stderr. Delay Logging::log\_close until the failure message is written. Write the failure message only if log file is opened.
- lib/mkmf.rb (Logging.log\_opened?): New method.

[ruby-dev:47215] [Bug #8209]

**Revision 40080 - 04/03/2013 10:00 AM - akr (Akira Tanaka)**

- ext/extmk.rb (extmake): Use Logging.open to switch stdout and stderr. Delay Logging::log\_close until the failure message is written. Write the failure message only if log file is opened.
- lib/mkmf.rb (Logging.log\_opened?): New method.

[ruby-dev:47215] [Bug #8209]

## Revision 40080 - 04/03/2013 10:00 AM - akr (Akira Tanaka)

- ext/extmk.rb (extmake): Use Logging.open to switch stdout and stderr. Delay Logging::log\_close until the failure message is written. Write the failure message only if log file is opened.
- lib/mkmf.rb (Logging.log\_opened?): New method.

[ruby-dev:47215] [Bug #8209]

## Revision 5be2e8eb - 08/03/2013 02:08 PM - nagachika (Tomoyuki Chikanaga)

merge revision(s) 40080,40081: [Backport #8209]

```
* ext/extmk.rb (extmake): Use Logging.open to switch stdout and
stderr. Delay Logging::log_close until the failure message is
written. Write the failure message only if log file is opened.
```

```
* lib/mkmf.rb (Logging.log_opened?): New method.
[ruby-dev:47215] [Bug #8209]
```

```
* ext/extmk.rb (extmake): Invoke Logging::log_close in a ensure
clause.
```

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/branches/ruby\_2\_0\_0@42359 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

## Revision 42359 - 08/03/2013 02:08 PM - nagachika (Tomoyuki Chikanaga)

merge revision(s) 40080,40081: [Backport #8209]

```
* ext/extmk.rb (extmake): Use Logging.open to switch stdout and
stderr. Delay Logging::log_close until the failure message is
written. Write the failure message only if log file is opened.
```

```
* lib/mkmf.rb (Logging.log_opened?): New method.
[ruby-dev:47215] [Bug #8209]
```

```
* ext/extmk.rb (extmake): Invoke Logging::log_close in a ensure
clause.
```

## History

---

### #1 - 04/03/2013 07:00 PM - akr (Akira Tanaka)

- Status changed from Open to Closed

- % Done changed from 0 to 100

This issue was solved with changeset r40080.

Akira, thank you for reporting this issue.

Your contribution to Ruby is greatly appreciated.

May Ruby be with you.

---

- ext/extmk.rb (extmake): Use Logging.open to switch stdout and stderr. Delay Logging::log\_close until the failure message is written. Write the failure message only if log file is opened.
- lib/mkmf.rb (Logging.log\_opened?): New method.

[ruby-dev:47215] [Bug [#8209](#)]

### #2 - 08/03/2013 11:00 PM - nagachika (Tomoyuki Chikanaga)

- Tracker changed from Bug to Backport

- Project changed from Ruby master to Backport200

- Status changed from Closed to Assigned

- Assignee set to nagachika (Tomoyuki Chikanaga)

**#3 - 08/03/2013 11:08 PM - nagachika (Tomoyuki Chikanaga)**

- Status changed from Assigned to Closed

This issue was solved with changeset [r42359](#).  
Akira, thank you for reporting this issue.  
Your contribution to Ruby is greatly appreciated.  
May Ruby be with you.

---

merge revision(s) 40080,40081: [Backport [#8209](#)]

- \* ext/extmk.rb (extmake): Use Logging.open to switch stdout and stderr. Delay Logging::log\_close until the failure message is written. Write the failure message only if log file is opened.
- \* lib/mkmf.rb (Logging.log\_opened?): New method.  
[ruby-dev:47215] [Bug #8209]
- \* ext/extmk.rb (extmake): Invoke Logging::log\_close in a ensure clause.