

Ruby master - Bug #883

Failure: test_handle_special_CROSSREF_no_underscore(TestRDocMarkupToHtmlCrossref)

12/15/2008 07:52 PM - znz (Kazuhiro NISHIYAMA)

Status: Closed	
Priority: Normal	
Assignee: drbrain (Eric Hodel)	
Target version: 1.9.2	
ruby -v: ruby 1.9.1 (2008-12-15 revision 20750) [i686-linux]	Backport:
Description =begin test failed with full path % ruby-trunk -v ruby 1.9.1 (2008-12-15 revision 20750) [i686-linux] % ruby-trunk test/rdoc/test_rdoc_markup_to_html_crossref.rb nil Loaded suite test/rdoc/test_rdoc_markup_to_html_crossref Started . Finished in 0.153602 seconds. 1 tests, 210 assertions, 0 failures, 0 errors, 0 skips % ruby-trunk \$(pwd)/test/rdoc/test_rdoc_markup_to_html_crossref.rb nil Loaded suite /home/kazu/wc/ruby-lang/trunk/test/rdoc/test_rdoc_markup_to_html_crossref Started F Finished in 0.041989 seconds. 1) Failure: test_handle_special_CROSSREF_no_underscore(TestRDocMarkupToHtmlCrossref) [/home/kazu/wc/ruby-lang/trunk/test/rdoc/test_rdoc_markup_to_html_crossref.rb:87]: Expected " /home/kazu/wc/ruby-lang/trunk/test/rdoc/rdoc_markup_to_html_crossref_reference.rb ", not " /home/kazu/wc/ruby-lang/trunk/test/rdoc/rdoc_markup_to_html_crossref_reference.rb ". 1 tests, 29 assertions, 1 failures, 0 errors, 0 skips % =end	
Related issues:	
Related to Ruby master - Bug #2066: Merge Latest RDoc/Ri	Closed 09/09/2009
Related to Ruby master - Feature #2635: Unbundle rdoc	Rejected 01/23/2010

History

#1 - 12/16/2008 08:51 AM - drbrain (Eric Hodel)

- Category set to lib

- Assignee set to drbrain (Eric Hodel)

=begin
I cannot reproduce:

```
$ ruby19 -v  
ruby 1.9.1 (2008-12-16 revision 20769) [i386-darwin9.5.0]
```

```
$ ruby19 test/rdoc/test_rdoc_markup_to_html_crossref.rb  
nil  
Loaded suite test/rdoc/test_rdoc_markup_to_html_crossref  
Started
```

Finished in 0.078531 seconds.

1 tests, 210 assertions, 0 failures, 0 errors, 0 skips

```
$ ruby19 $(pwd)/test/rdoc/test_rdoc_markup_to_html_crossref.rb
```

```
nil
Loaded suite /Users/drbrain/Work/svn/ruby/trunk/test/rdoc/test_rdoc_markup_to_html_crossref
Started
```

Finished in 0.081387 seconds.

1 tests, 210 assertions, 0 failures, 0 errors, 0 skips

also, test-all passes for this test:

```
$ make test-all TESTS=rdoc/test_rdoc_markup_to_html_crossref.rb
```

```
./miniruby -I./lib -I.ext/common -I./-r./ext/purelib.rb ./runruby.rb --extout=.ext -- "./test/runner.rb" rdoc/test_rdoc_markup_to_html_crossref.rb
nil
Loaded suite ./test/runner
Started
```

Finished in 0.086197 seconds.

1 tests, 210 assertions, 0 failures, 0 errors, 0 skips

=end

#2 - 12/17/2008 12:38 AM - znz (Kazuhiro NISHIYAMA)

```
=begin
another failure example:
```

```
% cd test
% ruby-trunk ../test/rdoc/test_rdoc_markup_to_html_crossref.rb
nil
Loaded suite ../test/rdoc/test_rdoc_markup_to_html_crossref
Started
F
```

Finished in 0.058379 seconds.

1) Failure:

```
test_handle_special_CROSSREF_no_underscore(TestRDocMarkupToHtmlCrossref) [../test/rdoc/test_rdoc_markup_to_html_crossref.rb:87]:
Expected " ../test/rdoc/rdoc_markup_to_html_crossref_reference.rb ", not " ../test/rdoc/rdoc_markup_to_html_crossref_reference.rb ".
```

1 tests, 29 assertions, 1 failures, 0 errors, 0 skips

```
%
=end
```

#3 - 12/17/2008 12:48 AM - candlerb (Brian Candler)

```
=begin
```

I cannot reproduce:

I can reproduce here (Ubuntu Hardy)

```
ruby-1.9.1-preview2$ ruby19 -v
ruby 1.9.1 (2008-12-01 revision 20438) [i686-linux]
```

```
ruby-1.9.1-preview2$ ruby19 $(pwd)/test/rdoc/test_rdoc_markup_to_html_crossref.rb
Loaded suite /v/build/ruby-1.9.1-preview2/test/rdoc/test_rdoc_markup_to_html_crossref
Started
F
Finished in 0.046547 seconds.
```

1) Failure:

```
test_handle_special_CROSSREF_no_underscore(TestRDocMarkupToHtmlCrossref)
[/v/build/ruby-1.9.1-preview2/test/rdoc/test_rdoc_markup_to_html_crossref.rb:87]:
Expected " /v/build/ruby-1.9.1-preview2/test/rdoc/rdoc_markup_to_html_crossref_reference.rb ", not "
/v/build/ruby-1.9.1-preview2/test/rdoc/rdoc_markup_to_html_crossref_reference.rb ".
```

1 tests, 29 assertions, 1 failures, 0 errors, 0 skips

And here's on another Hardy machine running trunk from yesterday:

```
ruby-svn$ ruby19 -v
ruby 1.9.1 (2008-12-16 revision 20768) [i686-linux]
brian@mappit:/v/downloads/ruby-svn$ ruby19 test/rdoc/test_rdoc_markup_to_html_crossref.rb
nil
Loaded suite test/rdoc/test_rdoc_markup_to_html_crossref
Started
.
Finished in 0.528887 seconds.
```

```
1 tests, 210 assertions, 0 failures, 0 errors, 0 skips
ruby-svn$ ruby19 $(pwd)/test/rdoc/test_rdoc_markup_to_html_crossref.rb
nil
Loaded suite /v/downloads/ruby-svn/test/rdoc/test_rdoc_markup_to_html_crossref
Started
F
Finished in 0.089370 seconds.
```

```
1) Failure:
test_handle_special_CROSSREF_no_underscore(TestRDocMarkupToHtmlCrossref)
[/v/downloads/ruby-svn/test/rdoc/test_rdoc_markup_to_html_crossref.rb:87]:
Expected " /v/downloads/ruby-svn/test/rdoc/rdoc_markup_to_html_crossref_reference.rb ", not "
/v/downloads/ruby-svn/test/rdoc/rdoc_markup_to_html_crossref_reference.rb ".
```

```
1 tests, 29 assertions, 1 failures, 0 errors, 0 skips
```

=end

#4 - 02/06/2009 02:35 AM - znz (Kazuhiro NISHIYAMA)

- ruby -v set to ruby 1.9.1 (2008-12-15 revision 20750) [i686-linux]

```
=begin
reported in [ruby-dev:37919], failed when path of source tree includes '.'.
=end
```

#5 - 02/14/2009 07:54 PM - nagachika (Tomoyuki Chikanaga)

```
=begin
I've found that test/rdoc/test_rdoc_markup_to_html_crossref.rb fails when full-path of source tree
contains '.', like "/usr/local/src/ruby-trunk/".
```

I have a tiny patch solves this test failure.
I'm not confident it's right way to fix the problem. Please examine it.

```
=====
--- lib/rdoc/markup/to_html_crossref.rb (revision 22068)
+++ lib/rdoc/markup/to_html_crossref.rb (working copy)
@@ -65,7 +65,7 @@
# The key thing is that there must be at least
# one special character (period, slash, or
# underscore).
```

- | [\Ww]+[_V.][\wV.]+

- [REDACTED]

```
# Things that have markup suppressed
| \\\[^\\s]
```

=end

#6 - 03/09/2009 11:54 AM - nobu (Nobuyoshi Nakada)

```
=begin
Hi,
```

At Wed, 17 Dec 2008 00:30:45 +0900,
Kazuhiro NISHIYAMA wrote in [ruby-core:20599]:

another failure example:

```
% cd test
% ruby-trunk ../test/rdoc/test_rdoc_markup_to_html_crossref.rb
nil
Loaded suite ../test/rdoc/test_rdoc_markup_to_html_crossref
Started
F
Finished in 0.058379 seconds.
```

1) Failure:

```
test_handle_special_CROSSREF_no_underscore(TestRDocMarkupToHtmlCrossref) [../test/rdoc/test_rdoc_markup_to_html_crossref.rb:87]:
Expected " ../test/rdoc/rdoc_markup_to_html_crossref_reference.rb ", not " ../test/rdoc/rdoc_markup_to_html_crossref_reference.rb ".
```

1 tests, 29 assertions, 1 failures, 0 errors, 0 skips

Assuming the test is correct.

Index: lib/rdoc/markup/to_html_crossref.rb

=====

```
--- lib/rdoc/markup/to_html_crossref.rb (revision 22822)
+++ lib/rdoc/markup/to_html_crossref.rb (working copy)
@@ -66,5 +66,5 @@ class RDoc::Markup::ToHtmlCrossref < RDoc
# one special character (period, slash, or
# underscore).
```

- | [\w]+[_V.][\wV.]+

- 

```
# Things that have markup suppressed
```

```
--
Nobu Nakada
```

```
=end
```

#7 - 07/23/2009 09:35 AM - drbrain (Eric Hodel)

```
=begin
I have applied Nobu's patch to RDoc trunk.
=end
```

#8 - 09/24/2009 10:48 AM - marcandre (Marc-Andre Lafortune)

```
- Status changed from Open to Assigned
- Target version set to 1.9.2
```

```
=begin
```

```
=end
```

#9 - 01/24/2010 12:17 AM - naruse (Yui NARUSE)

```
- Status changed from Assigned to Closed
- % Done changed from 0 to 100
```

```
=begin
This issue was solved with changeset r26386.
Kazuhiro, thank you for reporting this issue.
Your contribution to Ruby is greatly appreciated.
May Ruby be with you.
```

```
=end
```