

Ruby trunk - Bug #9255

README -> README.md

12/18/2013 08:47 AM - zzak (Zachary Scott)

Status:	Closed	
Priority:	Normal	
Assignee:	zzak (Zachary Scott)	
Target version:	2.6	
ruby -v:	2.1.0dev	Backport: 1.9.3: DONTNEED, 2.0.0: UNKNOWN
Description		
As documentation maintainer, I've decided we will move the README to markdown format and use the '.md' extension.		
This change will take effect after the release of 2.1.0		
I've outlined my reasoning:		
<ul style="list-style-type: none">• RDoc now has a built-in markdown parser, writing markdown is much easier• This change will encourage contributors who are able to read and write markdown• Github is a large source of new contributors, this change will improve README formatting on github		
I will need assistance converting the existing Japanese README.ja to markdown format, any help here is appreciated! Please raise your hand if you'd like to help with the conversion.		

Associated revisions

Revision 87855a00 - 01/23/2014 04:59 AM - zzak (Zachary Scott)

- README -> README.md: [DOC] Format README with Markdown [Bug #9255]
- README.ja -> README.ja.md: ditto

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@44684 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision 44684 - 01/23/2014 04:59 AM - zzak (Zachary Scott)

- README -> README.md: [DOC] Format README with Markdown [Bug #9255]
- README.ja -> README.ja.md: ditto

Revision 44684 - 01/23/2014 04:59 AM - zzak (Zachary Scott)

- README -> README.md: [DOC] Format README with Markdown [Bug #9255]
- README.ja -> README.ja.md: ditto

Revision 44684 - 01/23/2014 04:59 AM - zzak (Zachary Scott)

- README -> README.md: [DOC] Format README with Markdown [Bug #9255]
- README.ja -> README.ja.md: ditto

Revision 44684 - 01/23/2014 04:59 AM - zzak (Zachary Scott)

- README -> README.md: [DOC] Format README with Markdown [Bug #9255]
- README.ja -> README.ja.md: ditto

Revision 44684 - 01/23/2014 04:59 AM - zzak (Zachary Scott)

- README -> README.md: [DOC] Format README with Markdown [Bug #9255]
- README.ja -> README.ja.md: ditto

Revision 44684 - 01/23/2014 04:59 AM - zzak (Zachary Scott)

- README -> README.md: [DOC] Format README with Markdown [Bug #9255]

- README.ja -> README.ja.md: ditto

Revision 5b7850da - 01/18/2015 08:47 AM - nobu (Nobuyoshi Nakada)

README files renamed

.document: README files renamed at r44684. [Bug #9255]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@49324 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision 49324 - 01/18/2015 08:47 AM - nobu (Nobuyoshi Nakada)

README files renamed

.document: README files renamed at r44684. [Bug #9255]

Revision 49324 - 01/18/2015 08:47 AM - nobu (Nobuyoshi Nakada)

README files renamed

.document: README files renamed at r44684. [Bug #9255]

Revision 49324 - 01/18/2015 08:47 AM - nobu (Nobuyoshi Nakada)

README files renamed

.document: README files renamed at r44684. [Bug #9255]

Revision 49324 - 01/18/2015 08:47 AM - nobu (Nobuyoshi Nakada)

README files renamed

.document: README files renamed at r44684. [Bug #9255]

Revision 49324 - 01/18/2015 08:47 AM - nobu (Nobuyoshi Nakada)

README files renamed

.document: README files renamed at r44684. [Bug #9255]

History

#1 - 12/18/2013 01:38 PM - marcandre (Marc-Andre Lafortune)

:smiley:

#2 - 12/18/2013 07:23 PM - matsuda (Akira Matsuda)

[zzak \(Zachary Scott\)](#) Doesn't this just work?
ruby -rrdoc -e "puts RDoc::Markup::ToMarkdown.new.convert(File.read('README.ja'))"

#3 - 12/18/2013 10:54 PM - zzak (Zachary Scott)

[matsuda \(Akira Matsuda\)](#) Yes, this should work. Good suggestion!

I would still like someone (native japanese) to verify its correctness.

#4 - 01/23/2014 04:59 AM - zzak (Zachary Scott)

- Status changed from Assigned to Closed

- % Done changed from 0 to 100

Applied in changeset [r44684](#).

- README -> README.md: [DOC] Format README with Markdown [Bug [#9255](#)]
- README.ja -> README.ja.md: ditto

#5 - 02/05/2014 02:56 AM - usa (Usaku NAKAMURA)

- Backport changed from 1.9.3: UNKNOWN, 2.0.0: UNKNOWN to 1.9.3: DONTNEED, 2.0.0: UNKNOWN