

Ruby trunk - Bug #9308

def's return value causes errors

12/27/2013 09:47 PM - phortx (Benjamin Kammerl)

Status: Closed	
Priority: Normal	
Assignee:	
Target version: 2.6	
ruby -v: ruby 2.1.0dev (2013-11-23 trunk 43807) [x86_64-linux]	Backport: 1.9.3: DONE, 2.0.0: DONE, 2.1: DONE
Description It seems 2.1 has some trouble with the "do" keyword in combination with the private/public/protected keywords and the def's return value: Works: https://gist.github.com/phortx/8146341 Works Not: https://gist.github.com/phortx/8146345 \$ ruby --version ruby 2.1.0dev (2013-11-23 trunk 43807) [x86_64-linux] \$ ruby works.rb \$ ruby works_not.rb test.rb:5: syntax error, unexpected keyword_do_block, expecting keyword_end test.rb:12: syntax error, unexpected keyword_end, expecting end-of-input	
Related issues:	
Has duplicate Ruby trunk - Bug #9376: Passing do/end block inside decorated m...	Closed 01/07/2014
Has duplicate Ruby trunk - Bug #9416: 'private def' results in syntax errors ...	Closed 01/15/2014

Associated revisions

Revision 04bb9d6b - 12/27/2013 03:42 PM - nobu (Nobuyoshi Nakada)

parse.y: save cmdarg_stack in local scope

- parse.y (local_push_gen, local_pop_gen): save cmdarg_stack to isolate command argument state from outer scope. [ruby-core:59342] [Bug #9308]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@44449 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision 44449 - 12/27/2013 03:42 PM - nobu (Nobuyoshi Nakada)

parse.y: save cmdarg_stack in local scope

- parse.y (local_push_gen, local_pop_gen): save cmdarg_stack to isolate command argument state from outer scope. [ruby-core:59342] [Bug #9308]

Revision 44449 - 12/27/2013 03:42 PM - nobu (Nobuyoshi Nakada)

parse.y: save cmdarg_stack in local scope

- parse.y (local_push_gen, local_pop_gen): save cmdarg_stack to isolate command argument state from outer scope. [ruby-core:59342] [Bug #9308]

Revision 44449 - 12/27/2013 03:42 PM - nobu (Nobuyoshi Nakada)

parse.y: save cmdarg_stack in local scope

- parse.y (local_push_gen, local_pop_gen): save cmdarg_stack to isolate command argument state from outer scope. [ruby-core:59342] [Bug #9308]

Revision 44449 - 12/27/2013 03:42 PM - nobu (Nobuyoshi Nakada)

parse.y: save cmdarg_stack in local scope

- parse.y (local_push_gen, local_pop_gen): save cmdarg_stack to isolate command argument state from outer scope. [ruby-core:59342] [Bug #9308]

Revision 44449 - 12/27/2013 03:42 PM - nobu (Nobuyoshi Nakada)

parse.y: save cmdarg_stack in local scope

- parse.y (local_push_gen, local_pop_gen): save cmdarg_stack to isolate command argument state from outer scope. [ruby-core:59342] [Bug #9308]

Revision 44449 - 12/27/2013 03:42 PM - nobu (Nobuyoshi Nakada)

parse.y: save cmdarg_stack in local scope

- parse.y (local_push_gen, local_pop_gen): save cmdarg_stack to isolate command argument state from outer scope. [ruby-core:59342] [Bug #9308]

Revision 0e587307 - 01/29/2014 03:55 AM - usa (Usaku NAKAMURA)

merge revision(s) 44449: [Backport #9308]

```
* parse.y (local_push_gen, local_pop_gen): save cmdarg_stack to
  isolate command argument state from outer scope.
[ruby-core:59342] [Bug #9308]
```

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/branches/ruby_1_9_3@44737 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision f0e52528 - 02/09/2014 03:36 PM - nagachika (Tomoyuki Chikanaga)

merge revision(s) r44449: [Backport #9308]

```
* parse.y (local_push_gen, local_pop_gen): save cmdarg_stack to
  isolate command argument state from outer scope.
[ruby-core:59342] [Bug #9308]
```

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/branches/ruby_2_0_0@44898 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision 02cc3d94 - 02/21/2014 03:42 PM - naruse (Yui NARUSE)

merge revision(s) 44449: [Backport #9416]

```
* parse.y (local_push_gen, local_pop_gen): save cmdarg_stack to
  isolate command argument state from outer scope.
[ruby-core:59342] [Bug #9308]
```

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/branches/ruby_2_1@45086 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

History

#1 - 12/28/2013 12:42 AM - nobu (Nobuyoshi Nakada)

- Status changed from Open to Closed

- % Done changed from 0 to 100

This issue was solved with changeset r44449.
Benjamin, thank you for reporting this issue.
Your contribution to Ruby is greatly appreciated.
May Ruby be with you.

parse.y: save cmdarg_stack in local scope

- parse.y (local_push_gen, local_pop_gen): save cmdarg_stack to isolate command argument state from outer scope. [ruby-core:59342] [Bug #9308]

#2 - 01/07/2014 12:59 PM - nobu (Nobuyoshi Nakada)

- Priority changed from 5 to Normal

- Backport changed from 1.9.3: UNKNOWN, 2.0.0: UNKNOWN, 2.1: UNKNOWN to 1.9.3: DONTNEED, 2.0.0: REQUIRED, 2.1: REQUIRED

I set backport to 2.0 to REQUIRED, because this is an old issue but noone has never been hit.
For source-level compatibility, it's better that 2.0 also accepts this syntax.

1.9? It has died almost.

#3 - 01/07/2014 05:35 PM - usa (Usaku NAKAMURA)

- Backport changed from 1.9.3: DONTNEED, 2.0.0: REQUIRED, 2.1: REQUIRED to 1.9.3: REQUIRED, 2.0.0: REQUIRED, 2.1: REQUIRED

1.9.3 is not dead... yet.

#4 - 01/15/2014 12:13 PM - nobu (Nobuyoshi Nakada)

- Has duplicate Bug #9416: 'private def' results in syntax errors in the method added

#5 - 01/29/2014 03:55 AM - usa (Usaku NAKAMURA)

- Backport changed from 1.9.3: REQUIRED, 2.0.0: REQUIRED, 2.1: REQUIRED to 1.9.3: DONE, 2.0.0: REQUIRED, 2.1: REQUIRED

backported to ruby_1_9_3 at r44737.

#6 - 02/11/2014 03:02 PM - nagachika (Tomoyuki Chikanaga)

- Backport changed from 1.9.3: DONE, 2.0.0: REQUIRED, 2.1: REQUIRED to 1.9.3: DONE, 2.0.0: DONE, 2.1: REQUIRED

r44449 was backported to ruby_2_0_0 branch at 44898.

#7 - 02/21/2014 03:57 PM - naruse (Yui NARUSE)

- Backport changed from 1.9.3: DONE, 2.0.0: DONE, 2.1: REQUIRED to 1.9.3: DONE, 2.0.0: DONE, 2.1: DONE

r45086.