

Backport193 - Backport #9491

Supporting codesign on OS X

02/06/2014 05:07 AM - mrkn (Kenta Murata)

| | |
|---|----------------------|
| Status: | Closed |
| Priority: | Normal |
| Assignee: | usa (Usaku NAKAMURA) |
| Description | |
| To maintain chkbuid of ruby_1_9_3 branch on my Mac, I need to backport the functionality to apply codesign. Please backport the patch I made: https://gist.github.com/mrkn/8838644 | |

Associated revisions

Revision c50e2851 - 02/06/2014 05:20 AM - usa (Usaku NAKAMURA)

- configure.in (POSTLINK): sign built program using RUBY_CODESIGN identity.
[Backport #9491]
- Makefile.in (PROGRAM): ditto.
- Makefile.in (LIBRUBY_SO): ditto.
- lib/mkmf.rb (LINK_SO): sign extensions too. replace empty line with default command.
- enc/depend (link_so): prefix \$(Q) for each commands.
- tool/mkconfig.rb: restore embedded newlines.

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/branches/ruby_1_9_3@44860 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision 44860 - 02/06/2014 05:20 AM - usa (Usaku NAKAMURA)

- configure.in (POSTLINK): sign built program using RUBY_CODESIGN identity.
[Backport #9491]
- Makefile.in (PROGRAM): ditto.
- Makefile.in (LIBRUBY_SO): ditto.
- lib/mkmf.rb (LINK_SO): sign extensions too. replace empty line with default command.
- enc/depend (link_so): prefix \$(Q) for each commands.
- tool/mkconfig.rb: restore embedded newlines.

History

#1 - 02/06/2014 05:21 AM - usa (Usaku NAKAMURA)

- Status changed from Open to Closed
- % Done changed from 0 to 100

Applied in changeset [r44860](#).

- configure.in (POSTLINK): sign built program using RUBY_CODESIGN

identity.

[Backport [#9491](#)]

- Makefile.in (PROGRAM): ditto.
- Makefile.in (LIBRUBY_SO): ditto.
- lib/mkmf.rb (LINK_SO): sign extensions too. replace empty line with default command.
- enc/depend (link_so): prefix \$(Q) for each commands.
- tool/mkconfig.rb: restore embedded newlines.